



Emergency Response and Recovery: Protecting What Matters Most

Tel: 800-772-6733 Fax: 800-772-7702 Web: www.fishersafety.com



Fisher Safety Equipment Servicing Program



Fisher Safety provides quality instrumentation and SCBA service either on site, at our various service center locations, or at your place of business (depending on location) with our fully equipped, 32' mobile service trailers. Our extensive service center capabilities ensure that your SCBAs and gas detectors are fully maintained and ready for any IDLH or emergency situation.

- **Our Service, Repair and Inspection Capabilities**

Respirator Cleaning

Services: clean, sanitize, and heat sealed in polybags; check for cracking, strap fractures, and common damages

- **Fit Testing**

Services: qualitative testing, quantitative testing (portacount plus respirator fit test)

- **Self-Contained Breathing Apparatus**

Types: Scott, MSA

Services: functional tests, overhauls, NFPA upgrades, conversions, maintenance/parts installations, hydrotests (up to 10,000 psi), cylinder refills

- **Inspections and Compliance Repairs**

Types: safety showers, emergency eyewashes, level A suits, various medical equipment (calibration, repair)

- **Gas Detectors**

Types: Sperian, MSA, 3M, Scott

Services: repair, calibration

Calibration Services Available for MSA and Sperian Gas Monitors

In collaboration with InnoCal, Fisher Safety offers calibration and repair services for MSA and Sperian portable gas monitors.



Services are factory authorized and service warranties are available.

Get calibration pricing and service information

To schedule maintenance, call Fisher Safety Customer Service at 1-800-772-6733.

Table of Contents

| | Page |
|--|------|
| Personal Protective Equipment | |
| Safety Glasses..... | 1 |
| Readers..... | 1 |
| Goggles..... | 1 |
| Cleaning Supplies..... | 1 |
| Hardhats and Caps..... | 2 |
| Welding..... | 2 |
| Accessories..... | 2 |
| Ear Plugs..... | 2 |
| Ear Muffs..... | 3 |
| Hand Protection..... | 3 |
| Clothing..... | 6 |
| Foot Protection..... | 8 |
| Back Supports..... | 9 |
| Knee Pads..... | 10 |
| Respiratory..... | 10 |
| Traffic Safety..... | 13 |
| Fire-Rescue-EMS | |
| Apparel..... | 15 |
| Helmets/Hoods..... | 16 |
| Structural/Extrication Gloves..... | 16 |
| Structural Boots..... | 18 |
| SCBA..... | 19 |
| Supplied Air..... | 19 |
| Communications..... | 19 |
| Rapid Intervention/Escape Devices..... | 20 |
| Accountability..... | 20 |
| Rehab..... | 20 |
| Incident Command..... | 21 |
| Thermal Imagers..... | 21 |
| Search Cameras/Listening Systems..... | 22 |
| Flashlights/Scene Lighting..... | 22 |
| Hand Tools..... | 23 |
| Ladders..... | 24 |
| Ventilation..... | 24 |
| Rescue Tools..... | 25 |
| Rope/Rigging..... | 26 |
| BLS/First Aid..... | 28 |
| HazMat-WMD | |
| Level A and B..... | 31 |
| Level C and D..... | 32 |
| Chemical-Resistant Gloves..... | 33 |
| Chemical-Resistant Boots..... | 33 |
| Respiratory Protection..... | 34 |
| Instrumentation..... | 35 |
| Leak Repair/Control..... | 36 |
| Sorbents..... | 37 |

Table of Contents

- Containment..... 40
- Tools..... 40
- Vacuums..... 41
- Decon..... 41
- Law Enforcement
 - Body Armor..... 42
 - Reflective Apparel..... 42
 - Eyewear..... 43
 - Headsets/Earplugs..... 43
 - Gloves..... 43
 - SCBA/Respirators..... 44
 - Thermal Imaging..... 45
- Mass Casualty
 - Shelters/Trailers..... 45
 - Patient Management..... 49

Personal Protective Equipment

Safety Glasses

Fisherbrand Racer Series Qualifier Sport Eyewear



19-181-540 - Ea.
Glasses, Safety; Fisherbrand Qualifier Sport; Frameless single lens design; Soft nose bridge and temples; Blue lens; Blue frame

19-181-541 - Ea.
Clear lens; Blue/black frame

19-181-542 - Ea.
Gray lens; Silver/black frame

Uvex ExtremePro Eyewear



18-813-464 - Ea.
Eyewear, Safety; Sperian Uvex ExtremePro; Black and gray frame; For most indoor work applications; Lens tint: Clear; Supra-Dura anti-scratch coating

18-813-466 - Ea.
Clear; Uvextreme Plus AF

18-813-465 - Ea.
Clear; Dura-streme

18-813-467 - Ea.
Brown; Supra-Dura anti-scratch coating

18-813-469 - Ea.
Brown; Uvextreme Plus AF

18-813-468 - Ea.
Brown; Dura-streme

18-813-470 - Ea.
Silver Mirror; Supra-Dura anti-scratch coating

18-813-471 - Ea.
SCT-Reflect 50

18-813-472 - Ea.
Shade 3.0 Infra-dura

18-813-473 - Ea.
Shade 5.0 Infra-dura

18-813-474 - Ea.
Dark Gray; Supra-Dura anti-scratch coating

18-813-475 - Ea.
Dark Gray; Uvextreme Plus AF

Uvex Millennia Protective Spectacles



19-039-208 - Ea.
Spectacles, Safety; Sperian Millennia; Single high-impact, abrasion-resistant polycarbonate lens; Black frame; Clear lens

19-087-375A - Ea.
Black frame; Clear lens; Fog-ban coating

19-039-209 - Ea.
Black frame; TSR gray lens

19-087-375B - Ea.
Black frame; Gray lens; Fog-ban coating

19-039-211 - Ea.
Black frame; SCT-Reflect 50

19-039-212 - Ea.
Black frame; Silver mirror lens

19-039-213 - Ea.
Blue frame; Clear lens

19-039-227 - Ea.
Gray frame; Clear lens

19-039-228 - Ea.
Gray frame; TSR gray lens

19-039-229 - Ea.
Gray frame; Silver mirror I/O lens

Readers

3M BX Readers Protective Eyewear



19-130-4582 - Ea.
Eyewear, Safety; 3M BX; Adjustable soft-tip temples and nose bridge; Three lens angles; Clear; +1.5 reader lenses

19-130-4583 - Ea.
Clear; +2.0 reader lenses

19-130-4584 - Ea.
Clear; +2.5 reader lenses

19-130-4585 - Ea.
Gray; +1.50 reader lenses

17-827-300 - Ea.
Clear; +1.5 reader lenses

17-827-301 - Ea.
Clear; +2.0 reader lenses

19-130-4586 - Ea.
Gray; +2.0 reader lenses

19-130-4587 - Ea.
Gray; +2.5 reader lenses

17-827-302 - Ea.
Clear; +2.5 reader lenses

Goggles

Uvex Stealth Chemical-Splash Goggles



17-377-403 - Ea.
Goggles, Chemical Splash; Sperian; Uvex Stealth; Dura-streme coating; Clear polycarbonate wraparound lens; Light gray/charcoal polypropylene frame

18-999-2314 - Ea.
Gray; Light gray/charcoal frame

18-999-2313 - Ea.
Amber; Light gray/charcoal frame

18-999-2315 - Ea.
Clear; Teal/light gray frame

18-999-2316 - Ea.
Gray; Teal/light gray frame

Cleaning Supplies

Fisherbrand Premoistened Lens Cleaning Towelettes



19-161-914 - Ea.
Towelettes; Fisherbrand; Premoistened; Silicone free; For cleaning lenses; 5 x 8 in.; Individually wrapped

Hardhats and Caps

MSA V-Gard Slotted Protective Cap with Fas-Trac Suspension



- 18-999-3886** - Ea.
Cap, Protective; MSA V-Gard; With Fas-Trac Ratchet Suspension, Size: Small (6 to 7-1/8); Color: White; Standard-sized Slotted cap; With vinyl sweatband and large easy-adjustment knob
- 19-043-675** - Ea.
Fas-Trac Suspension; Standard Size; White
- 19-058-288** - Ea.
Fas-Trac Suspension; Standard Size; Blue
- 19-058-280** - Ea.
Fas-Trac Suspension; Standard Size; Yellow
- 18-999-3933** - Ea.
Fas-Trac Suspension, Standard Size; Orange
- 18-999-3932** - Ea.
Fas-Trac Suspension, Standard Size; Red
- 18-999-3935** - Ea.
Fas-Trac Suspension, Standard Size; Green
- 18-999-3934** - Ea.
Fas-Trac Suspension, Standard Size; Gray
- 18-999-3937** - Ea.
Fas-Trac Suspension, Standard Size; Gold
- 18-999-3936** - Ea.
Fas-Trac Suspension, Standard Size; Hi-Viz Orange
- 19-122-849** - Ea.
Fas-Trac Suspension, Standard Size, Hi-Viz Lime Green
- 18-999-3889** - Ea.
Fas-Trac Suspension; Small; Yellow
- 18-999-3887** - Ea.
Fas-Trac Suspension; Large; White

Bullard Classic Series C30 Hardhats



- 17-986-229** - Ea.
Hardhat, Safety; Bullard; Accessory slots for attachments; ANSI Z89.1-2003 Type I, Class G and E compliant; High-density polyethylene; 6-pt. suspensions; Sportek browpad; Standard suspension; White
- 19-021-350** - Ea.
Standard, blue
- 19-021-352** - Ea.
Standard, green
- 19-021-353** - Ea.
Standard, orange
- 19-021-356** - Ea.
Standard, yellow
- 19-021-359** - Ea.
Ratchet, blue
- 19-021-361** - Ea.
Ratchet, white
- 19-021-362** - Ea.
Ratchet, yellow
- 19-047-192** - Ea.
Ratchet, orange
- 19-085-439** - Ea.
Ratchet, green
- 19-085-440** - Ea.
Ratchet, gray

Welding

3M Speedglas Welding Helmets



- 19-047-287** - Ea.
Helmet, Welding; 3M Speedglas; Aces High 100; For Stick, MIG, TIG; w/Auto-darkening filter; 100V; 8-12 shades; Viewing area: 6.05 sq.in.; L x W x H: 11.500 x 10.750 x 11.750 in. (0.292 x 0.273 x 0.298m); Wt: 3.3300 lb. (1.5105kg); 1/cs
- 19-047-294** - Ea.
Black
- 19-047-286** - Ea.
Blazed
- 19-047-289** - Ea.
Chrome
- 19-047-290** - Ea.
Mechanical skull

North Tigerhood Welding Hood



- 19-017-959** - Ea.
Hood, Welding; North Tigerhood; Telescoping lid; Extended throat protection; Lens shade: #10; 3C ratchet suspension; Incl. clear cover plate; Black

Accessories

OccuNomix Heat Stress Hardhat Shades



- 19-520-301** - Ea.
Hard Hat Accessory; Shade; Occunomix; Cotton; Blocks sun and most UV rays; Shades back of neck, facilitates perspiration evaporation; Fits most hard hats; White
- 19-520-302** - Ea.
Blue
- 19-520-304** - Ea.
Yellow


OccuNomix Terry Toppers Snap-On Sweatband



- 19-057-354** - Ea.
Sweatband, Terry; OccuNomix Terry Toppers Snap-On Sweatband; 100% Super-sorbing soft terry; No need to wash before wear; Machine washable

Ear Plugs

Fisherbrand Excel Ear Plugs



- 19-070-476** - Ea.
Ear Plugs; Fisherbrand Excel; NRR: 30dB; Soil-resistant surface; Attenuation tested in accordance with ANSI S3.19-1974; One size fits all; Uncorded
- 19-067-524** - Ea.
Corded

3M E•A•Rsoft FX Ear Plugs



19-153-650 - Ea.
Ear Plugs; E-A-Rsoft FX; NRR: 33dB; Custom polyurethane foam; Flanged end; Uncorded
19-153-651 - Ea.
Corded

3M Nitro Ear Plugs



19-130-0465 - Ea.
Ear Plugs, Foam; 3M Peltor Nitro; Ultrasoft; NRR: 32dB; Uncorded; Selection of orange, red, pink, and purple in one box
19-130-0466 - Ea.
Corded

Howard Leight Max Ear Plugs



19-021-229 - Ea.
Ear Plugs, Foam; Howard Leight Max; NRR: 33dB; Bell-shaped; ANSI S3.19-1974 compliant; Orange; Uncorded; Disposable polybag
19-021-230 - Ea.
Corded
19-063-072 - Ea.
Uncorded; Resealable bag

Ear Muffs

3M Peltor Optime 101 (H7 Deluxe) Ear Muffs



17-388-1A - Ea.
Ear Muff; 3M Peltor; Earmuff Deluxe; Liquid-Foam Ear Cushion for Slotted Safety Helmets; 27 dB NRR 7-1/4 oz. (234g); Peltor Optime 101
17-388-1B - Ea.
Deluxe Cap-Mounted

3M Peltor PTL Ear Muffs



19-130-1975 - Ea.
Ear Muff; 3M Peltor PTL; Over-the-head style; Padded headband; NRR: 26dB
19-130-1976 - Ea.
Cap-attached style
19-130-1977 - Ea.
Hygiene Kit

Hand Protection

Fisherbrand Comfort Nitrile Exam Gloves with Aloe




19-041-172A - Ea.
Gloves, Exam; Fisherbrand; Ultra Sensitive; Nitrile; Exam; Powder-free; Soothing aloe protects hands against drying and cracking; Textured fingertips; Ambidextrous; Nonsterile; Beaded cuff; X-Small
19-041-172B - Ea.
Small
19-041-172C - Ea.
Medium
19-041-172D - Ea.
Large
19-041-172E - Ea.
X-Large

Fisherbrand Powder-Free Nitrile Exam Gloves



19-130-1597A - Ea.
Gloves, Exam; Fisherbrand; Powder-free; Nitrile; Odor-free; beaded cuff for easier donning; Latex-free; nonsterile; ambidextrous; Length: 9-1/2 in. (240mm); 6mil thickness at fingertip; X-Small
19-130-1597B - Ea.
Small
19-130-1597C - Ea.
Medium
19-130-1597D - Ea.
Large
19-130-1597E - Ea.
X-Large
19-130-1597F - Ea.
XX-Large

Kimberly-Clark Professional Purple Nitrile and Purple Nitrile-XTRA Exam Gloves



19-149-863 - Ea.
Gloves, Exam; Kimberly-Clark Professional Purple Nitrile; Contain no natural rubber latex proteins; Low levels of chemical allergens; Powder-free; Odor-free; Textured fingertips; Single-use; 9.5 in. long (24cm); Fingertip thickness: 6mil; X-Small
19-149-863A - Ea.
Purple Nitrile; Small; 9.5 in. L
19-149-863B - Ea.
Purple Nitrile; Medium; 9.5 in. L
19-149-863C - Ea.
Purple Nitrile; Large; 9.5 in. L
19-149-863D - Ea.
Purple Nitrile; X-Large; 9.5 in. L
19-149-864 - Ea.
Purple Nitrile-XTRA; X-Small; 12 in. L
19-149-864A - Ea.
Purple Nitrile-XTRA; Small; 12 in. L
19-149-864B - Ea.
Purple Nitrile-XTRA; Medium; 12 in. L
19-149-864C - Ea.
Purple Nitrile-XTRA; Large; 12 in. L
19-149-864D - Ea.
Purple Nitrile-XTRA; X-Large; 12 in. L

Microflex MidKnight Black Powder-Free Nitrile Examination Gloves



19-168-967A - Ea.
Gloves, Exam; Microflex MidKnight; Nitrile; Powder-Free; Black; X-Small
19-168-967B - Ea.
Small
19-168-967C - Ea.
Medium
19-168-967D - Ea.
Large
19-168-967E - Ea.
X-Large
19-168-967F - Ea.
XX-Large

Ansell NeoTouch Neoprene Gloves, 11 in.



19-150-0729 - Ea.
Gloves, Exam; Ansell NeoTouch; Neoprene; Powder-free; Textured at the fingertips; 240mm length; Disposable; Provide excellent resistance to acids, bases, and alcohols; X-Small
19-160-398A - Ea.
Small
19-160-398B - Ea.
Medium
19-160-398C - Ea.
Large
19-160-398D - Ea.
X-Large

Ansell NeoTouch Neoprene Gloves, 9 in.



19-134-504 - Ea.
Gloves, Chemical Resistant; Ansell NeoTouch; Neoprene; Single-use; Powder free; Resist acids, bases and alcohols; Polyurethane inner-coating; Textured fingertips; Beaded cuff; Length: 9.5 in. (24cm); Thickness: 5mil; Color: Bright green; X-Small
19-134-502 - Ea.
Small
19-134-501 - Ea.
Medium
19-134-500 - Ea.
Large
19-134-503 - Ea.
X-Large

Showa Best Ultraflex II Neoprene Gloves



19-168-290 - Ea.
Gloves, Neoprene; Best Ultraflex II; Fully coated; Rough-finish; Sanitized; Two-piece interlock liner; Royal blue; Comply with 21CFR170.199; 14 in. Long (35.6cm); Size: 8
19-168-291 - Ea.
Size 9
19-168-292 - Ea.
Size 10
19-168-293 - Ea.
Size 11

Fisherbrand Flock-Lined Neoprene/Latex Double-Dipped Gloves



19-816-835 - Ea.
Gloves; Latex chemical resistant; Fisherbrand; Flock-lined; Double-Dipped; Raised-diamond pattern palm/fingers; Dry/wet grip; Perspiration absorbed; Easy on/off; Use housekeeping/maintenance; Straight cuff; 12 in. L; 28mil thick; Small
19-816-834 - Ea.
Large
19-816-836 - Ea.
X-Large

North Butyl Gloves



11-394-9A - Ea.
Gloves, Butyl; North; For use with ketones, esters; High permeation resistance to gas or water vapors; Curved fingers, hand design; Rolled cuffs; Smooth finish; 13mil thick; 11 in. long (28cm); Size: 7
11-394-9B - Ea.
Size: 8; Smooth finish; 11 in. long (28cm); 13mil thick
11-394-9C - Ea.
Size: 9; Smooth finish; 11 in. long (28cm); 13mil thick
11-394-9D - Ea.
Size: 10; Smooth finish; 11 in. long (28cm); 13mil thick
11-394-9E - Ea.
Size: 11; Smooth finish; 11 in. long (28cm); 13mil thick
11-394-8A - Ea.
Size: 8; Rough finish; 14 in. long (36cm); 17mil Thick
11-394-8B - Ea.
Size: 9; Rough finish; 14 in. long (36cm); 17mil Thick
11-394-8C - Ea.
Size: 10; Rough finish; 14 in. long (36cm); 17mil Thick
11-394-8D - Ea.
Size: 11; Rough finish; 14 in. long (36cm); 17mil Thick
11-395-44A - Ea.
Size: 8; Smooth finish; 14 in. long (28cm); 32mil thick
11-395-44B - Ea.
Size: 9; Smooth finish; 14 in. long (28cm); 32mil thick
11-395-44C - Ea.
Size: 10; Smooth finish; 14 in. long (28cm); 32mil thick
11-395-44D - Ea.
Size: 11; Smooth finish; 14 in. long (28cm); 32mil thick

Fisherbrand Select Leather Palm Gloves



19-059-668 - Ea.
Gloves, Leather palm; Fisherbrand; Select; Covers palm, index finger, thumb; Gunn-cut construction; Standard leather palm; 2 in. (5cm) Rubberized safety cuff; Small
19-067-903 - Ea.
Standard leather palm; 2 in. (5cm) Safety cuff; Medium
19-013-469 - Ea.
Standard leather palm; 2 in. (5cm) Rubberized safety cuff; Large
19-067-904 - Ea.
Standard leather palm; 2 in. (5cm) Safety cuff; X-Large
19-013-471 - Ea.
Standard leather palm; 4 in. (10cm) Gauntlet cuff; Large
19-013-475 - Ea.
Double leather palm; 2 in. (5cm) Safety cuff; Large
19-013-483 - Ea.
Double leather palm; 4 in. (10cm) Gauntlet cuff; Large

Fisherbrand Leather Driver's Gloves



- 19-013-349** - Ea.
Gloves; Leather drivers; Fisherbrand; Ideal for construction, machine operation, utility work, farming, roping, and other general applications; Launderable; Intermediate grade; Straight thumb; Elastic back; Size: Small
- 19-013-352** - Ea.
Intermediate Grade; Straight Thumb; Elastic Back; Medium; 1 DZ
- 19-013-357** - Ea.
Intermediate Grade; Straight Thumb; Elastic Back; Large; 1 DZ
- 19-013-359** - Ea.
Intermediate Grade; Straight Thumb; Elastic Back; X-Large; 1 DZ
- 19-042-128** - Ea.
Premium grade; Size: Small
- 19-042-127** - Ea.
Premium grade; Size: Medium
- 19-058-791** - Ea.
Premium grade; Size: Large
- 19-058-792** - Ea.
Premium grade; Size: X-Large
- 19-069-485** - Ea.
Intermediate; Pull Strap Closure; Small
- 19-816-922** - Ea.
Intermediate; Pull strap closure; Medium
- 19-071-371** - Ea.
Regular Grade Top Grain Palm; Keystone Thumb; Split Elastic Back; Small
- 19-071-373** - Ea.
Regular Grade Top Grain Palm; Keystone Thumb; Split Elastic Back; Medium
- 19-071-375** - Ea.
Regular Grade Top Grain Palm; Keystone Thumb; Split Elastic Back; Large
- 19-071-377** - Ea.
Regular Grade Top Grain Palm; Keystone Thumb; Split Elastic Back; X-Large

Ansell Hyflex CR2 Gloves with Dyneema



- 19-168-50** - Ea.
Gloves, Cut-Resistant; Ansell Hyflex; CR2 with Dyneema; Liner is constructed with Dyneema and Lycra; Palm is coated with polyurethane for dry grip and wear resistance; Offer superb cut resistance with excellent dexterity; Size 6
- 19-168-51** - Ea.
Size 7
- 19-168-52** - Ea.
Size 8
- 19-168-53** - Ea.
Size 9
- 19-168-54** - Ea.
Size 10
- 19-168-55** - Ea.
Size 11

Sperian Junkyard Dog Seamless Knit Gloves



- 19-049-942** - Ea.
Gloves, Cut-Resistant; Sperian Junkyard Dog; Seamless knit; 100% Kevlar brand fiber shell; Full-leather palm; Reinforced thumb crotch; Size: Men's
- 19-049-941** - Ea.
Women's

Wells Lamont Industrial Whizard Defender Cut-Resistant Gloves



- 19-167-805A** - Ea.
Liners, Glove; Cut-Resistant; Whizard Defender; Constructed of high-performance fiber and stainless steel; Ambidextrous; Yellow Wrist; 7 gauge; Cuff color: green; X-Small
- 19-167-805B** - Ea.
Yellow Wrist; 7 gauge; Cuff color: yellow; Small
- 19-167-805C** - Ea.
Yellow Wrist; 7 gauge; Cuff color: blue; Medium
- 19-167-805D** - Ea.
Yellow Wrist; 7 gauge; Cuff color: white; Large
- 19-167-805E** - Ea.
Yellow Wrist; 7 gauge; Cuff color: orange; X-Large
- 19-167-806A** - Ea.
Blue Wrist; 10 gauge; Cuff color: green; X-Small
- 19-167-806B** - Ea.
Blue Wrist; 10 gauge; Cuff color: yellow; Small
- 19-167-806C** - Ea.
Blue Wrist; 10 gauge; Cuff color: blue; Medium
- 19-167-806D** - Ea.
Blue Wrist; 10 gauge; Cuff color: white; Large
- 19-167-806E** - Ea.
Blue Wrist; 10 gauge; Cuff color: orange; X-Large
- 19-167-807B** - Ea.
Gray Wrist; 13 gauge; Cuff color: yellow; Small
- 19-167-807C** - Ea.
Gray Wrist; 13 gauge; Cuff color: blue; Medium
- 19-167-807D** - Ea.
Gray Wrist; 13 gauge; Cuff color: white; Large

PIP Novax Electrical Insulation Gloves



- 19-168-2070** - Ea.
Gloves, Linesman; PIP Novax; Natural rubber construction; Contoured hand; ANSI/ASTM D120; NFPA 70E; Class 00; 11in.L (27.9cm); Orange; Size 8
- 19-168-2072** - Ea.
Class 00; 11 in.L (27.9cm); Orange; Size 10
- 19-168-2073** - Ea.
Class 00; 11 in.L (27.9cm); Orange; Size 11
- 19-168-2112** - Ea.
Class 00; 11 in.L (27.9cm) Black; Size 8
- 19-168-2113** - Ea.
Class 00; 11 in.L (27.9cm) Black; Size 9
- 19-168-2114** - Ea.
Class 00; 11 in.L (27.9cm) Black; Size 10
- 19-168-2115** - Ea.
Class 00; 11 in.L (27.9cm) Black; Size 11
- 19-168-2075** - Ea.
Class 0; 11 in.L (27.9cm); Orange; Size 9
- 19-168-2076** - Ea.
Class 0; 11 in.L (27.9cm); Orange; Size 10
- 19-168-2116** - Ea.
Class 0; 11 in.L (27.9cm); Black; Size 8
- 19-168-2117** - Ea.
Class 0; 11 in.L (27.9cm); Black; Size 9
- 19-168-2118** - Ea.
Class 0; 11 in.L (27.9cm); Black; Size 10
- 19-168-2120** - Ea.
Class 1; 14 in.L (35.6cm); Black; Size 8
- 19-168-2122** - Ea.
Class 1; 14 in.L (35.6cm); Black; Size 10
- 19-168-2083** - Ea.
Class 2; 14 in.L (35.6cm); Orange; Size 9
- 19-168-2084** - Ea.
Class 2; 14 in.L (35.6cm); Orange; Size 10
- 19-168-2085** - Ea.
Class 2; 14 in.L (35.6cm); Orange; Size 11

Fisherbrand Pigskin Leather Welding Gloves



- 19-065-556B** - Ea.
Gloves, Welding; Fisherbrand; Style 320; Top grain pigskin leather; Unlined palm; Straight thumb; Use for Tig welding and other general applications requiring light heat protection; Superior dexterity; Medium
- 19-065-556C** - Ea.
Large
- 19-065-556D** - Ea.
X-Large

Clothing

DuPont NexGen Protective Coveralls



- 19-088-2137** - Ea.
Coveralls; DuPont NexGen; Serged; Open Wrists and Ankles; Zipper Front; Collar; Bilaminate Microporous Composite Fabric; Disposable; Antistatic Treated; Low-linting; White; Small
- 19-088-2138** - Ea.
Open Wrists and Ankles; Size: Medium
- 19-088-2139** - Ea.
Open Wrists and Ankles; Size: Large
- 19-088-2140** - Ea.
Open Wrists and Ankles; Size: X-Large
- 19-088-2141** - Ea.
Open Wrists and Ankles; Size: XX-Large
- 19-088-2142** - Ea.
Open Wrists and Ankles; Size: XXX-Large
- 19-088-2143** - Ea.
Open Wrists and Ankles; Size: 4X-Large
- 19-088-2151** - Ea.
Elasticized Wrists and Ankles; Small
- 19-088-2152** - Ea.
Elasticized Wrists and Ankles; Medium
- 19-088-2153** - Ea.
Elasticized Wrists and Ankles; Large
- 19-088-2154** - Ea.
Elasticized Wrists and Ankles; X-Large
- 19-088-2155** - Ea.
Elasticized Wrists and Ankles; XX-Large
- 19-088-2156** - Ea.
Elasticized Wrists and Ankles; XXX-Large
- 19-088-2157** - Ea.
Elasticized Wrists and Ankles; 4X-Large
- 19-088-2144** - Ea.
Elastic Wrists; Face opening; Attached hood and boots; Small
- 19-088-2145** - Ea.
Elastic Wrists; Face opening; Attached hood and boots; Medium
- 19-088-2146** - Ea.
Elastic Wrists; Face opening; Attached hood and boots; Large
- 19-088-2147** - Ea.
Elastic Wrists; Face opening; Attached hood and boots; X-Large
- 19-088-2148** - Ea.
Elastic Wrists; Face opening; Attached hood and boots; XX-Large
- 19-088-2149** - Ea.
Elastic Wrists; Face opening; Attached hood and boots; XXX-Large
- 19-088-2150** - Ea.
Elastic Wrists; Face opening; Attached hood and boots; 4X-Large
- 19-088-2158** - Ea.
Elastic Wrists; Ankles and face opening; Attached hood; Small
- 19-088-2159** - Ea.
Elastic Wrists; Ankles and face opening; Attached hood; Medium
- 19-088-2160** - Ea.
Elastic Wrists; Ankles and face opening; Attached hood; Large
- 19-088-2161** - Ea.
Elastic Wrists; Ankles and face opening; Attached hood; X-Large
- 19-088-2162** - Ea.
Elastic Wrists; Face opening; Attached hood; XX-Large
- 19-088-2163** - Ea.
Elastic Wrists; Ankles and face opening; Attached hood; XXX-Large
- 19-088-2164** - Ea.
Elastic Wrists; Ankles and face opening; attached hood; 4X-Large

Kimberly-Clark Professional KleenGuard A70 Chemical Spray Coveralls



- 19-166-491** - Ea.
Coverall, Chemical Spray Protection; Kimberly-Clark Kleenguard A70; Zipper front with storm flap; Elastic wrists and ankles; Attached hood; Bound seams; Yellow; Medium
- 19-166-492** - Ea.
Elastic wrists and ankles; Attached hood; Bound seams; Large
- 19-166-493** - Ea.
Elastic wrists and ankles; Attached hood; Bound seams; X-Large
- 19-166-494** - Ea.
Elastic wrists and ankles; Attached hood; Bound seams; XX-Large
- 19-166-495** - Ea.
Elastic wrists and ankles; Attached hood; Bound seams; XXX-Large
- 19-166-496** - Ea.
Elastic wrists and ankles; Attached hood; Bound seams; 4X-Large
- 19-166-485** - Ea.
Elastic wrists and ankles; Attached hood and boots; Bound seams; Medium
- 19-166-487** - Ea.
Elastic wrists with attached hood and boots; Bound seams; X-Large
- 19-166-488** - Ea.
Elastic wrists and ankles; Attached hood and boots; Bound seams; XX-Large
- 19-166-489** - Ea.
Elastic wrists; Attached Hood and Boots; Bound seams; XXX-Large
- 19-166-490** - Ea.
Elastic wrists; Attached Hood and Boots; Bound seams; 4X-Large

Neese I96ACA Chemical Splash Coveralls



- 19-168-351B** - Ea.
Coverall, Chemical Splash; Neese; With attached hood; Green 35mm PVC/polyester knit/PVC; Size: Medium
- 19-168-351C** - Ea.
Size: Large
- 19-168-351D** - Ea.
Size: X-Large
- 19-168-351E** - Ea.
Size: XX-Large
- 19-168-351F** - Ea.
Size: XXX-Large
- 19-168-351G** - Ea.
Size: 4X-Large

Tingley Comfort-Brite Rainwear



- 19-032-814A** - Ea.
Jacket; Tingley Comfort-Brite; Dense-knit polyester; 14mil thick; Fluorescent yellow green; Class III; Zipper fly front; Velcro straps; Hood in collar; Two patch pockets; Small
- 19-032-814B** - Ea.
Fluorescent yellow green; Jacket; Medium
- 19-032-814C** - Ea.
Fluorescent yellow green; Jacket; Large
- 19-032-814D** - Ea.
Fluorescent yellow green; Jacket; X-Large
- 19-032-814E** - Ea.
Fluorescent yellow green; Jacket; XX-Large
- 19-032-814F** - Ea.
Fluorescent yellow green; Jacket; XXX-Large
- 19-130-5806** - Ea.
Orange; Jacket; Small
- 19-130-5807** - Ea.
Orange; Jacket; Medium
- 19-130-5808** - Ea.
Orange; Jacket; Large
- 19-130-5809** - Ea.
Orange; Jacket; X-Large
- 19-130-5810** - Ea.
Orange; Jacket; XX-Large
- 19-130-5811** - Ea.
Orange; Jacket; XXX-Large
- 19-130-5812** - Ea.
Orange; Jacket; 4X-Large
- 19-130-5813** - Ea.
Orange; Jacket; 5X-Large
- 19-120-312A** - Ea.
Overalls; Small
- 19-120-312B** - Ea.
Overalls; Medium
- 19-120-312C** - Ea.
Overalls; Large
- 19-120-312D** - Ea.
Overalls; X-Large
- 19-120-312E** - Ea.
Overalls; XX-Large
- 19-120-312F** - Ea.
Overalls; XXX-Large
- 19-032-815B** - Ea.
Coat; Medium
- 19-032-815C** - Ea.
Coat; Large
- 19-032-815D** - Ea.
Coat; X-Large
- 19-166-330E** - Ea.
Coat; XX-Large
- 19-166-330F** - Ea.
Coat; XXX-Large
- 19-166-330G** - Ea.
Coat; 4X-Large

MCR Medium-Weight PVC Rainwear



- 19-055-141** - Ea.
Coat with Hood; MCR; Medium Weight PVC; Raincoat, Detachable Hood; Yellow; Two Ply 0.25mm; Small (46 in.)
- 19-055-142** - Ea.
Raincoat with Detachable Hood; Medium (51 in.)
- 19-055-143** - Ea.
Raincoat with Detachable Hood; Large (54 in.)
- 19-055-144** - Ea.
Raincoat with Detachable Hood; X-Large (58 in.)
- 19-055-145** - Ea.
Raincoat with Detachable Hood; XX-Large (62 in.)
- 19-056-143** - Ea.
Three-piece Suit with Bib Overalls; Detachable Hood; Large (54/47 in.)
- 19-056-144** - Ea.
Three-piece Suit with Bib Overalls; Detachable Hood; X-Large (57/49 in.)
- 19-056-145** - Ea.
Three-piece Suit with Bib Overalls; Detachable Hood; XX-Large (60/51 in.)
- 19-822-762** - Ea.
Three-piece Suit with Bib Overalls; Detachable Hood; XXX-Large (63/54 in.)
- 19-056-146** - Ea.
Three-piece Suit with Bib Overalls; Detachable Hood; 4X-Large (65/56 in.)

Neese Three-Piece Economy Rainsuit



- 19-168-350A** - Ea.
Raincoat, Three-piece; Neese; Coat with detachable hood and bib trouser; Yellow heavy 35mm vinyl-on-polyester; Size: Small
- 19-168-350B** - Ea.
Size: Medium
- 19-168-350C** - Ea.
Size: Large
- 19-168-350D** - Ea.
Size: X-Large
- 19-168-350E** - Ea.
Size: 2X-Large
- 19-168-350F** - Ea.
Size: XXX-Large
- 19-168-350G** - Ea.
Size: 4X-Large
- 19-168-350H** - Ea.
Size: 5X-Large
- 19-168-350I** - Ea.
Size: 6X-Large

Foot Protection

Servus Rubber Overboots



- 19-048-161** - Ea.
Overboots, Rubber; Norcross Safety; Servus; Flexible hand-layered construction and tough, comfortable fabric linings allow easy on and off; Adjustable sidestrap and cross-rib outsole; Waterproof; Yellow; 18 in.; Size: 8
- 19-048-163** - Ea.
Yellow; 18 in.; Size 9
- 19-048-164** - Ea.
Yellow; 18 in.; Size 10
- 19-048-166** - Ea.
Yellow; 18 in.; Size 11
- 19-048-168** - Ea.
Yellow; 18 in.; Size 12
- 19-048-169** - Ea.
Yellow; 18 in.; Size 13
- 19-048-170** - Ea.
Yellow; 18 in.; Size 14

Onguard Economy Kneeboots



- 19-024-492** - Ea.
Boots, Knee; Onguard; Economy; 90% recycled black PVC; Over-the-sock; Cleated outsoles; Replaceable insoles; Kick-off Lugs; Cut-off Line; Plain toe; Men's; 16 in.; Size: 5
- 17-986-387** - Ea.
Plain toe; Men's; Size: 6
- 17-986-388** - Ea.
Plain toe; Men's; Size: 7
- 17-986-389** - Ea.
Plain toe; Men's; Size: 8
- 17-986-390** - Ea.
Plain toe; Men's; Size: 9
- 17-986-391** - Ea.
Plain toe; Men's; Size: 10
- 17-986-392** - Ea.
Plain toe; Men's; Size: 11
- 17-986-393** - Ea.
Plain toe; Men's; Size: 12
- 17-986-394** - Ea.
Plain toe; Men's; Size: 13
- 17-987-401A** - Ea.
Steel toe; Men's; Size: 6
- 17-987-401B** - Ea.
Steel toe; Men's; Size: 7
- 17-987-401C** - Ea.
Steel toe; Men's; Size: 8
- 17-987-401D** - Ea.
Steel toe; Men's; Size: 9
- 17-987-401E** - Ea.
Steel toe; Men's; Size: 10
- 17-987-401F** - Ea.
Steel toe; Men's; Size: 11
- 17-987-401G** - Ea.
Steel toe; Men's; Size: 12

Servus Economy PVC Knee Boots



- 19-019-499** - Ea.
Boots, Knee; Norcross Safety Products; Servus; PVC; Plain toe cap; Trac10 outsole and heel; Waterproof; 16 in.; Size: 6
- 19-019-500** - Ea.
Plain Toe; Size 7
- 19-019-501** - Ea.
Plain Toe; Size 8
- 19-019-496** - Ea.
Plain Toe; Size 10
- 19-019-497** - Ea.
Plain Toe; Size 11
- 19-019-498** - Ea.
Plain Toe; Size 12
- 19-068-968** - Ea.
Plain Toe; Size 13
- 19-819-075** - Ea.
Plain Toe; Size 14
- 19-019-492** - Ea.
Steel Toe; Size 6
- 19-019-493** - Ea.
Steel Toe; Size 7
- 19-019-494** - Ea.
Steel Toe; Size 8
- 19-019-495** - Ea.
Steel Toe; Size 9
- 19-019-489** - Ea.
Steel Toe; Size 10
- 19-019-490** - Ea.
Steel Toe; Size 11
- 19-019-491** - Ea.
Steel Toe; Size 12
- 19-068-969** - Ea.
Steel Toe; Size 13

Tingley Premier Work Boots



- 19-034-462A** - Ea.
Work boot; Tingley Rubber; Premier; Injection molded; 100% waterproof; Removable contour cushion insoles; Safety-Loc outsole; Brick red upper; Cream sole; PVC; 15 in.; Steel toe; Size 6
- 19-034-462B** - Ea.
Size 7
- 19-034-462C** - Ea.
Size 8
- 19-034-462D** - Ea.
Size 9
- 19-034-462E** - Ea.
Size 10
- 19-034-462F** - Ea.
Size 11
- 19-034-462G** - Ea.
Size 12
- 19-034-462H** - Ea.
Size 13
- 19-034-462J** - Ea.
Size 14

Tingley Neoprene Snugleg Work Boots



- 19-022-734** - Ea.
Work boot; Tingley Rubber; Safety-Loc outsole; Steel toe; EH rated; Red with beige soles; Neoprene; Size: 6
- 19-022-735** - Ea.
Size: 7
- 19-022-736** - Ea.
Size: 8
- 19-022-737** - Ea.
Size: 9
- 19-022-730** - Ea.
Size: 10
- 19-022-731** - Ea.
Size: 11
- 19-022-732** - Ea.
Size: 12
- 19-022-733** - Ea.
Size: 13

Back Supports

Ergodyne ProFlex 100 Economy Back Support



- 19-035-264C** - Ea.
Support, Back; Ergodyne; ProFlex 100; Lower back and abdominal; Waist size: 25 to 30 in.; Belt size: Small; Color: black
- 19-035-264D** - Ea.
Waist size: 30 to 34 in.; Belt size: Medium
- 19-035-264F** - Ea.
Waist size: 34 to 38 in.; Belt size: Large
- 19-035-269A** - Ea.
Waist size: 38 to 42; Belt size: X-Large
- 19-035-260C** - Ea.
Waist size: 42 to 46; Belt size: XX-Large

Ergodyne ProFlex 1400 Universal Size Back Support



- 19-035-304** - Ea.
Support, Back; Ergodyne ProFlex 1400; Black; Universal size: fits most waists (28 to 46 in.); Adjustable, detachable suspenders; Rubber track webbing; Non-conductive polypropylene stays

Ergodyne ProFlex 1051 Mesh Back Support



- 19-035-266C** - Ea.
Support, Back; Ergodyne; ProFlex 1051; Waist size: 25 to 30 in.; Belt size: Small; Color: Black
- 19-035-266D** - Ea.
Waist size: 30 to 34 in.; Belt size: Medium
- 19-035-266E** - Ea.
Waist size: 34 to 42 in.; Belt size: Large
- 19-035-266F** - Ea.
Waist size: 38 to 42 in.; Belt size: X-Large
- 19-035-266G** - Ea.
Waist size: 42 to 46 in.; Belt size: XX-Large

Knee Pads

Ergodyne ProFlex 230 Soft Cap Knee Pad



19-150-0069 - Ea.
Knee pad, Soft cap; Ergodyne; ProFlex 230; Slightly wider and longer for wraparound comfort; Durable 600D polyester fabric cover; 15mm closed cell foam padding; Closure: Hook-and-loop
19-808-077 - Ea.
Buckle closure

Ergodyne ProFlex Hard-Cap Knee Pads



19-035-302 - Ea.
Pads, Knee; Ergodyne ProFlex; Hard Cap; Model 300 Rounded Cap; Cordura outer shell; 0.5 in. thick neoprene foam padding; Adjustable woven elastic straps; Hook closure; Color: Black/Gray; One size fits most
19-035-303 - Ea.
Model 315 Textured Cap
19-035-305 - Ea.
Model 335 Slip-resistant Cap

Ergodyne ProFlex 350 Gel Knee Pad



19-150-0070 - Ea.
Pad, Knee; Ergodyne; ProFlex 350; Slip-resistant durable nylon-rubber surface; Adjustable, breathable neoprene stretch strap; 12mm NBR Gel padding and 20mm EVA padding; 420D nylon and Hypalon rubber composite pad; Hook and loop closure

Respiratory

3M 9200 Series N95 Filtering Facepiece Particulate Respirators



19-041-427 - Ea.
Respirators; Particulate; 3M 9200 Series; Disposable; N95; Without exhalation valve; Three-panel construction resists collapse; Soft cover web on inner panel feels soft against skin; Adjustable nose clip for custom fit and secure seal
19-041-429 - Ea.
With exhalation valve

3M N95 and P95 Filtering Facepiece Respirators



19-033-524 - Ea.
Respirator, Facepiece; 3M; General Industrial; Filtering; Disposable; Small size; Filter Class: N95 (for solid and liquid aerosols that do not contain oil); NIOSH Approved for: Dusts and mists (TC-84A-0007); Without exhalation valve
18-999-473 - Ea.
Facepiece
19-002-713 - Ea.
No Faceseal
19-002-709 - Ea.
P95; Exhalation Valve; Faceseal

3M Filtering Facepiece Particulate Specialty Respirators



19-002-707 - Ea.
Respirator, Odor-Removing; 3M; Filtering Facepiece; Type: R95; Nuisance Odor Relief: AG
19-002-705 - Ea.
R95 Nuisance OV
19-002-718 - Ea.
P95 W/valve and Nuisance AG Relief
19-002-719 - Ea.
P95 with valve, Nuisance OV

3M N100 and P100 Filtering Facepiece Respirators



19-002-711 - Ea.
Respirator, Particulate; 3M; Faceseal; Substance specific; Class N100 filter; Advanced Electret Filter Media; Cool Flow exhalation valve; Adjustable noseclip; Not resistant to oils
19-037-352 - Ea.
P100, Faceseal and Exhalation Valve

Sperian Saf-T-Fit Plus Disposable N95 Particulate Respirators



19-034-900 - Ea.
Respirator, Particulate; Sperian; N95; Small
19-005-165 - Ea.
Medium/Large
19-034-901 - Ea.
X-Large
19-034-902 - Ea.
Boomerang Nose Clip; Small
19-034-903 - Ea.
Boomerang Nose Clip; Medium/Large
19-034-904 - Ea.
Boomerang Nose Clip; X-Large
19-013-820 - Ea.
Boomerang Nose Clip; Exhalation valve; Small
19-013-821 - Ea.
Boomerang Nose Clip; Exhalation valve; Medium
19-013-822 - Ea.
Boomerang Nose Clip; Exhalation valve; X-Large
19-034-905 - Ea.
Boomerang Nose Clip; Exhalation valve; Small; Organic Vapor
19-034-906 - Ea.
Boomerang Nose Clip; Exhalation valve; Medium/Large; Organic Vapor
19-034-907 - Ea.
Boomerang Nose Clip; Exhalation valve; X-Large; Organic Vapor
19-034-908 - Ea.
Boomerang Nose Clip; Exhalation valve; Small; Acid Gas
19-034-909 - Ea.
Boomerang Nose Clip; Exhalation valve; Medium/Large; Acid Gas
19-034-910 - Ea.
Boomerang Nose Clip; Exhalation valve; X-Large; Acid Gas

Sperian Saf-T-Fit Plus Disposable P95 Particulate Respirators



- 19-034-913** - Ea.
Respirator, Particulate; Sperian; P95; Color-Coded Adjustable Boomerang nose clip; Medium/Large
- 19-034-914** - Ea.
Boomerang Nose Clip; X-Large
- 19-034-915** - Ea.
Exhalation valve; Medium/Large
- 19-034-916** - Ea.
Exhalation valve; X-Large
- 19-034-917** - Ea.
Exhalation valve; Medium/Large; Organic vapor
- 19-034-918** - Ea.
Exhalation valve; X-Large; Organic vapor

Moldex HandyStrap Series Particulate Respirators



- 19-039-694A** - Ea.
Respirator, Particulate; Moldex HandyStrap Series; Disposable; Exhale Valve; Contour-molded nose bridge; Soft foam nose cushion; Softspun lining; Dura-Mesh shell; Filter: N95; Without exhale valve; Small
- 19-039-694B** - Ea.
Filter: N95; Without exhale valve; Medium/Large
- NC9882387** - Ea.
Filter: N95; With exhale valve; Small
- 19-037-501** - Ea.
Filter: N95; With exhale valve; Medium/Large
- 19-039-695A** - Ea.
Filter: N95 plus nuisance ozone and organic vapors; With exhale valve; Small
- 19-039-695B** - Ea.
Filter: N95 plus nuisance ozone and organic vapors; With exhale valve; Medium/Large
- 19-046-759** - Ea.
Filter: R95 plus nuisance ozone and organic vapors; With exhale valve; Small
- 19-046-758** - Ea.
Filter: R95 plus nuisance ozone and organic vapors; With exhale valve; Medium/Large
- 19-046-757** - Ea.
Filter: R95 plus nuisance ozone and organic vapors; Small
- 19-046-756** - Ea.
Filter: R95 plus nuisance ozone and organic vapors; Medium/Large
- 19-999-368** - Ea.
Filter: R95 plus nuisance acid gas irritants; Small
- 19-999-367** - Ea.
Filter: R95 plus nuisance acid gas irritants; Medium/Large
- 19-047-826** - Ea.
Filter: N100 particulate; With exhale valve; Small
- 19-047-828** - Ea.
Filter: N100 particulate; With exhale valve; Medium/Large

3M 6000 Series Drop-Down Half Facepiece



- 19-041-417** - Ea.
Respirator, Half-Facepiece; Drop-Down; 3M 6000 Series; Small
- 19-041-418** - Ea.
Half-Facepiece, Medium
- 19-041-420** - Ea.
Half-Facepiece, Large

3M 6000 Series Reusable Half Facepiece




- 17-986-9A** - Ea.
Respirator, Half-Facepiece, 3M 6000 Series; Size: Small; Adjustable headstraps and cradle suspension; Backswept cartridges balance better on face while large surface area ensures low breathing resistance; Cartridges/filters sold separately
- 17-986-9B** - Ea.
Medium
- 17-986-9C** - Ea.
Large
- 17-987-3A** - Ea.
Medium, Probed Model
- 17-987-3B** - Ea.
Large, Probed Model

3M 6000 Series Reusable Full Facepiece



- 18-999-4555** - Ea.
Respirator, Full-Facepiece; 3M 6000 Series; Includes large lens with scratch-resistant hard coating; No retainers or extra parts needed to attach filters, cartridges, or dual airline. NIOSH approved; Size: Small
- 18-999-4556** - Ea.
Medium
- 18-999-4557** - Ea.
Large

Cartridges for 3M 6000 Series Respirators



- 17-986-11B** - Ea.
Cartridge, Air Purifying Respirator; For 3M 6000 and 7000 series respirators; Acid gas cartridge; Approved for chlorine, hydrogen chloride, sulfur dioxide, chlorine dioxide, and hydrogen sulfide
- 17-986-11D** - Ea.
Ammonia/methylamine cartridge
- 17-986-11E** - Ea.
Formaldehyde/organic vapor cartridge
- 18-306** - Ea.
Mercury vapor/chlorine gas cartridge
- 18-999-4566** - Ea.
Multi-gas/organic vapors cartridge
- 17-986-11A** - Ea.
Organic vapor cartridge
- 17-986-11C** - Ea.
Organic vapor/acid gas cartridge

3M 6000 Series Cartridge/P100 Particulate Filter Combinations



- 18-999-4549** - Ea.
Cartridges, Air Purifying; 3M; 6000 series cartridge/P100 particulate filter combinations; Acid gas/P100 cartridge/filter assembly; Approved for chlorine, hydrogen chloride, chlorine dioxide, sulfur dioxide, hydrogen sulfide
- 18-999-4551** - Ea.
Ammonia/methylamine cartridge
- 18-999-4552** - Ea.
Formaldehyde/organic vapor/P100 cartridge
- 18-999-4553** - Ea.
Mercury vapor/chlorine/P100 cartridge
- 18-999-4567** - Ea.
Multi-gas/organic vapor/P100 cartridge
- 18-999-4548** - Ea.
Organic vapor/P100 cartridge
- 18-999-4550** - Ea.
Organic vapor/acid gas/P100 cartridge
- 19-096-901** - Ea.
Organic vapor/acid gas/P100, 60/Cs

MSA Advantage 200LS Respirators



18-999-3899 - Ea.
Respirator, Single Neck Strap; Size: Small; MSA Advantage 200LS. AnthroCurve Sealing Surface conforms to wearer's face; Patented Multiflex System equalizes pressure on the face-seal for stability and prevents collapse

18-999-3897 - Ea.
Medium; Single Neck Strap

18-999-3898 - Ea.
Large; Single Neck Strap

19-039-023A - Ea.
Small; Split Neck Strap

19-039-023B - Ea.
Medium; Split Neck Strap

19-039-023C - Ea.
Large; Split Neck Strap

MSA Advantage 3200 Twin-Port Respirator



19-041-906A - Ea.
Respirator, Full Facepiece; MSA Advantage 3200 Twin Port; Silicone facemask and rubber head harness; NIOSH-approved; Size: Small; Dimensions 8-1/2 L x 7 W x 3-3/4 in. H; Wt. 1.15 lb.

19-041-906B - Ea.
Size: Medium

19-041-906C - Ea.
Size: Large

MSA Advantage Cartridges



18-999-3920 - Ea.
Respirator Cartridge; Acid Gas; MSA Advantage; Approved for: Chlorine, sulfur dioxide, chlorine dioxide, hydrogen chloride, hydrogen sulfide (escape only).

18-999-3808 - Ea.
Acid gas/P100

18-999-3900 - Ea.
Ammonia/methylamine

18-999-3791 - Ea.
Ammonia/methylamine/P100

18-999-3978 - Ea.
Low-Profile Particulate, P100

18-999-3765 - Ea.
Mercury vapor

18-999-3687 - Ea.
Mercury vapor/P100

18-999-3923 - Ea.
Organic vapor/N95/R95

18-999-3919 - Ea.
Organic vapor/acid gas

18-999-3807 - Ea.
Organic vapor/acid gas/P100

19-033-002B - Ea.
Organic vapor/acid gas/ammonia/methylamine/formaldehyde/hydrogen fluoride

19-003-230 - Ea.
Organic vapor/acid gas/ammonia/methylamine/formaldehyde/hydrogen fluoride/P100

18-999-3810 - Ea.
Organic vapor/P100

19-033-002C - Ea.
Organic vapor/P100

MSA Filters and Covers for Advantage Cartridges

19-086-975 - Ea.
Prefilter/Component: N95 Filter Cover (two required); MSA Advantage

19-033-004C - Ea.
N95 Stand-alone Filter

19-033-004B - Ea.
N95 Prefilter

19-033-004A - Ea.
N95 Prefilter; Pack of 10

19-033-003B - Ea.
N95 Prefilter Cover (two required)

19-033-005A - Ea.
R95 Prefilter

19-033-003A - Ea.
R95 Prefilter Cover

18-999-1504 - Ea.
Filter Adapter (two required)

MSA OptimAir MM 2K Powered Air-Purifying Respirators



19-034-663 - Ea.
Respirator, Powered Air Purifying; MSA OptimAir MM 2K; Ultravue; Silicone; Large

MSA OptiFilter Cartridges for OptimAir Respirators



18-999-3427 - Ea.
Respirator Filter Cartridge; Type HE OptiFilter XL; For MSA OptimAir PAPRs; HEPA filter with a 99.97% filter efficiency level for protection against all particulate aerosols

19-121-720 - Ea.
CBA/RCA OptiFilter Canister

18-999-3338 - Ea.
OptiFilter GMA-H

18-999-3337 - Ea.
OptiFilter GMC-H

Scott Industrial SCBA (ISCBA)



19-040-016 - Ea.
SCBA, Industrial; Scott ISCBA; 2216psi; AV-2000 facepiece; Cylinder Type: 30-min. aluminum; Description: Single port reducer; Backframe Harness: Kevlar; Head Harness: Kevlar

19-040-020 - Ea.
2216psi; Scott-O-Vista facepiece; Cylinder Type: 30-min. aluminum; Description: Single port reducer; Backframe Harness: Kevlar; Head Harness: Polyester

19-123-600 - Ea.
2216psi; AV-2000 facepiece; Cylinder Type: 30-min. aluminum; Description: Dual port reducer; Backframe Harness: Nylon; Head Harness: Polyester

19-822-848 - Ea.
4500psi; AV-2000 facepiece; Cylinder Type: 60-min. carbon; Description: Single port reducer; Backframe Harness: Nylon; Head Harness: Polyester

Scott C100 Industrial SCBA



19-121-531 - Ea.
Respirator, SCBA; Scott C100 Industrial; With EPDM Head Harness; Facepiece: Small/Medium
19-121-532 - Ea.
C100 with EPDM Head Harness; Medium/Large
19-121-533 - Ea.
C100 with Polyester Head Harness; Small/Medium
19-121-534 - Ea.
C100 with Polyester Head Harness; Medium/Large
19-121-535 - Ea.
Spare Cylinder and Valve Assembly

MSA AirHawk II Self-Contained Breathing Apparatus



19-825-009 - Ea.
SCBA, Industrial; MSA AirHawk II; Advantage 4000 facepiece, medium Hycar, net head harness; 30 min. aluminum cylinder (2216psi); Nylon harness and chest strap; hard case
19-825-010 - Ea.
Advantage 4000 facepiece, medium Hycar, rubber head harness; 30 min. aluminum cylinder (2216psi); Nylon harness and chest strap; no case
19-825-011 - Ea.
Advantage 4000 facepiece, medium Hycar, net head harness; 30 min. L30 stealth carbon cylinder (2216psi); Nylon harness and chest strap; hard case
19-825-012 - Ea.
Advantage 4000 facepiece, medium Hycar, net head harness; 30 min. L30 stealth carbon cylinder (2216psi); Nylon harness and chest strap; no case

Traffic Safety

Lakeland Hi-Vis Public Safety Vests



19-146-381 - Ea.
Vest, Hi-Vis; Lakeland Industries; For public safety employees; FR treated mesh lime polyester; Radio pocket, 2 mic tabs, breakaway shoulders and sides, inside pocket and badge tab, Hook and loop closure; Size R (fits M-2X)
19-146-385 - Ea.
Mesh polyester; Size Size O (fits 3X-5X)
19-146-383 - Ea.
Solid polyester; Size Size R (fits M-2X)
19-146-387 - Ea.
Solid polyester; Size O (fits 3X-5X)

OccuNomix OccuLux Class 2 High-Vis Break-Away Vest



19-520-319 - Ea.
Vest, Traffic Safety; Occunomix; OccuLux; High-Viz Break-Away Vest; ANSI Class 2 materials; One 2-in. 360° horiz. and two vertical reflective stripes; Two pockets; Hook and loop closure; Yellow; Size: Medium
19-520-320 - Ea.
Yellow; Size: Large
19-520-321 - Ea.
Yellow; Size: X-Large
19-520-322 - Ea.
Yellow; Size: XX-Large
19-520-323 - Ea.
Yellow; Size: XXX-Large
19-520-324 - Ea.
Yellow; Size: 4X-Large
19-520-325 - Ea.
Yellow; Size: 5X-Large

PIP Hi-Vis Leather Palm Gloves



19-160-822A - Ea.
Gloves, Leather palm; PIP; Hi-Vis; Top grain pigskin leather; Orange nylon back and 3M reflective band over knuckle; Rubberized safety cuff; Small
19-160-822B - Ea.
Medium; Top-grain pigskin leather
19-160-822C - Ea.
Large; Top-grain pigskin leather
19-160-822D - Ea.
X-Large; Top-grain pigskin leather
19-160-824D - Ea.
X-Large; Insulated
19-160-826 - Ea.
Large; Select shoulder split cowhide leather

Wells Lamont Safety King Hi-Visibility Green Knit Palm Coated Glove



19-148-342 - Ea.
Gloves, Knit palm coated; Wells Lamont; Lightweight; Nylon knit shell; Hi-Vis green; Without lining; Size: Small
19-148-341 - Ea.
Without lining; Size: Medium
19-148-340 - Ea.
Without lining; Size: Large
19-148-343 - Ea.
Without lining; Size: X-Large
19-148-729 - Ea.
Plush lined; Size: Medium
19-148-730 - Ea.
Plush lined; Size: Large
19-148-731 - Ea.
Plush lined; Size: X-Large
19-148-732 - Ea.
Plush lined; Size: XX-Large

Eagle Folding Channelizers and Barricades



19-130-2041 - Ea.
Barricade, Folding; Eagle; Quik-Deploy; With fire reflective sheeting; Ideal for crime/fire scenes, accidents, or crowd control; 14 lb.; Mounting holds for lanterns, signs, police tape; White

Jackson Safety Barricone Barricade



19-034-950 - Ea.
Barricade; Barricone; Jackson Safety; Bright Yellow; PVC Plastic; Two 3 x 12in. (7.6 x 30.5cm) Reflective Barricade Strips; Message: CAUTION; Cones not included

Jackson Safety Traffic and Warning Cones



19-059-140 - Ea.
Cones, Traffic; Jackson Safety; All-Purpose; Red/orange w/wide-body design; White inner; Rugged black base; PVC; NCHRP-350 Category I compliant; Shrink wrapped; Height: 12 in.; Weight: 2 lb.

17-986-236 - Ea.
All-Purpose, 18 in.H

17-986-237 - Ea.
All-Purpose, 28 in.H

18-999-1114 - Ea.
All-Purpose, 36 in.H

18-999-1115 - Ea.
All-Purpose w/Reflective Tape; 28 in.H

19-130-0381 - Ea.
All-Purpose w/Reflective Tape; 36 in.H

19-049-812 - Ea.
Wind-Resistant, 18 in.H

19-049-814 - Ea.
Wind-Resistant, 28 in.H

19-049-817 - Ea.
Wind-Resistant, 36 in.H

19-059-139 - Ea.
Wide-Body, 18 in.H

19-070-037 - Ea.
Wide-Body, 28 in.H

19-051-793 - Ea.
Wide-Body, 36 in.H

Jackson Safety Pack and Pop Traffic Cones



19-150-0417 - Ea.
Cone, Traffic; Jackson Safety; Pack and Pop; Waterproof nylon cone; Orange plastic base; Internal light; Meets MUTCD; Includes 2 AAA batteries and a carrying case; Collapsible; 18 in. high; 4/Pk.

19-149-891 - Ea.
28 in.; Orange plastic base; 5/Pk.

19-149-893 - Ea.
30 in. incident cone

Jackson Safety Lightweight Warning Fence



18-999-1132 - Ea.
Fence; Jackson Safety; Warning; Lightweight; Orange; 4 x 100ft. (1.2 x 30.5m)

Jackson Safety Plastic Safety Fence



18-999-1133 - Ea.
Fence, Safety; Jackson Safety; Plastic; 4 x 50 ft.; Orange; Polyethylene; Reusable

Jackson Safety Warning Flags




19-049-801 - Ea.
Flag, Warning; Jackson Safety; Red-orange fluorescent vinyl; Nonfurling design; Heat-sealed hem; Hardwood dowel: 3/4 dia. X 24 in.L; Dimensions: 18 x 18 in.

19-049-797 - Ea.
Standard vinyl; 24 x 24 in.

19-051-783 - Ea.
Knitted; 18 x 18 in.

Jackson Safety Wind Sock



19-059-169 - Ea.
Sock, Wind; Jackson Safety Vinyl-coated nylon; Length: 8 ft. (2.4m); Red

19-059-468 - Ea.
Hardware Kit

Jackson Safety Road Safety Triangles



17-987-394 - Ea.
Triangles, Safety; Jackson Safety; Polypropylene with red acrylic reflectors; 3/pack

Cyalume Light Sticks



19-006-105 - Ea.
Lightstick, Snaplight; Cyalume; Duration: 8 hr.; Color/Wavelength: White; Hexagonal tube with an eyelet and hook; Length, 6 in. (15.2cm)

19-006-101 - Ea.
SnapLight; 12 hr.; Yellow; 6 in.

19-006-110 - Ea.
SnapLight; 12 hr.; Orange; 6 in.

19-006-100 - Ea.
SnapLight; 12 hr.; Red; 6 in.

19-816-366 - Ea.
ChemLight; 12 hr.; Red; 6 in.

19-006-108 - Ea.
Cyalume Impact; 12 hr.; Blue; 15 in.

19-006-109 - Ea.
Cyalume Impact; 12 hr.; Red; 15 in.

19-006-111 - Ea.
Cyalume Impact; 12 hr.; Yellow; 15 in.

Jackson Safety Flare



19-049-939 - Ea.
Flare, Safety; Jackson Safety; Spikeless; Easy to ignite with self-contained striker; Lasts 30 minutes

PIP Alliance EFlare 400 360° High-Visibility LED Beacons



19-130-5364 - Ea.
Beacon, Flashing; PIP; EFlare; Consumer model; Orange body color; 4 LEDs (light emitting diodes); Run Time: 80 hours; Single color flashing; Amber; 1 Ea.

19-130-5365 - Ea.
Amber; 2/Pk.

19-130-5367 - Ea.
Amber; 24/Pk.


19-130-5368 - Ea.
Red; 1 Ea.

19-130-5369 - Ea.
Red; 2/Pk.

19-130-5370 - Ea.
Red; 4/Pk.


19-130-5371 - Ea.
Red; 24/Pk.

Jackson Safety Stop and Slow Paddles



19-073-465 - Ea.
Paddle, Stop and Slow; Jackson Safety; Aluminum; Dia.: 18 in.; Ideal for flaggers, security guards, and emergency personnel involved in traffic control; Octagonal shape
19-088-1470 - Ea.
Reflective Plastic, 18 in.
19-086-590 - Ea.
Nonreflective Plastic, 24 in.

Brady Barricade Tape



19-017-466 - Ea.
Tape; Barricade; Brady; B-912 polyethylene; 3 in.W x 200 ft.L; Text: CAUTION


Fire-Rescue-EMS Apparel

Morning Pride Structural Gear




19-814-690 - Ea.
Coat, Turnout; Morning Pride Los Angeles style; Advance outer shell; Glide thermal liner; Crosstech moisture barrier; Lime 2-tone 3M Scotchlite trim; Airmask/radio pocket; Bellows pocket w/tool organizer; Glove straps; Yellow; Specify size
19-814-691 - Ea.
Los Angeles Style Pants
19-814-692 - Ea.
Florida Style Tails Coat
19-814-693 - Ea.
Florida Style Pants

Morning Pride Dyna-Back Suspenders




19-814-937 - Ea.
Dyna-Back Suspenders; Morning Pride; Circle Hardware; Dynamic action suspendering; Constructed of strong, wide, non-elastic webbing; Heavy-duty hardware; Extra-heavy thread and lock stitching; Eight-point suspender button attachment

Morning Pride Dyna-Fit Suspenders




19-823-180 - Ea.
Dyna-Fit Suspenders; Morning Pride; No mid-back hardware; Circle Hardware; Dynamic action suspendering; Constructed of strong, wide, non-elastic webbing; Heavy-duty hardware; Extra-heavy thread and lock stitching; Eight-point suspender button attachment

American Firewear Quick-Release Suspenders



19-500-154 - Ea.
Suspender, Quick Release; American Firewear; Padded Shoulders; Large, 2.5W x 0.5 in.D; Reflective trim edges; H-Back style stretches climbing/crawling; Back stitch stop straps slide

OccuNomix OccuLux High-Viz Public Safety Vests



19-520-417 - Ea.
Vests, Hi-Viz; OccuNomix OccuLux; ANSI tricot fabric; 3M Scotchlite reflective tape; Breakaway design; Hook-and-loop front closure; Fully adjustable sides; Mic tab; Clear badge chest pocket w/closure; Radio chest pocket w/flap closure; EMS; Medium/Large
19-520-416 - Ea.
EMS; X-Large/XX-Large
19-520-415 - Ea.
EMS; XXX/4X-Large
19-520-420 - Ea.
Fire; Medium/Large
19-520-419 - Ea.
Fire; X-Large/XX-Large
19-520-418 - Ea.
Fire; XXX/4X-Large
19-520-423 - Ea.
Police; Medium/Large
19-520-422 - Ea.
Police; X-Large/XX-Large
19-520-421 - Ea.
Police; XXX/4X-Large

American Firewear Extrication Jumpsuit



19-805-485 - Ea.
Jumpsuit; Extrication; Flame-resistant FR Indura cotton construction; Lined sleeves with 15 in. padded elbows and forearms; Inner zipper/outer Velcro front closure; Radio pocket with mic tab/utility strap; 12 in. zipper on pant; X-Large
19-805-484 - Ea.
Large

Helmets/Hoods

Morning Pride Structural Firefighting Helmets



- 19-815-200** - Ea.
Helmet, Firefighting; Morning Pride; Ben 2 Plus; For structural fire fighting operations; Adjustable suspension; FYR-glass shell; With Paulson double-lens structural goggles with EZ Flips; Nomex quick release chin strap with postman slide; Winter liner dome insert; Ear covers; Trim: 8 Reflexite lime trapezoids
- 19-815-202** - Ea.
Ben 2 Plus; Clear 4 x 0.150 in. Hi-Temp APEC faceshield
- 19-815-201** - Ea.
Lite Force Plus; Clear 4 x 0.110in. Hi-Temp APEC faceshield

American Firewear Ventilated Eagle Hoods



- 19-815-029** - Ea.
Hood, Firefighting; American Firewear; Ventilated face and chest style; 100% Nomex; Off-white
- 19-815-031** - Ea.
Ventilated face and chest style; P-84/PFR rayon; Yellow
- 19-815-032** - Ea.
Ventilated face and chest style; P-84/PFR rayon; Navy
- 19-815-033** - Ea.
Ventilated face and chest style; Pbi blend; Bronze

Structural/Extrication Gloves

American Firewear Kangaroo Leather Super Gloves



- 19-171-019A** - Ea.
Gloves, Firefighting; American Firewear Super Glove; Kangaroo leather; Digi-roo digital kangaroo grip; Bubble-Flex and Flex-Tuck construction; 3-D hand shaped styling; Crosstech Moisture Barrier; Eversoft cowhide cuffs; Gauntlet; XX-Small
- 19-171-019B** - Ea.
Gauntlet; Small
- 19-171-019C** - Ea.
Gauntlet; Medium
- 19-171-019D** - Ea.
Gauntlet; Large
- 19-171-019E** - Ea.
Gauntlet; X-Large
- 19-171-019F** - Ea.
Gauntlet; XX-Large
- 19-171-019G** - Ea.
Gauntlet; XXX-Large
- 19-171-020A** - Ea.
Wristlet; XX-Small
- 19-171-020B** - Ea.
Wristlet; Small
- 19-171-020C** - Ea.
Wristlet; Medium
- 19-171-020D** - Ea.
Wristlet; Large
- 19-171-020E** - Ea.
Wristlet; X-Large
- 19-171-020F** - Ea.
Wristlet; XX-Large
- 19-171-020G** - Ea.
Wristlet; XXX-Large

American Firewear Firemate Gloves



- 19-168-245A** - Ea.
Gloves, Firefighting; American Firewear Firemate; Kangaroo leather; 2-D hand shaped styling; Crosstech Moisture Barrier; Eversoft cowhide cuffs; Wristlet; X-Small
- 19-168-245B** - Ea.
Small
- 19-168-245C** - Ea.
Medium
- 19-168-245D** - Ea.
Large
- 19-168-245E** - Ea.
X-Large
- 19-168-245F** - Ea.
XX-Large
- 19-168-245G** - Ea.
XXX-Large

Shelby FDP Leather Gloves



- 19-821-490** - Ea.
Gloves; Fire-Resistant; Shelby; FDP leather; Tanned cowhide leather knitwrist; Abrasion-resistant; Meets requirements of NFPA; Size: Small; Midnight Blue
- 19-821-489** - Ea.
Tanned cowhide leather knitwrist; Medium; Midnight blue
- 19-821-488** - Ea.
Tanned cowhide leather knitwrist; Large; Midnight Blue
- 19-821-491** - Ea.
Tanned cowhide leather knitwrist; X-Large; Midnight blue
- 19-100-351** - Ea.
Tanned cowhide leather gauntlet; Small; Midnight blue
- 19-100-350** - Ea.
Tanned cowhide leather gauntlet; Medium; Midnight blue
- 19-100-349** - Ea.
Tanned cowhide leather gauntlet; Large; Midnight blue
- 19-100-352** - Ea.
Tanned cowhide leather gauntlet; X-Large; Midnight blue
- 19-100-348** - Ea.
Tanned cowhide leather gauntlet; Jumbo; Midnight blue
- 19-821-482** - Ea.
Brushed pigskin leather knitwrist; X-Small; Tan
- 19-821-481** - Ea.
Brushed pigskin leather knitwrist; Small; Tan
- 19-821-480** - Ea.
Brushed pigskin leather knitwrist; Medium; Tan
- 19-100-374** - Ea.
Brushed pigskin leather knitwrist; Large; Tan
- 19-100-375** - Ea.
Brushed pigskin leather knitwrist; X-Large; Tan
- 19-821-479** - Ea.
Brushed Pigskin Leather knitwrist; Tan Color; Jumbo; Tan
- 19-500-500** - Ea.
Brushed pigskin leather gauntlet; X-Small; Tan
- 19-821-486** - Ea.
Brushed pigskin leather gauntlet; Small; Tan
- 19-821-485** - Ea.
Brushed pigskin leather gauntlet; Medium; Tan
- 19-821-484** - Ea.
Brushed pigskin leather gauntlet; Large; Tan
- 19-821-487** - Ea.
Brushed pigskin leather gauntlet; X-Large; Tan
- 19-821-483** - Ea.
Brushed pigskin leather gauntlet; Jumbo; Tan

Shelby Xtrication Gloves



- 19-500-482** - Ea.
Gloves; Shelby Xtrication; Nylon Cordura; Palm and finger reinforcements with Kevlar; Rubberized fingers; Black with chartreuse glove back; Small
- 19-821-452** - Ea.
Medium
- 19-821-451** - Ea.
Large
- 19-821-453** - Ea.
X-Large
- 19-500-481** - Ea.
XX-Large

Ringers Extrication Gloves



- 19-818-103** - Ea.
Gloves, Extrication; Ringers; Armortex fabric; Kevlar padding; Stretchable Cordura fabric; Gel palm padding; Hidden seam; Long Cuff; Yellow; Small
- 19-818-104** - Ea.
Long Cuff; Yellow; Medium
- 19-818-105** - Ea.
Long Cuff; Yellow; Large
- 19-818-106** - Ea.
Long Cuff; Yellow; X-Large
- 19-818-110** - Ea.
Short Cuff; Black; Large
- 19-818-111** - Ea.
Short Cuff; Black; X-Large
- 19-818-113** - Ea.
Short Cuff; Yellow; Small
- 19-818-115** - Ea.
Short Cuff; Yellow; Medium
- 19-818-117** - Ea.
Short Cuff; Yellow; Large

Ergodyne 740 Fire and Rescue Rope Gloves



- 19-130-0553A** - Ea.
Gloves, Rope; Ergodyne ProFlex 740; Rappelling; Amara and stretch fabric; Full-finger design; Double reinforced, gel-padded rope zone with rope channel; Small
- 19-130-0553B** - Ea.
Medium
- 19-130-0553C** - Ea.
Large
- 19-130-0553D** - Ea.
X-Large
- 19-130-0553E** - Ea.
XX-Large

Structural Boots

Pro Warrington 5006 Structural Firefighting Boots, D Width



- [19-167-396](#) - Ea.
Boot, Fire; Pro Warrington; For structural firefighting; Power toe; PRO-V liner; Removable insert; Steel toe, shank, bottom plate; Vibram lug sole; Molded heel counter; Barcoded; Meets NFPA and Berry Amendment; 14 in.H; Men's size: 5D
- [19-167-397](#) - Ea.
Men's size: 5.5D
- [19-167-398](#) - Ea.
Men's size: 6D
- [19-167-399](#) - Ea.
Men's size: 6.5D
- [19-167-400](#) - Ea.
Men's size: 7D
- [19-167-401](#) - Ea.
Men's size: 7.5D
- [19-167-402](#) - Ea.
Men's size: 8D
- [19-167-403](#) - Ea.
Men's size: 8.5D
- [19-167-404](#) - Ea.
Men's size: 9D
- [19-167-405](#) - Ea.
Men's size: 9.5D
- [19-167-406](#) - Ea.
Men's size: 10D
- [19-167-407](#) - Ea.
Men's size: 10.5D
- [19-167-408](#) - Ea.
Men's size: 11D
- [19-167-409](#) - Ea.
Men's size: 11.5D
- [19-167-410](#) - Ea.
Men's size: 12D
- [19-167-411](#) - Ea.
Men's size: 12.5D
- [19-167-412](#) - Ea.
Men's size: 13D
- [19-167-413](#) - Ea.
Men's size: 14D
- [19-167-414](#) - Ea.
Men's size: 15D
- [19-167-415](#) - Ea.
Men's size: 16D

Pro Warrington Leather Boots



- [19-120-329A](#) - Ea.
Boot, Leather; Pro Warrington; CrossTech fabric bootie; Fungus-resistant Cambrelle and Kevlar felt linings; Steel ladder shank; Double-stitched lug soles; Wraparound welt; Pull-on bunker style; 14 in. high; Black; With shinguard; Size 9D
- [19-120-329C](#) - Ea.
10D
- [19-120-329E](#) - Ea.
11D
- [19-120-329G](#) - Ea.
12D
- [19-120-329I](#) - Ea.
13D

Ranger Shoe-Fit Firewalker Boots, Wool Lining



- [19-051-643](#) - Ea.
Boot, Shoe-Fit; Ranger Firewalker; Wool felt linings and midsole; White Sure-Loc outsole; 16 in. high; Standard Insulation; Size 9
- [19-051-645](#) - Ea.
White Sure-Loc outsole; Standard Insulation; Size 10
- [19-051-647](#) - Ea.
White Sure-Loc outsole; Standard Insulation; Size 11
- [19-051-649](#) - Ea.
White Sure-Loc outsole; Standard Insulation; Size 12
- [19-051-651](#) - Ea.
White Sure-Loc outsole; Standard Insulation; Size 13

Ranger Shoe-Fit Firewalker Boots



- [19-051-695](#) - Ea.
Boot, Shoe-Fit; Ranger Firewalker; Kevlar/Nomex linings; Wool midsole; Black Sure-Loc outsole; 16 in. high; Enhanced Insulated; Size 9
- [19-051-699](#) - Ea.
Kevlar/Nomex lining; Black Sure-Loc outsole; Enhanced Insulated; Size 11
- [19-051-701](#) - Ea.
Kevlar/Nomex lining; Black Sure-Loc outsole; Enhanced Insulated; Size 12

Pro-Warrington Technical Rescue Boots



- [19-167-339](#) - Ea.
Boot, Fire; Pro Warrington; For technical rescue; Military AB leather; Composite toe w/power toe cap; PRO-V liner; Removable insert; Steel shank, bottom plate; Metatarsal guard; Vibram lug sole; Barcoded; Meets NFPA; 8 in.H; Men's size: 5D
- [19-167-340](#) - Ea.
Men's size: 5.5D
- [19-167-341](#) - Ea.
Men's size: 6D
- [19-167-342](#) - Ea.
Men's size: 6.5D
- [19-167-343](#) - Ea.
Men's size: 7D
- [19-167-344](#) - Ea.
Men's size: 7.5D
- [19-167-345](#) - Ea.
Men's size: 8D
- [19-167-346](#) - Ea.
Men's size: 8.5D
- [19-167-347](#) - Ea.
Men's size: 9D
- [19-167-348](#) - Ea.
Men's size: 9.5D
- [19-167-349](#) - Ea.
Men's size: 10D
- [19-167-350](#) - Ea.
Men's size: 10.5D
- [19-167-351](#) - Ea.
Men's size: 11D
- [19-167-352](#) - Ea.
Men's size: 11.5D
- [19-167-353](#) - Ea.
Men's size: 12D
- [19-167-354](#) - Ea.
Men's size: 12.5D
- [19-167-355](#) - Ea.
Men's size: 13D
- [19-167-356](#) - Ea.
Men's size: 14D
- [19-167-357](#) - Ea.
Men's size: 15D

SCBA

Scott AV-3000 Facepiece



19-168-373 - Ea.
Facepiece, AV-3000; Scott; Small; Kevlar head harness; Polyisoprene/gray nosecup; Simplistic clam shell design for decreased part changeout; Larger multidirectional voicemitters; Comfort Seal face seal

19-168-374 - Ea.
Kevlar Head Harness, Polyisoprene/Grey nosecup; Medium

19-168-375 - Ea.
Kevlar Head Harness, Polyisoprene/Grey nosecup; Large

Scott AV-2000 Facepiece



SCT80419101 - Ea.
Facepiece, Respiratory; Scott; AV-2000; Fits all Scott air-supplied, air-purifying, and communication products; EPDM Rubber face seal; Kevlar head harness; Small

SCT80419102 - Ea.
EPDM Rubber face seal; Kevlar head harness; Large

19-804-193 - Ea.
EPDM Rubber face seal; Kevlar head harness; X-Large

19-038-297 - Ea.
EPDM Rubber face seal; Kevlar head harness; Comfort Seal

19-168-376 - Ea.
Kevlar face seal/gray nosecup; Kevlar head harness; Small

19-168-379 - Ea.
Kevlar face seal/gray nosecup; Kevlar head harness; Comfort Seal

19-168-377 - Ea.
Kevlar face seal/gray nosecup; Kevlar head harness; Large

19-168-378 - Ea.
Kevlar face seal/gray nosecup; Kevlar head harness; X-Large

Scott SCBA Replacement Carbon-Fiber Cylinders



19-003-267A - Ea.
Cylinder, SCBA; Scott; Carbon-Fiber; 2216psi; 30 min.; Weight: 9.4 lb.; For use with Scott Air-Pak 75 SCBA

19-003-264A - Ea.
Carbon-Fiber; 4500psi; 30 min

19-003-264B - Ea.
Carbon-Fiber; 4500psi; 45 min.

19-003-264C - Ea.
Carbon-Fiber; 4500psi; 60 min.

Supplied Air

Air Systems Technical Rescue Cart



19-500-122 - Ea.
Cart, Technical Rescue; Air System; For airline respirators/all air tools work simultaneously; Cylinder or mobile truck air run cart; Stainless steel; Color-coded control panel for respirator breathing air/tool air reqts.; Hansen/Schrader fittings std.

Air Systems Multi-Pak Bottled Air Carts



18-999-1720 - Ea.
Cart, Air Cylinder; Air Systems; Small; Two-bottle; 2400psig; Two-outlet manifold

18-999-1721 - Ea.
Small; 4500psig; Two-outlet manifold; Hansen fittings

19-806-383 - Ea.
Small; 4500psig; Four-outlet manifold; Hansen fittings

18-999-1722 - Ea.
Large; 4500psig

18-478 - Ea.
Rescue Cart; 4500psig

Air Systems Air Supply Accessories

19-500-115 - Ea.
Whip, Connect; 25 ft.; High pressure; CGA-347 hand tight on each end with bleed valves; Connects from cart to cascade/truck air supply

19-806-299 - Ea.
2400psi Aluminum Cylinder

19-120-2478 - Ea.
Quick Fill Hose

Communications

Con-Space CSI 2000 Confined Space Rescue Communication Kit 1



19-808-767 - Ea.
Rescue Communication Kit, Confined Space; Con-Space; Kit 1; Mobile; Five Users; Accommodates 14; 100ft. Reach—Expandable to 1500ft.; Battery Powered; Waterproof; Fiberglass Command Module Case; Intrinsically Safe

19-808-768 - Ea.
Rescue Kit with Power Talk

3M Peltor MT Series Two-Way Headsets



19-145-476 - Ea.
Headset, Two-Way; 3M; MT Series; With neckband; Adaptable to new or existing radios; Deep earcup design; Noise-canceling microphone

3M EarCom Bone Conduction Earpiece



19-130-0504 - Ea.
Radio Accessory; 3M EarCom, Two-way communication with bone conduction technology; For Motorola 3.5mm threaded plug, HT1000, Astro Digital
19-130-0512 - Ea.
EarCom for Kenwood TK380 plug

Rapid Intervention/Escape Devices

RIT Rescue Escape Systems Personal and Primary Search Lines



19-500-416 - Ea.
Search Line, Personal; RIT Rescue; 35 ft.; 100% Kevlar tubular webbing; 5500 lb. tensile strength rating; 862 deg.F temperature rating
19-500-417 - Ea.
Personal; 65 ft.
19-500-414 - Ea.
Primary; 100 ft.

RIT Rescue RIT Kit



19-500-413 - Ea.
Kit, Rescue; RIT Rescue; Four F.F.R.E.D. rescue systems; One 200 ft. primary search line; Three 25 ft. tag lines; One yellow water-resistant storage bag

CMC Rescue Firefighter Retrieval System



19-808-802 - Ea.
Retrieval System, Firefighter; CMC Rescue; Includes utility loop, ProTech single pulley, ProTech double pulley, Survivor 8, ProTech screw-lock carabiners (3), firefighter retrieval bag, and 50 ft. CMC Rescue Escape Line

CMC Rescue Survivor FR Escape System



19-808-803 - Ea.
System, Escape; CMC Rescue Survivor; Includes 8mm Escape Line (50 ft.); Double-Brake Escape Artist; NARS Escape Anchor; Survivor FR Escape Bag; Tether with one Quick Links for attaching the Escape Artist; Manual-Lock Carabiner

Rescue Technology Uniform Emergency Belt



19-008-095A - Ea.
Belt, Emergency; Rescue Technology; Lightweight forged V ring for carabiner attachment point and held by Velcro loop; Double-pass buckle for security; Extra webbing secured with hook and loop; Fits waist size: 28-40 in.

Accountability

Grace Industries SuperPASS III



19-811-765 - Ea.
PASS (Personal Alert Safety System); Grace Industries; SuperPASS 3; Motion sensing only: Solid state, fewer false positives; Alarm, 95 dBA at 10 ft.; Auto-on with Accountability Key; LED; Requires AA batteries
19-811-766 - Ea.
With motion and high-temperature alarms

Grace Industries SuperPASS II



19-811-761 - Ea.
PASS (Personal Alert Safety System); Grace Industries SuperPASS II; With motion alarm; Accountability Storage Key pops off when unit is removed from storage position, putting the device into motion sensing mode
19-811-762 - Ea.
With motion and high-temperature alarms

Scott Pak-Alert SE+ Distress Alarm



19-068-333 - Ea.
Alarm, Distress; Scott Pak-Alert SE+; Field Installation Kit; Distress alarm monitors movement by means of a detector with an infrared light pulse; For use with Air-Pak 2.2, 4.5, and Air-Pak Fifty SCBAs

Rehab

Patterson Ice Cube Evaporative Cooling System



19-500-332 - Ea.
Portable flash evaporative cooling system

Patterson High-Velocity Misting Stroller Fan



19-123-486 - Ea.
Misting Stroller Fan; Patterson; high pressure stroller fan; 18 in.
19-123-487 - Ea.
Misting Stroller Fan w/oscillator

Morning Pride KoreKooler Rehab Chair



19-171-021 - Ea.
Chair, Rehab; KoreKooler; Morning Pride; Wide-rail construction and sling construction; With ented carrying bag and two reservoir bags
19-171-022 - Ea.
Rehab Sun Shade
19-171-023 - Ea.
Reservoir Bags

Ergodyne Chill-Its Evaporative Cooling Towel



19-154-639 - Ea.
Towel, Cooling; Ergodyne Chill-Its; Absorbs and stores water; Super-evaporative material; Blue; Hand Wash

True North Lynx Hydration System



NC9526515 - Ea.
Bag, Hydration; True North Lynx; Nylon w/3M reflective; 100 oz. capacity; Snap-tite straps; Closed cell insulation; Covered fill port; Bite valve cover; Neoprene tube cover

Incident Command

IRT Command Post Shelters



19-065-286 - Ea.
Shelter, Command Post; IRT; 8W x 10 ft.L; 72 lb.; Customer specific; End doors; Anchor Kit; Repair Kit; Aluminum frame; Transport bag; Ground cloth; Ext fabrics only; Video; Small; Yellow
19-120-1072 - Ea.
8 x 13 ft.
19-120-1073 - Ea.
8 x 15 ft.

IRT Command/Logistics Shelters



19-120-2344 - Ea.
Shelter, Command/Logistics; IRT; 9W x 13 ft.L; 152 lb.; Customer specific fabrics; One side entry; Window; End doors; Aluminum frame; Hot/cold insulation; Anchor Kit; Transport bag; Ground cloth; Video; Small; White/Black
19-120-2346 - Ea.
9W x 15 ft.L; White/Black
19-120-2348 - Ea.
9W x 22 ft.L; White/Black

Reeves Incident Command Post Trailers




19-169-413 - Ea.
Incident Command Post Shelter; Reeves; Includes a trailer, shelter, 6.5kW generator, heavy-duty axle, off-road tires and integrated environmental control unit and communications platform; Small; Usable space: 107 sq. ft.
19-169-414 - Ea.
Medium; Usable space: 161 sq. ft.
19-169-415 - Ea.
Large; Usable space: 214 sq. ft.

Ferno Fireground/HazMat Command Board



19-812-800 - Ea.
Incident Command Board; Ferno; For fireground/hazmat tactical command; Two-sided rigid plastic; Erasable and reusable; Use dry-erase, water-based pens, or grease pencils; Large drawing area and areas for noting critical information; 36 x 24 in.; Non-laminated
19-812-801 - Ea.
Sheets; 36 x 24 in.

Emergency Film Group NIMS: Introduction to the National Incident Management System DVD



17-150-100 - Ea.
DVD; Emergency Film Group; NIMS: Introduction to the National Incident Management System; Includes Model Procedures Guide; 25 min.

Thermal Imagers

Scott Eagle Imager 320 Thermal Imaging Camera



19110113 - Ea.
Camera, Thermal Imaging; Scott; Eagle Imager 320; Amorphous silicone core; 9V nickel metal hydride battery; 4 in. LCD screen; Temp.readout: °F (digital, bar graph) indicator; w/Overhaul mode, TAC mode; w/o Transmitter
19-110-114 - Ea.
Eagle Imager 320 Thermal Imaging Camera
19110115 - Ea.
Temp.readout: °C; w/Overhaul mode, TAC mode; w/o Transmitter
19110116 - Ea.
Temp.readout: °C; w/Overhaul mode, TAC mode, transmitter

Dräger UCF 1600 and UCF 3200 Thermal imaging Cameras



19-815-849 - Ea.
Camera, Thermal Imaging; Drager Safety; UCF 3200; 160 x 120 pixels; 55 deg diagonal view; MicroIR VOx bolometer tech; Camera, charger, power supply, lithium-ion battery, AC cord, carrying case, manual; Robust, heat resistant; Service life, 4 hr.
19-168-223 - Ea.
Camera, Thermal Imaging; Drager Safety; UCF 3200 with Thermal Scan Kit; Res. 320 x 240 pixels; View: 68 deg diagonal field of view; MicroIR VOx bolometer technology

Search Cameras/Listening Systems

Aqua Communications SnakeEye III Video Inspection System



19-168-322 - Ea.
Video Inspection System; Aqua Communications; SnakeEye III; Base Kit W; LED camera w/ 5 in. color display; Rigid wand adapter; Finger adapter; 4 ft. (1.2m) cable; 2 NiMH batteries; Battery charger; AC adapter; DC auto adapter; and Carrying case case
19-168-323 - Ea.
Base Kit CW

Con-Space Victim Locator Kit



19-500-189 - Ea.
Kit, Victim Locator; Con-Space; Detects victims trapped in collapsed structures; Lightweight, portable; Battery-powered; Establishes two-way voice communication w/victim

Flashlights/Scene Lighting

Streamlight Survivor LED Flashlight



19-165-617 - Ea.
Flashlight, LED; Streamlight; Right-angle; High-visibility orange nylon; 3-watt Luxeon LED w/ 50,000-hr. life; Outputs 65 lumens; Lexan lens w/anti-scratch coating; Modes: high, low, and emergency flash; Includes 4 "AA" alkaline batteries; 6H x 2 in.W
19-165-616 - Ea.
Rechargeable

Pelican Big Ed Flashlight



19-500-366 - Ea.
Flashlight; Pelican; Big Ed; Yellow; 7 in. (18cm) Xenon Polymer Resin Body; 100 Lumens; 50 hr. lamp life; 3.5 hr. battery
19-500-368 - Ea.
Rechargeable
19-120-2742 - Ea.
Adapter for Big Ed Flashlight

Pelican Little Ed 3600 Flashlights



19-130-1082 - Ea.
Flashlight, Right Angle; Pelican Little Ed 3600; ABS resin; Xenon beam; Built-in stainless steel clip; 4AA batters; Yellow

Streamlight ProPolymer Flashlights



19-819-836 - Ea.
Flashlight; Streamlight ProPolymer; Yellow; Operates up to 4 hours on 2-AA batteries; 6 in. Long; Wt: 3.7 oz.; Dual switch for constant-stream or blink; Rubber face cap is impact/shock resistant; Xenon bulb; Helmet clamps are available
19-822-943 - Ea.
With 4AA batteries

Pelican HeadsUp Lites



19-130-091 - Ea.
Light, Hands-Free; Pelican HeadsUp Lite; 2610 Model; Three LEDs; W/adjustable cloth strap and rubber strap; Non-glare black

Streamlight Vantage LED Helmet-Mounted Flashlight



19-822-499 - Ea.
Flashlight, Helmet-Mounted; Streamlight Vantage LED; Attaches to brim on fire helmets, industrial helmets and hard hats; Up to 4500 candela peak intensity; 6 hr. of continuous runtime; Lens resists high-temperature, shock and impact; Includes two 3V lithium batteries; L x W: 3.26 x 1.47 in.; Weight: 5.14 oz.

Streamlight Helmet Lighting Kit



19-500-562 - Ea.
Lighting Kit, Helmet; Streamlight; Output: 40 lumens; Light: 1w LED; 4 AA batteries; Yellow polymer resin; 7L x 1.35W x 0.97 in. thickness; Dia.: 1.48 to 1.60 in.; 4 hr. full intensity; Water, corrosion proof, nonconductive; UL Class 1, Div 2

Streamlight Trident Headlamps



19-500-559 - Ea.
Headlamp, Trident; Streamlight; All-purpose light; High power LED for spot-to-flood focus; Three white LEDs
19-500-483 - Ea.
Headlamp with one LED

Streamlight Fire Vulcan LED Rechargeable Lantern



19-822-500 - Ea.
System, Lighting; Streamlight Fire Vulcan; Rechargeable lantern; Std. system; High-impact ABS thermoplastic housing; LE; 2 lithium-ion cells; 120V; Quick-release shoulder strap; AC/DC chargers; Orange; 7.5L x 5W x 6.5 in. H; 1.85 lb.

Streamlight Vulcan Lantern System



19-186-170 - Ea.
System, Lighting; Streamlight Vulcan; AC/DC Chargers; Yellow; Includes shoulder strap and charging/mounting rack
19-121-807 - Ea.
Orange; AC/DC Chargers
19-121-808 - Ea.
Orange; DC Charger

Streamlight LiteBox Lanterns



19-819-830 - Ea.
Lantern, Safety; Streamlight LiteBox; Standard system; Orange; 8w
18-999-330 - Ea.
Vehicle-Mount System; Yellow; AC/DC; Rechargeable
18-999-329 - Ea.
Vehicle-Mount System; Orange; AC/DC; Rechargeable
18-999-1651 - Ea.
Power-Failure System; Orange; 120V/12VDC
18-999-327 - Ea.
Power-Failure System; Beige; 120V/12VDC

Pelican 9450 Remote Area Lighting System



19-512-700 - Ea.
Light System, Remote Area; Pelican 9450; Tough case with 16 one-watt LEDs mounted in an aluminum heat sink; Pole extends to 83 in.; Provides 1280 lumens of light; Rechargeable battery has nine hours of life at maximum output, 17 hours at low-light level; Weight: 46 lb.

Tele-Lite Nova-Lite



19-220-363 - Ea.
Generator/Light Unit; Tele-Lite Nova-Lite; Four 500w halogen lights. 2 telescoping, 2 portable; Rack-mounted on hand cart; 6.5hp generator; Run time: 6 to 9 hours; Noise level: 68dB; 120V; 3000w

Tele-Lite Generator Light Units



19-130-0950 - Ea.
Generator/Light Unit; Tele-Lite; 500w lamp; 1.8hp Honda engine; Run time: 4-8.7 hr.; Dimensions: 24L x 9.4W x 14.9 in. H, Weight: 35 lb.
19-130-0951 - Ea.
2000w Generator/Light unit
19-130-0952 - Ea.
750w Generator/Light unit

Tele-Lite Telescoping Tripod Lights and Accessories



19-220-347 - Ea.
Light, Tripod; Tele-Lite; 500w; Portable; Telescoping; Mounts to vehicle with TTVM bracket; 110V
19-220-349 - Ea.
Tripod Light 1500w 110/220v
19-220-350 - Ea.
Vehicle-Mounting Bracket

Air Systems Area Lighting Systems



19-823-669 - Ea.
Lighting System, Single High-Intensity Discharge; Air Systems; Compact portable design provides maximum light duration with deployment in under 30 seconds; Multipositional light; 12 VDC, 3.8a; 35w, 3200 lumens; With internal battery pack
19-823-668 - Ea.
Single HID head; Without internal battery pack
19-823-671 - Ea.
Dual LED heads; Without internal battery pack
19-823-674 - Ea.
External battery pack

Tele-Lite Honda Super-Quiet Inverter-Equipped Generators



19-120-2671 - Ea.
Generator; Tele-Lite; Honda; Super-Quiet Inverter-Equipped; Four-stroke OHV engine; Electronic ignition; EcoThrottle system; Oil alert; Simultaneous AC/DC use; USDA-qualified spark arrestor/muffler; 59dB of sound at 7m; 1000w; 1.8hp
19-120-2672 - Ea.
2000w; 3.5 hp
19-120-2679 - Ea.
3000w; 6.5hp

Hand Tools

Fire Hooks Unlimited Force Axes




19-028-431 - Ea.
Axe, Pick; Fire Hooks Unlimited; Fiberglass handle
19-028-433 - Ea.
Flat Head Axe
19-500-245 - Ea.
Pulaski Axe
19-500-246 - Ea.
Trench Axe

Paratech Pry Axe




NC9672972 - Ea.
Pry Axe; Paratech; Designed to pry, enlarge openings, cut sheet metal and twist off locks/latches; Standard claws has parallel opening for gas valve shutoff, locks and hasps; Metal cutting claw cuts heavy-gauge metal and composites; 18 in. long
NC9412407 - Ea.
With standard claw and vehicle-mounting bracket

Paratech Biel Tool




NC9314054 - Ea.
Biel tool; Paratech; Compact multi-purpose tool for forcible entry; Features sheet metal cutting claw, axe blade with serrated teeth, pike, rubber handle; Length: 15 in. extends to 19 in.
NC9099076 - Ea.
Biel tool only

Paratech Hooligan Tool




19-049-752 - Ea.
Hooligan Tool; Paratech; Designed to pry, pound, puncture, twist, and cut open or remove all types of barriers for emergency responders; Gently curved parallel claws maximize prying leverage; Also can be used as nail puller, lock remover, and gas shut-off tool; 24 in. long
19-049-750 - Ea.
36 in. long
19-042-064 - Ea.
42 in. long

Fire Hooks Unlimited Hydra-Ram Tools



19-811-469 - Ea.
Tool, Forcible Entry; Fire Hooks Unlimited; Hydra-Ram I; Self-contained tool enables one person operation; Aluminum body, stainless steel jaws; Use in any position; Exerts up to 10,000 lb. pressure; 11 in. long; Max thrust opening: 4 in.

Paratech Percussive Rescue Tool (PRT) Kit



NC9128590 - Ea.
Tool Kit, Percussive Rescue: Paratech; Handheld rescue tool; Includes nylon transport case, 1 heavy-duty ram bar tool, 5 forged, heat-treated, steel alloy tool bits, 1 operation and maintenance manual; Weight: 29 lb.


Rigid Heavy-Duty Bolt Cutter

19-313-420 - Ea.
Cutter, Bolt; Rigid; Heavy duty; Jaw material: alloy steel; Center cut; Slim head; Hardened jaws; Overall length: 30 in.; Wt.: 9.98 lb

ChannelLock 6-N-1 Rescue Tool

18-861-280 - Ea.
Tool, Rescue; ChannelLock; 6 N 1; Steel punch; Cross-hatch teeth; Laser-treated cutting edges; Pry-bar; Slot for shutting off gas valves; Spanner wrench; 10.5 in. long; 26 oz.


Paratech Trash Rake Hook



NC9549915 - Ea.
Hook, Trash Rake; Paratech; Ideal for pulling off plaster and roof ventilation; Two large 6 in. pointed prongs grasp debris; Regular D handle with 5 ft. (1.5m) shaft


Ladders

Duo Safety Solid Beam Aluminum Ladders



19-030-141 - Ea.
28 ft. Three-Section Ladder
19-030-143 - Ea.
Two-section Ladder 20'
19-030-142 - Ea.
Roof Ladder 10'
19-030-140 - Ea.
Wall Ladder 8'
19-030-145 - Ea.
Roof Hook 3/4 in. Pair 1/pk
19-030-146 - Ea.
Safety Shoes Aluminum Ladder


Aluminum Ladder Co. Alco-Lite Ladders



19-120-214 - Ea.
Ladder, Roof; Aluminum Ladder Co; 12ft. (3.7m) Aluminum Pumper and extension ladder
19-120-215 - Ea.
Extension ladder; Two section; 35'; Aluminum
19-805-875 - Ea.
Extension ladder; Three section; 35'; Aluminum

Ventilation

Ramfan UB20 and UB20xx Blowers



19-500-399 - Ea.
Blower, UB20; Euramco Safety; AC; With Quick-Couple canister system; 8in. duct in 15ft. length; Detachable; Free airflow: 980 cfm; 1 to 90° turn 1: 789 cfm; 2 to 90° turn 2: 666 cfm; 115V 60Hz 2A 1ψ; Noise: 74dB; 31D × 12W × 14in. H; 16kg
19-817-730 - Ea.
UB20 Blower; With canister and 25ft. duct
19-500-400 - Ea.
UB20xx Blower; With canister and 15ft. duct
19-817-733 - Ea.
UB20xx Blower; With canister and 25ft. duct

Ramfan Gas-Powered PPV Turbo Blowers



19-817-749 - Ea.
Blower, Turbo; Euramco Safety; PPV; Gas-Powered; Precision balanced, cast-aluminum turbo blades; Full-width handle; Five-position rapid tilt; 21-1/2H x 20W x 20 in.D (55 x 51 x 51cm); 12,906cfm; 5-1/2hp; W/Oil Alert Protection
19-817-750 - Ea.
5hp gas engine

Ramfan Electric Blower/Exhaust Fans



19-817-738 - Ea.
Exhaust Fan, Explosion Proof; Euramco Safety; Cast-aluminum impeller blades; Glass-reinforced ABS plastic housing; Heavy-duty switched motor; 115VAC 60Hz, single phase; 16 in. (30.5cm); Airflow: 3200cfm

Ramfan Smoke Ejector Ventilator



19-500-402 - Ea.
Smoke Ejector Ventilator; Euramco Safety; High-Capacity; Precision-balanced, cast aluminum turbo impeller; Lexan polycarbonate housing; 1-1/2hp, with Explosion-proof motor

Unifire Univent Pro Saw Ventilation Saw



19-820-818 - Ea.
Saw, Ventilation; Unifire; Carbide chain; 16 in.; Straight Arm
19-823-218 - Ea.
Saw w/carbide chain; 16 in.; Straight arm; Depth gauge
19-823-220 - Ea.
Razzoo chain; 16 in.
19-120-158 - Ea.
Carbide chain; 16 in.


Rescue Tools

Unifire T-Rex Metal-Cutting Saw



19-120-3161 - Ea.
Saw, Metal-cutting; Unifire T-Rex; 115V; Cuts depth of 2 in. and angles to 45 deg.; Weight: 13 lb.; Spindle lock; Retracting blade guard; Includes: 7 in. standard mild-steel blade and saw case
19-120-3524 - Ea.
For cutting mid-steel
19-120-3525 - Ea.
For cutting stainless-steel
19-120-3526 - Ea.
For cutting aluminum

Milwaukee Corded Sawzall Reciprocating Saw



19-120-3161 - Ea.
Saw; Reciprocating; Milwaukee Sawzall; 6.5 amp; Brush cap; Pivot shoe; Rubber boot; Comes with 8 ft. cord, two blades, and carrying case

Milwaukee Cordless Sawzall Reciprocating Saw



19-500-304 - Ea.
Saw; Reciprocating; Milwaukee Sawzall; Cordless; 18V; Keyless steel Quik-Lok blade clamp; Heat shield; Lock-off trigger speed control (0-2000 spm) switch; Blade clamp; Load speed: 0-2700 spm. Stroke length: 1 in.

Milwaukee SDS-MAX Rotary Hammer



19-500-301 - Ea.
Rotary Hammer Drill, SDS-MAX, Milwaukee, Features patented vibration isolation system, Handles float to absorb hammering action, Electronic feedback control circuit helps reserve power and maintain speed, 11 Amp, 1700 to 3400 blows per minu
19-500-302 - Ea.
Rotary Hammer Kit

DeWalt Cordless Drill/Drivers



18-861-225 - Ea.
Drill/Driver, Cordless; DeWalt; Plastic, single sleeve chuck; Voltage: 18V; Chuck size: 0.5 in.; Speed: 0-500rpm, 0-1500rpm; Wt.: 5.20 lb.
18-861-226 - Ea.
Voltage: 14.4V
18-861-227 - Ea.
Rechargeable battery pack

Hilti DD 130 Diamond Coring System



19-130-0980 - Ea.
Coring System; Hilti DD 130 Diamond; Nominal power: 1800w; Weight: DD130 rig with motor, 28-5/8 lb.; Speed: 1st gear 780 rpm, 2nd gear 1400 rpm, 3rd gear 2600 rpm; Chuck type: Quick-release BI+

Hilti Self-Sharpening Chisels



19-130-1009 - Ea.
Chisel; Hilti; Self-sharpening; Moil point; 14 in.
19-130-1010 - Ea.
Flat end; 14 in.

Unifire Pro Saw Cut-Off Rescue Saw



19-823-219 - Ea.
Saw; Cut Off; Unifire Pro Saw; Rescue; Large D-ring handle; Smart Start push-button decompression; Five-stage air filtration system; 10,500rpm; 7.9hp saw; For use with 16 in. blade (sold separately)
19-820-822 - Ea.
7.9hp saw; For use with 14 in. blade (sold separately)
19-820-821 - Ea.
5.2hp saw; For use with 14 in. blade (sold separately)
19-820-820 - Ea.
5.2hp saw; For use with 12 in. blade (sold separately)
19-820-825 - Ea.
Uni-Cut Blade; 14 in.
19-820-824 - Ea.
Uni-Cut Blade; 12 in.
19-820-800 - Ea.
Metal-Cutting Blade; 14 in.; 1 in. arbor
19-820-798 - Ea.
Metal-Cutting Blade; 12 in.
19-820-799 - Ea.
Masonry Blade; 14 in.; 1 in. arbor
19-820-797 - Ea.
Masonry Blade; 12 in.
19-823-213 - Ea.
Masonry Blade 16 in.

TNT Rescue Lifting Bags



19-820-442 - Ea.
Bags, Lifting; TNT Rescue; Size 15 x 15 in. (38 x 38cm); Lifting Height 7 in. (18cm); Lifting Capacity: 9 ton (8000kg); Weight 8.9lbs. (4.0kg)

19-500-518 - Ea.
21 Ton 11 in. Lift

19-500-519 - Ea.
34 Ton 14 in. Lift

19-820-441 - Ea.
43 ton, 17 in. Lift

19-500-507 - Ea.
Dual Deadman Controller

19-141-740 - Ea.
Regulator; 3000psi

19-141-741 - Ea.
Regulator; 4500/100psi

19-500-510 - Ea.
Hose; 35 ft.; Yellow

19-500-511 - Ea.
Hose; 35 ft.; With Blue Line Relief

19-500-509 - Ea.
Hose; 20 ft.; Yellow

19-500-508 - Ea.
Hose; 20 ft.; Red

Paratech Maxiforce Crash Crew Lift Bag Set



NC9565422 - Ea.
Bags, Lifting; Paratech Maxiforce; Neoprene w/3 layers of Aramid fiber reinforcement; 136 ton capacity; Technical data molded into surface; warnings permanently labeled; Dimples interlock, allow stacking bags; ISO 9001-2000 Certified

Rope/Rigging

CMC Rescue ProSeries Confined Space Rescue Harnesses



19-808-374 - Ea.
Harness, Confined Space Rescue; CMC Rescue ProSeries; Weight: 6.5 lb. 2.9 oz.; Attachment points: dorsal, front waist, rear waist, sternal, shoulders; Regular; Waist: 32-42 in. (82-107cm)

19-808-375 - Ea.
X-Large

CMC Rescue Gibbs Ascenders



19-808-504 - Ea.
Ascender, Gibbs; CMC Rescue; Forged cam; Free-Running; Aluminum; Diameter: 0.5 in.; Strength: 2550 lbf.

19-808-503 - Ea.
Spring-Loaded; Aluminum; 2550 lbf.

19-808-505 - Ea.
Spring-Loaded; Stainless-Steel; 5500 lbf.

Rescue Technology OD50 Rescue Carabiner



18-919-001 - Ea.
Carabiner; Rescue Technology; Heat-treated alloy steel construction with gold chromate corrosion protection; Gate opening: 0.8 in. (20 mm) ; Screw-gate; Black

18-919-002 - Ea.
Screw-gate; Gold

18-919-004 - Ea.
Twistlock; Black

18-919-003 - Ea.
Twistlock; Gold

Rescue Technology Iron Wizard Ladder Hook



18-919-012 - Ea.
Ladder Hook; Rescue Technology; Mid-size; Dimensions: 6.8 x 3.8 in.; Strength: 70kN

CMC Rescue 8 Descenders with Ears



19-808-470 - Ea.
Descender; CMC Rescue; Rescue 8; Aluminum Rappel; With Ears; Diameter: 3 in. (large hole); Steel

CMC Rescue ProTech Access Double Pulley



19-808-794 - Ea.
Pulley, Double Access; CMC Rescue; 1.5 x 7/16 in. sheave; 10,419 lb./ft. breaking force; 14.4 oz.; Gold/blue

Rescue Technology Spin Lock Rescue Pulley



18-919-022 - Ea.
Pulley; Rescue Technology; Spin lock rescue uni-directional pulley; Dimensions: 6.7 x 3.3 x 2.4 in.; Weight: 26 oz.; Strength: 10,120 lbf.; Working load limit: 1120 lb.; Meets NFPA 1983, ANSI, and OSHA strength requirements; Red

Rescue Technology Extractor CSR Double Sheave Pulley



18-919-023 - Ea.
Pulley, Double; Rescue Technology; Extractor CSR; Dimensions: 9 x 3 in.; Weight: 28 oz.; Strength: 10,100 lbf.; Working Load Limit: 1100 lb.. Meets NFPA 1983

Rescue Technology Single 2.5in. Prusik-Minding Pulley



18-919-024 - Ea.
 Pulley; Rescue Technology; Single Prusik Minding; 2.5 in.; Dimensions: 6.6 x 4.6 in.; Weight: 12oz. (340g); Strength: 9000 lbf. (40 kN); Work load limit: 900 lb.; Meets NFPA 1983, ANSI, and OSHA strength requirements

Rescue Technology Double 2.5in. Prusik-Minding Pulley



18-919-025 - Ea.
 Pulley; Rescue Technology; Double Prusik Minding; 2.5 in.; Dimensions: 7 x 4.6 in.; Weight: 24oz.; Strength: 10,000 lbf. (40 kN); Work load limit: 1000 lb.; Meets NFPA 1983, ANSI, and OSHA strength requirements

Rescue Technology Technical Rescue Rigging Plate



18-919-034 - Ea.
 Rigging Plate; Rescue Technology; Multiple rigging options; Alloy aluminum; Hole size: 0.75 in. (1.9cm); L x W:: 6.62 x 4.32 in.; Weight: 9.4 oz. (0.27kg). Strength: 9000lbf., 40kn.

Rescue Technology Micro Rigging Plate



18-919-035 - Ea.
 Micro Rigging Plate; Rescue Technology; Strong and lightweight; Smallest rigging plate in Rescue Technology line; Made from 0.25 in. alloy aluminum plate; Hole size: 13/16 in.; L x W: 3.5 x 3.25 in.; Strength: 7850lbf.

Rescue Technology Personal CSR/Transfer Kit



18-919-014 - Ea.
 Personal CSR/Transfer Kit; Rescue Technology; Ideal tool for rescuers transferring victims load to new rescue line; Use as a 4:1 or 5:1 system; Includes storage pouch that attaches to rescue harness; Max. lift: 48 in.; Weight: 50 oz.; Screw-gate style

Rescue Technology Pick-off Strap



18-919-036 - Ea.
 Pick-off Strap; Rescue Technology; Used for patient pick-off situations; Configuration allows for 2:1 and 3:1 mechanical advantage; 1.75 in. heavy-duty nylon webbing with forged D-ring and adjuster buckles.; Strength: 7,000 lbf.; Length (max.): 46 in.; (min.): 17 in.

Rescue Technology Heavy-duty Load Release Strap



18-919-037 - Ea.
 Load Release Strap; Rescue Technology; Uses 10,000 lbf. rigging D rings and standard 1.75 in. forged D on the adjustment part; TECHWeb provides superior strength over Type 13 webbing; Prevents adjustment end of webbing from slipping through rigging D rings; Strength: 10,000 lbf.

Rescue Technology Transfer Sling



18-919-038 - Ea.
 Transfer Sling; Rescue Technology; Heavy-duty TECHWeb 1.75 in. flat webbing; With forged D-ring/Vring adjuster; Vring adjuster buckle slips: 4500 lbf. Hardware-proof load: 2500 lbf.; Wt: 12 oz.; L: 10-54 in.; Rating: General use

CMC Rescue Tubular Webbing



19-808-328 - Ea.
 Tubular Web; CMC Rescue; 1 in.; Needle loom; Break strength: 4000 lb.; Sold by the foot; Orange
19-808-329 - Ea.
 Blue
19-808-331 - Ea.
 Black

CMC Rescue Flat Webbing



19-808-335 - Ea.
 Webbing, Flat; CMC Rescue; Knots set securely; Bulkier; Provide higher strength; 1 in. (25mm); 6000 lbf. (26kN); 150 ft. (46m); Orange

Rescue Technology Access NFPA Lifeline Rescue Rope



19-818-121 - Ea.
 Rope, Rescue; Rescue Technology; Super-strong rope with low stretch; NFPA tensile strength: 10,000 lbf.; Work Load Limit: 667 lb.; UL certified to NFPA 1983; Orange; 0.5 in. x 150 ft.
19-818-124 - Ea.
 Red; 0.5 in. x 150 ft.
19-818-129 - Ea.
 Blue; 0.5 in. x 200 ft.
19-818-133 - Ea.
 White with blue; 0.5 in. x 200 ft.
19-818-134 - Ea.
 White with red; 0.5 in. x 200 ft.

MSA Lynx Confined Space Entry Kit



18-039-212 - Ea.
 Confined Space Kit with Tripod; MSA; Includes Lynx Rescuer with mounting bracket; side-mount Lynx Hoist; split-mount pulley; carrying bags; and training video

BLS/First Aid

Reeves First Call Cab Bag



19-167-532 - Ea.
Bag, First Call Cab; Reeves; Constructed from 600 denier Imperial nylon; 3 outside pockets, a shoulder strap; Replaceable inside vinyl liner; 17L x 9W x 7 in. H; Blue

19-167-533 - Ea.
Orange

19-167-534 - Ea.
Red

19-167-535 - Ea.
Teal

19-167-536 - Ea.
Maroon

Reeves First Call I Trauma Bag



19-168-178 - Ea.
Bag, Trauma; Reeves; 1000 denier DuraCord nylon; 3 outside pockets, 1 w/elastic strip for instruments; Shoulder strap; Inside liner w/replaceable vinyl compartments; Dimensions: 17 x 9 x 7 in.; Orange

19-168-179 - Ea.
Navy

Junkin Extrication Collars



19-812-426 - Ea.
Extrication Collar; Junkin Safety; Front Piece Locking Strap; Maneuverable Chin Piece; Polyethylene; Trachea Opening; X-ray Lucent; Small

19-812-428 - Ea.
Large

Ferno Universal Head Immobilizer



19-812-804 - Ea.
Immobilizer, Head; Universal; Ferno; Head strap conforms patient's forehead; Large ear holes; Waterproof plastic coating; L x W x H: 15 x 10 x 7 in. (40 x 26 x 17cm)

Ferno NAJO Lite Backboards




19-130-5700 - Ea.
Backboard; NAJO; Ferno; Two handholds at the tapered end; Angled edges; Central slot; One-piece, high-density, polyethylene plastic construction; X-ray translucent; 72 x 16 x 1.75 in.; With 18 pins

Ferno Backboard Strap Kit



19-130-5718 - Ea.
Strap Kit, Backboard; Ferno; Includes a set of three straps and a storage pouch

Junkin Plastic Spineboard



19-812-424 - Ea.
Spineboard, Plastic; Junkin Safety; Rugged one piece lightweight polyethylene spineboard; 12 large hand holes for easy handling; Built in runners; Low profile; X-ray translucent; 72 in. L x 16 in. W

19-020-090 - Ea.
Spineboard W/Clips

Ferno Millennia Backboards



19-811-422 - Ea.
Backboard, Millennia; Ferno; X-ray translucent polycarbonate with 10 pins; Rounded edges; 72L x 16W x 2 in. D (183 x 41 x 4cm); Orange

Reeves Sleeve 122 Stretcher



19-167-512 - Ea.
Stretcher, Immobilization; Reeves; For spinal/neck injuries; Load cap.: 1000 lb.; Vinyl-coated polyester; 1 vertical lift pt.; 4 horizontal lift pts.; Dimensions (open) 73 x 24 in.; Orange

19-167-513 - Ea.
Black

Reeves Sleeve II



19-167-519 - Ea.
Sleeve, Immobilization; Reeves; For spinal and neck injuries; Load capacity: 1000 lbs; 18 oz. vinyl-coated polyester; 10 padded carry handles; Reinforced bottom, Velcro head-securing blocks; Adjustable head and chin-securing straps; 6 chest and leg straps with buckles; Yellow fail-safe; Reeves spine board not included; Orange

19-167-520 - Ea.
Black

Reeves Draggable Immobilization Sleeve




19-167-529 - Ea.
Sleeve, Immobilization; Reeves; For spinal/neck injuries; Load cap.: 1000 lb.; Vinyl-coated polyester; 1 vertical lift pt.; 4 horizontal lift points; Dimensions (open) 77L x 27 in.W, (closed) 28L x 18in.W; Black

Ferno Model 71 Basket Stretcher



19-020-048 - Ea.
Stretcher, Basket; Ferno; Size (L x W x H): 85.8 x 24 x 7.5 in. (217.8 x 61 x 19.1cm)

Rescue Technology Tapered Stokes Stretcher



18-919-067 - Ea.
Stretcher, Stokes; Rescue Technology; Tapered design; Cold-rolled tubing with electrostatic powder-coat finish; 0.25 in. diamond-mesh insert; Full-length steel strips provide backboard-like rigidity; Rescue-grade patient straps; L x W x H: 80.5 x 22.5 (chest) x 8 in.; Weight: 31 lb.

Rescue Technology Rectangular Stokes Stretcher



19-500-462 - Ea.
Stretcher, Stokes; Rescue Technology; Rectangular design; Cold-rolled tubing with electrostatic powder-coat finish; 0.25 in. diamond-mesh insert; Full-length steel strips provide backboard-like rigidity; Rescue-grade patient straps; L x W x H: 80.5 x 22.5 x 8 in.; Weight: 31 lb.

Reeves 101 Flexible Stretcher



19-167-506 - Ea.
Stretcher, Flexible; Reeves; Capacity: 700 lbs; 18 oz. vinyl-coated Polyester; 5 removable hardwood slats between two layers of fabric; Six handles; 3 polypropylene web patient security straps; Reflexite reflectors on both sides; Orange
19-167-507 - Ea.
Gray
19-167-508 - Ea.
Black

Reeves 103 Heavy-Duty Flexible Stretcher



19-167-509 - Ea.
Stretcher, Flexible; Reeves; Capacity: 1000 lbs; 18 oz. vinyl-coated polyester; 7 removable hardwood slats between two layers of fabric; 10 handles; 3 polypropylene web patient security straps; Reflexite reflectors on both sides; Orange
19-167-510 - Ea.
Gray
19-167-511 - Ea.
Black

Reeves 105 Flexible Stretcher with Sealed Body Cover



19-167-516 - Ea.
Stretcher, Flexible; Reeves; With Sealed Body Cover; Capacity: 700 lbs; 18 oz. vinyl-coated polyester; 5 removable hardwood slats; 6 handles; 3 polypropylene web patient security straps; Gray

Reeves 106 Heavy-Duty Flexible Stretcher with Sealed Body Cover



19-167-517 - Ea.
Stretcher, Flexible; Reeves; With Sealed Body Cover; Capacity: 1000 lbs; 18 oz. vinyl-coated polyester; 7 removable hardwood slats; 10 handles; 3 polypropylene web patient security straps; Orange
19-167-518 - Ea.
Gray

Ferno EZ Glide Evacuation Chair



19-161-597 - Ea.
Chair, Evacuation; Ferno EZ Glide; For evacuation of multi-level buildings; Includes two 5 ft. restraints and one foot restraint; Five-position lift bar; Height: 37-1/2 in. (95cm); Width: 20-1/4 in. (52cm); Depth: 51in. (130cm)/Max., 28 in. (73cm)/Min.; Load Limit: 500 lb.

Ferno O₂ Micro Manager Administrator



19-812-806 - Ea.
Oxygen Administrator; Ferno Micro Manager; Provides O₂ at a rate of 10lpm for 1 to 5 patients simultaneously; Attaches via an O₂ supply hose directly to an O₂ regulator capable of delivering 40 to 90 psi; 50 psi outlet can be used to operate a demand valve resuscitator or gas powered suction device; Includes 5 screw-on 10lpm orifices

Ferno O₂ Multi-Manager Administrator



19-812-807 - Ea.
Oxygen Administrator; Ferno Multi Manager; Equipped with 8 flow control valves manifolded together and mounted on a collapsible aluminum alloy tripod; Can be connected in series with a second unit, increasing the number of patients treated to 16

Cardiac Science Powerheart AED G3 Plus



19-167-228 - Ea.
Defibrillator, Powerheart AED G3 Plus; Cardiac Science; Automatic; Includes IntelliSense battery and a pair of defibrillation pads; Quick Start Tool Kit includes CD-Rom with AED Manual, Training Video, RescueLink and MDLink, and serial communication cable
19-169-948 - Ea.
Powerheart AED G3 Plus Automatic With Wall Mount
19-167-227 - Ea.
Powerheart AED G3 Plus Semi-Automatic

Cardiac Science AED Accessories



19-120-2112 - Ea.
Kit, Ready; Contains American Heart Association-recommended supplies: razor, scissors, towel, gauze, antiseptic wipes, obarrier mask and filter, and disposable nitrile gloves; For use with Powerheart G3 AEDs
19-130-4282 - Ea.
Adult Electrode
19-065-921 - Ea.
Soft-sided Carrying Case
19-150-0048 - Ea.
IntelliSense Lithium Battery: for Powerheart AED G3 and G3 Automatic

Water-Jel Emergency Burn Care: Blanket Plus, Burn Wraps, and Heat Shields



17-442-1 - Ea.
Blanket, Burn; North; Water-Jel Fire Blanket Plus; Lowers and stabilizes skin temperature; Cools through transference rather than evaporation; Protects burns; Comes in canister with handle; Size: 6 x 5 ft.
19-027-390 - Ea.
Water-Jel Fire Blanket; Comes in carton; Size: 6 x 5 ft.
17-442B - Ea.
Water-Jel Burn Wrap; Size: 36 x 30 in.; Comes in a canister
19-066-008 - Ea.
Water-Jel Burn Shield; Size: 8 x 6 ft.

Water-Jel Burn Kits



19-160-321 - Ea.
Kit, Burn; North; Water-Jel; Small; Includes five sterile burn dressings, two conforming bandages, and one pair of paramedic scissors
19-160-322 - Ea.
Large Burn Kit

GOJO Lotions and Cleaners



19-043-732 - Ea.
Sanitizer, Hand; GOJO PURELL; Kills 99.9% of common disease-causing organisms w/in 15 seconds of contact; Does not dry hands; Economy size pump bottle, 67.63 fl. oz.
19-053-372 - Ea.
Sanitizer, 4 oz. (118mL) bottle
19-085-159 - Ea.
Sanitizer, 8 oz. (236mL) bottle
19-056-186 - Ea.
Sanitizer, 27 oz. (800mL) refill

PURELL Instant Hand Sanitizer Wipes



19-043-731 - Ea.
Sanitizer, hand; GOJO PURELL; Kills 99.99% of common germs; textured for superior cleaning; sanitizes and wipes away light soil; Nonlinting, durable wipe; 35 count popup container

Purell Instant Hand Sanitizer Foam TFX 1200mL Refill



19-051-510 - Ea.
Refill, Sanitizer Foam; GOJO PURELL; TFX; Helps lock out germs; Fresh dispensing valve; Audible click; Skylight makes it easy to see fill level; 1200mL; 2/ pack

PIP X3 Clean Hand Sanitizers



19-171-201 - Ea.
Sanitizer, Hand; PIP; X3 Clean; Anti-microbial; Safe; Non-flammable; Non-toxic; Non-corrosive; Alcohol free, fragrance free, and residue free; Kills 99.99% of germs; Reduce absenteeism by 30%; Mini spray bottle
19-171-197 - Ea.
Personal size foaming spray bottle; 2.5 oz.
19-171-202 - Ea.
Counter top foaming spray bottle; 8.4 oz.
19-171-198 - Ea.
Top foaming spray bottle; 1L
19-171-206 - Ea.
Cartridge wall dispenser touchless; White
19-171-200 - Ea.
Cartridge filled bottle; 1L
19-171-203 - Ea.
Empty refillable cartridge
19-171-199 - Ea.
Economy refill; 4L (1.05 gal.)

Gatorade Coolers



19-037-931 - Ea.
Cooler, Insulated; 5 gal. (11.5L) capacity; With attached cup dispenser; Accommodates 100 cups
17-816-44 - Ea.
1-Gallon Cooler
19-037-930 - Ea.
3-Gallon Cooler

Gatorade Thirst Quencher Drinks, Instant Powder Packets



17-816-5 - Ea.
Drink, Heat Stress, Instant Powder; Gatorade; Carbohydrate-electrolyte fluid-replacement drink scientifically designed for people who engage in strenuous activity; Flavor: Fruit Punch, Size/Yield: 2.12 oz./1 qt. (60mg/1L)
19-034-362G - Ea.
Instant Powder, Riptide Rush, Size/Yield: 2.12 oz./1 qt. (60mg/1L)
17-816-4 - Ea.
Instant Powder, Lemon-Lime, Size/Yield: 2.12 oz./1 qt. (60mg/1L)
17-816-11 - Ea.
Instant Powder, Fruit Punch, Size/Yield: 8.5 oz./1 gal. (251mL/3.8L)
19-086-826 - Ea.
Instant Powder, Riptide Rush, Size/Yield: 8.5 oz./1 gal. (251mL/3.8L)
17-816-10 - Ea.
Instant Powder, Lemon-Lime, Size/Yield: 8.5 oz./1 gal. (251mL/3.8L)
17-816-9 - Ea.
Instant Powder, Orange, Size/Yield: 8.5 oz./1 gal. (251mL/3.8L)
17-816-13 - Ea.
Instant Powder, Fruit Punch, Size/Yield: 21 oz./2-1/2 gal. (621mL/9.5L)
19-080-490 - Ea.
Instant Powder, Riptide Rush, Size/Yield: 21 oz./2-1/2 gal. (621mL/9.5L)
17-816-16 - Ea.
Instant Powder, Glacier Freeze, Size/Yield: 21 oz./2-1/2 gal. (621mL/9.5L)
17-816-15 - Ea.
Instant Powder, Lemon-Lime, Size/Yield: 21 oz./2-1/2 gal. (621mL/9.5L)
17-816-14 - Ea.
Instant Powder, Orange, Size/Yield: 21 oz./2-1/2 gal. (621mL/9.5L)
19-034-363B - Ea.
Instant Powder, Variety Pack, Size/Yield: 21 oz./2-1/2 gal. (621mL/9.5L)
17-816-18 - Ea.
Instant Powder, Fruit Punch, Size/Yield: 51 oz./6 gal. (1.5L/23L)
19-086-200 - Ea.
Instant Powder, Riptide Rush, Size/Yield: 51 oz./6 gal. (1.5L/23L)
17-816-17 - Ea.
Instant Powder, Glacier Freeze, Size/Yield: 51 oz./6 gal. (1.5L/23L)
17-816-20 - Ea.
Instant Powder, Lemon-Lime, Size/Yield: 51 oz./6 gal. (1.5L/23L)
17-816-19 - Ea.
Instant Powder, Orange, Size/Yield: 51 oz./6 gal. (1.5L/23L)

Gatorade Thirst Quencher Drinks, Liquid Concentrate



17-816-26 - Ea.
 Drink, Liquid Concentrate; Gatorade; Fruit Punch;
 Size/Yield: 1 gal./6 gal. (3.8L/23L) 4 bottles/Cs.
17-816-24 - Ea.
 Lemon Lime; Size/Yield: 1 gal./6 gal. (3.8L/23L); 4
 bottles/cs
17-816-25 - Ea.
 Orange; Size/Yield: 1 gal./6 gal. (3.8L/23L); 4
 bottles/cs

Gatorade Thirst Quencher Drinks, Ready-to-Drink



17-816-31 - Ea.
 Drink, Ready To Drink; Fruit Punch; Size: 11.5 oz.
 (340mL); 24/cs.
17-816-36 - Ea.
 Orange; Size: 11.5 oz. (340mL); 24/cs.

HazMat-WMD

Level A and B

DuPont Tychem Responder Haz Mat Level A Suits



19-812-660 - Ea.
 Suit, Level A; DuPont; Gas Tight; Responder;
 Encapsulating; Back/front entry; 2 exhaust valves;
 Sock boots; Butyl gloves; Silver shield/4H liners;
 HazMat PVC faceshield; FEP overlay; Double taped
 seams; Dark blue; Medium
19-812-659 - Ea.
 Large
19-812-661 - Ea.
 X-Large
19-812-662 - Ea.
 XX-Large
19-812-663 - Ea.
 XXX-Large

DuPont Tychem Responder Protective Apparel



17-506B - Ea.
 Suit, Encapsulated; DuPont; Responder Tychem;
 Level A suit; Butyl gloves; 40mil PVC window;
 Expanded back for SCBA; Heat-sealed; Sealed socks
 with splash guards; Medium
17-506C - Ea.
 Level A (Gas-Tight) suit; Large
17-506D - Ea.
 Level A (Gas-Tight) suit; X-Large
17-506E - Ea.
 Level A (Gas-Tight) suit; XX-Large
17-506-1B - Ea.
 Level B suit; Size: Medium
17-506-1C - Ea.
 Level B suit; Size: Large
17-506-1D - Ea.
 Level B suit; Size: X-Large
17-506-1E - Ea.
 Level B suit; Size: XX-Large

DuPont Tychem Reflector Chemical Suit, NFPA 1991 2000 Edition



18-999-336B - Ea.
 Chemical Suit, Level A; DuPont; Tychem; Reflector;
 Triple heat-sealed sewn seams; Zipper front; Exhaust
 valves; Attached hood and sock boots with flap;
 40mil PVC faceshield; Viton gloves; NFPA 1991 2000
 edition; Size: Large
18-999-336C - Ea.
 Size: X-Large
18-999-336D - Ea.
 Size: XX-Large

DuPont Fully Encapsulated Level A Tychem TK Suits, NFPA 1991



19-121-753 - Ea.
 Suit, Level A; DuPont Tychem TK; Double taped
 seams; Three layer EX faceshield; Gas-tight zipper
 closure; Double storm flap; Four exhaust valves;
 Expanded back; Attached 3 layer gloves; Attached
 socks w/outer boot flaps; Front entry; X-Large
19-130-1929E - Ea.
 Front entry; XX-Large
19-161-728 - Ea.
 Rear entry; Small
19-161-727 - Ea.
 Rear entry; Medium
19-161-726 - Ea.
 Rear entry; Large
19-161-729 - Ea.
 Rear entry; X-Large
19-161-730 - Ea.
 Rear entry; XX-Large
19-161-731 - Ea.
 Rear entry; XXX-Large
19-161-732 - Ea.
 Rear entry; 4X-Large

DuPont Tychem and Responder TK Class 1, Level A Suits



19-130-0000 - Ea.
Suit, Level A; DuPont Tychem TK; Haz Mat; Class 1; X-wide 3-layer faceshield; Double taped seams; Gas-tight zipper closure; Double storm flaps; Attached 3-layer gloves and sock boots; Lime yellow; Front entry; Medium

19-130-0001 - Ea.
Tychem TK Front Entry; Large; Lime Yellow

19-130-0002 - Ea.
Tychem TK Front Entry; X-Large; Lime Yellow

19-130-0003 - Ea.
Tychem TK Rear Entry; Medium; Lime Yellow

19-130-0004 - Ea.
Tychem TK Rear Entry; Large; Lime Yellow

19-130-0005 - Ea.
Tychem TK Rear Entry; X-Large; Lime Yellow

St. Gobain ONESuit HazMat Coveralls



NC9583492 - Ea.
Coverall, HazMat; St. Gobain ONESuit Flash; Protect against chemical/biological agents and industrial chemicals (liquid and vapor form); Resist tears, punctures, abrasion and flame; Added protection against chemical flash fires; Include 2 visors and ONEGlove gloves; Red; Medium

NC9583493 - Ea.
ONESuit Flash; Large

NC9583494 - Ea.
ONESuit Flash; X-Large

NC9583495 - Ea.
ONESuit Flash; 2X-Large

NC9583496 - Ea.
ONESuit Flash; 3X-Large

Level C and D

DuPont Tychem F Coveralls



19-130-0012 - Ea.
Coveralls, HazMat; DuPont Tychem F; Front zipper closure; Attached respirator fit hood with elastic around face; Elastic back, wrists, and ankles; Taped seams; Medium; Color: Gray

19-141-750 - Ea.
Elastic Ankles; Size: Large

19-141-751 - Ea.
Elastic Ankles; Size: X-Large

19-141-752 - Ea.
Elastic Ankles; Size: XX-Large

19-141-754 - Ea.
Elastic Ankles; 4X-Large

19-130-0330 - Ea.
Attached boots; Size: Small

19-130-0331 - Ea.
Attached boots; Size: Medium

19-130-0332 - Ea.
Attached boots; Size: Large

19-130-0333 - Ea.
Attached boots; Size: X-Large

19-130-0334 - Ea.
Attached boots; Size: XX-Large

19-130-0335 - Ea.
Attached boots; Size: XXX-Large

19-130-0336 - Ea.
Attached boots; Size: 4X-Large

DuPont Tyvek Coveralls



01-361-2B - Ea.
Coveralls; DuPont Tyvek spunbonded olefin; Serged seams; Elasticized wrists; Attached hood and boots; Skid resistant boots; Set sleeve pattern for arm movement; Chemically inert; 5.4 mil thick; Basis Weight; 1.2 oz./yd.; White; Medium

01-361-2C - Ea.
Elasticized Wrists; Attached hood and boots; Size: Large

01-361-2D - Ea.
Elasticized Wrists; Attached hood and boots; Size: X-Large

DuPont Tychem CPF 3 Coveralls with Hood and Overboots/Socks



19-088-1230B - Ea.
Coveralls; Tychem CPF 3; DuPont; Attached overboots; Polypropylene; Chemical resistance; Elasticized Wrists; Size: Medium

19-088-1230C - Ea.
Size: Large

19-088-1230E - Ea.
Size: XX-Large

19-088-1230F - Ea.
Size: XXX-Large

19-088-1230G - Ea.
Size: 4X-Large

DuPont Tychem SL Coveralls with Hoods and Boots



01-361-51A - Ea.
Coveralls; DuPont Tychem SL; Attached Hood and Boots; Elastic Wrists; Bound Seams; White; Size: Small (5 ft. 2 in. to 5 ft. 5 in.)

01-361-51B - Ea.
Bound Seams; Medium

01-361-51C - Ea.
Bound Seams; Large

01-361-51D - Ea.
Bound Seams; X-Large

18-999-2216 - Ea.
Bound Seams; XX-Large

18-999-2217 - Ea.
Bound Seams; XXX-Large

3M Duct Tape



19-047-275 - Ea.
Tape, Duct; 3M; Polyethylene-coated cloth backing with rubber adhesive; 1 in. x 60 yd. (24mm x 55m)

19-047-276 - Ea.
2 in. x 60 yd. (48mm x 55m)

19-047-277 - Ea.
3 in. x 60 yd. (72mm x 55m)

19-047-278 - Ea.
4 in. x 60 yd. (96mm x 55m)

Chemical-Resistant Gloves

Ansell Sol-Knit Nitrile Gloves



11-391-136D - Ea.
Gloves, Nitrile; Ansell; Sol-Vex; Full cut; Curved finger design; Contoured palm; 13 in. (33cm) Long; 11mil Thick; Size: 9
11-391-137C - Ea.
13 in. (33cm) Long; 15mil Thick, Size: 9
11-391-138C - Ea.
15 in. (38cm) Long; 22 mil Thick; Size: 9
11-391-140C - Ea.
Unlined; 0,56mm Thick; 46cm Length; Size: 9

North Silver Shield/4H Laminate Gloves




18-999-431A - Ea.
Glove, Specialty; North; Silver Shield; Multi-purpose use; 4H; Five-layer laminate of PE, EVOH; Thickness: 2,7mil; 14,5 in. (39cm) long; Size: 6
18-999-431B - Ea.
14,5 in. (39cm) long; Size: 7
18-999-431C - Ea.
14,5 in. (39cm) long; Size: 8

St. Gobain ONEGlove HazMat Gloves



NC9639821 - Ea.
Gloves, HazMat; St. Gobain OneGlove; 3 layer construction; Protects against cuts, chemical/biological agents, chemicals, flash fires; Universal suit compatibility; Meet NFPA 1991, 1992, 1994; OEM cuff; Large
NC9646223 - Ea.
OEM cuff; X-Large

High Five Nitrile Disposable Gloves



19-167-050 - Ea.
Gloves, Nitrile; High Five; Disposable; Powder-free; Length: 9,5 in.; 4mil (palm); Industrial/food grade; Blue color; Size: Small
19-167-051 - Ea.
Medium
19-167-052 - Ea.
Large
19-167-052 - Ea.
Large
19-167-054 - Ea.
XX-Large
19-167-050 - Ea.
Small
19-167-051 - Ea.
Medium
19-167-052 - Ea.
Large
19-167-053 - Ea.
X-Large
19-167-054 - Ea.
XX-Large

Chemical-Resistant Boots

Tingley HazProof Work Boots



19-034-461B - Ea.
Boots, HazMat; Tingley Rubber; HazProof; Steel toe; Meets ANSI Z41 PT99 EH; Bright orange upper and contrasting beige outsole for high visibility; Seamless outer construction with removable polypropylene inner sole; PVC; 11 in. high; Size: 7
19-034-461C - Ea.
Size: 8
19-034-461D - Ea.
Size: 9
19-034-461E - Ea.
Size: 10
19-034-461F - Ea.
Size: 11
19-034-461G - Ea.
Size: 12
19-034-461H - Ea.
Size: 13

Onguard Hazmax Boots



17-985-403B - Ea.
Kneebots, HazMat; Onguard; Hazmax; Over-the-sock; Full steel midsoles; Steel ladder shanks; Kick-off lug; Chemical-resistant uppers; Flexible PVC alloy; Steel toe; Yellow outsoles; 16 in. H; Men's Size 6
17-985-403C - Ea.
Men's Size 7; Over-the-sock
17-985-403D - Ea.
Men's Size 8; Over-the-sock
17-985-403E - Ea.
Men's Size 9; Over-the-sock
17-985-403F - Ea.
Men's Size 10; Over-the-sock
17-985-403G - Ea.
Men's Size 11; Over-the-sock
17-985-403H - Ea.
Men's Size 12; Over-the-sock
17-985-403J - Ea.
Men's Size 13; Over-the-sock
17-985-403K - Ea.
Men's Size 14; Over-the-sock
17-985-403L - Ea.
Men's Size 15; Over-the-sock
17-985-404A - Ea.
Men's Size 7; Over-the-shoe Strappers
17-985-404B - Ea.
Men's Size 8; Over-the-shoe Strappers
17-985-404C - Ea.
Men's Size 9; Over-the-shoe Strappers
17-985-404D - Ea.
Men's Size 10; Over-the-shoe Strappers
17-985-404E - Ea.
Men's Size 11; Over-the-shoe Strappers
17-985-404F - Ea.
Men's Size 12; Over-the-shoe Strappers
17-985-404G - Ea.
Men's Size 13; Over-the-shoe Strappers
17-985-404H - Ea.
Men's Size 14; Over-the-shoe Strappers
17-985-404J - Ea.
Men's Size 15; Over-the-shoe Strappers

Respiratory Protection

Scott Air-Pak 75 SCBA



19-168-730 - Ea.
SCBA; Scott Air-Pak 75; Standard harness; High-pressure (4500psi); E-Z Flo; Dual EBSS; no airline; PASS; Pak-Alert SE Pass Device
19-168-732 - Ea.
Low-pressure (2216psi); E-Z Flo; With Dual EBSS, no airline; PASS; Pak-Alert SE Pass Device
19-168-734 - Ea.
High-pressure (4500psi); E-Z Flo plus with Quick-Connect; Dual EBSS, no airline; PASS; Pak-Alert SE Pass Device

Scott Air-Pak NxG7 SCBA



19-168-731 - Ea.
SCBA; Scott Air-Pak NxG7; Standard harness; High-pressure (4500psi); E-Z Flo regulator; With Dual EBSS, no airline; PASS; Pak-Alert SE
19-168-733 - Ea.
Low-pressure (2216psi); E-Z Flo regulator; With Dual EBSS, no airline; PASS; Pak-Alert SE Pass Device
19-168-735 - Ea.
High-pressure (4500psi); E-Z Flo plus regulator with Quick Connect; With Dual EBSS, no airline; PASS; Pak-Alert SE

Scott C420 Powered Air-Purifying Respirator



19-121-528 - Ea.
Respirator, Powered; Scott C420; Includes blower unit assembly, breathing tube assembly, battery pack and airflow indicator with AV-2000, Kevlar Headnet (Comfort Seal)

Scott 40mm Canister and Cartridge



19-700-879 - Ea.
Cartridge, Respirator; MPC Plus; For Scott full-facepiece respirators with 40mm thread connections; For use against all aerosol particulates, and industrial chemicals including organic vapors, ammonia, methylamine, formaldehyde and others
19-121-677 - Ea.
Enforcement Cartridge

MSA OptimAir 6HC PAPR



19-121-721 - Ea.
Respirator, MSA OptimAir 6HC PAPR; With motor/blower module; lithium battery, Tychem hood, breathing tube, belt. 2 HC Cartridges. Front/Rear bib; Wraparound lens. For emergency use by healthcare provider in disaster situation; Wt.: 6 lb.
19-121-722 - Ea.
Type: HC

MSA Advantage 1000 CBA-RCA Gas Mask



19-042-091 - Ea.
Mask, Gas; Chem-Bio; MSA Advantage 1000 CBA-RCA; Small, Uses bayonet-style canister attachment; Features six-point elastic head harness, one-piece polyurethane lens, and nose cup with two check valves
19-042-200 - Ea.
Advantage 1000 Chem-Bio Gas Mask, Medium
19-042-201 - Ea.
Advantage 1000 Chem-Bio Gas Mask, Large

MSA Advantage 1000 CBA-RCA and Millennium Gas Mask Accessories

18-999-4000 - Ea.
Assembly, Cap; For use with MSA Advantage 1000 Gas Masks; Allows one of two gas mask ports to be sealed; Opposite port can be fitted with single bayonet-style canister
19-041-915 - Ea.
Spectacle Kit
19-822-550 - Ea.
Protective Hood

MSA Advantage 1000 CBA-RCA and Millennium CBRN Gas Mask Replacement Canisters



19-042-129 - Ea.
Canister, Replacement; Bayonet-Style; For use with Advantage 1000 Gas Mask, NIOSH approved for use against CN, CS, and airborne particulates, Approval no. TC-14G-0235
19-130-0457 - Ea.
For Millennium 40mm threaded Gas Mask

Scott M95 Gas Mask



19-120-285 - Ea.
Mask, Gas; Scott M95; Small; Low-profile with a six-point head harness; Accepts 40mm threaded NATO-style canister; Black; Without integral drinking device
19-818-470 - Ea.
M95 Gas Mask; With drinking device; Small
19-818-471 - Ea.
M95 Gas Mask; Without drinking device; Regular
19-818-472 - Ea.
M95 Gas Mask; With drinking device; Regular

Scott Gas Mask Accessories



19-500-425 - Ea.
Bottle, Drinking; For Scott M-95 Facepiece

3M Full-Facepiece Respirator, 6000DIN Series



19-055-521 - Ea.
Respirator, Full Facepiece; 3M 6000 Series with DIN port adapter assembly; Negative pressure; For use with 3M cartridges CP3N for tear agents, FR-64 for military/industrial materials, and other 3M filters/cartridges for NIOSH; Small
19-055-520 - Ea.
6000DIN Facepiece, Medium
19-055-522 - Ea.
6000DIN Facepiece, Large

3M Breathe Easy Powered Air-Purifying Respirator System with Butyl Rubber Hood



19-822-580 - Ea.
Respirator; PAPR; 3M Breathe Easy (BE) 10; Consists of: butyl rubber hood, 36 in. (91cm) breathing tube and connector clamp, motor blower assembly with nylon web belt, Cartridge FR-57 (1 set of 3), airflow indicator, lithium battery pack
19-822-581 - Ea.
NiMH battery
19-042-810 - Ea.
Butyl Rubber Hood

Instrumentation

MSA ALTAIR 5 Multigas Detector Kits



19-150-2304 - Ea.
 Detector, Multigas; MSA Altair 5; LEL, O₂, H₂S; Simultaneous readings of all gases monitored; 3 button operation; Triple alarms; MotionAlert and InstantAlert features; Real-time online monitoring with software; Deluxe Kit includes color display, sampling pump, 10 ft. sampling line, 1 ft. probe

19-150-2305 - Ea.
 Deluxe Kit; LEL, O₂, CO, H₂S

19-150-2306 - Ea.
 Deluxe Kit; LEL, O₂, H₂S, SO₂

19-150-2307 - Ea.
 Deluxe Kit; LEL, O₂, CO, H₂S, SO₂

MSA Sirius Multigas Detector - Deluxe Model



19-123-398 - Ea.
 Detector, Multigas; MSA Sirius Multigas; Deluxe Model; Rubber Boot; Cordura Jacket; Sensor: LEL, O₂, CO, H₂S; Accuracy: ±10% or 2ppm; Lithium Battery; 10 ft. polyurethane sample line; 1 ft. probe; retractable carry line; clip, calibration kit, case

19-123-401 - Ea.
 Deluxe Model; Rubber Boot; Cordura Jacket; Datalog; Sensor: LEL, O₂, CO, H₂S

19-123-415 - Ea.
 Deluxe Model; Rubber Boot; Cordura Jacket; Datalog; Lamp Cleaning Kit; Sensor: CH₄, O₂, H₂S

Sperian Biosystems PHD6 Multi-Sensor Gas Detector



17-961-000 - Ea.
 Detector, Gas; Biosystems PHD; Monitors O₂, Duo-Tox (CO/H₂S), PID, LEL; Mode button controls all operations; Status bar on the display; Built-in and easy-to-navigate menus; Audible and visual alarms; Enclosed in a solid polycarbonate case with a rubber overmold; Rechargeable Li-Ion battery; PHD6 system

Dräger X-am 5000 Multigas Detector



17-985-615 - Ea.
 Detector, Multigas; Dräger X-am 5000; Battery: NiMH; Sensors: Without sensors

17-985-623 - Ea.
 NiMH; Sensors: Ex, O₂

17-985-621 - Ea.
 NiMH; Sensors: Ex, O₂, CO

17-985-622 - Ea.
 NiMH; Sensors: Ex, O₂, H₂S

17-985-618 - Ea.
 NiMH; Sensors: Ex, Os, CO, H₂S

17-985-620 - Ea.
 NiMH; Sensors: Ex, O₂, CO, H₂S (no additional sensors can be accommodated in this configuration)

17-985-617 - Ea.
 Alkaline; Sensors: Ex, O₂, CO, H₂S

Dräger accuro Bellows Pump



17-986-70A - Ea.
 Pump, Bellows; Dräger Accuro; Pump only; Used with short-term detector tubes; Convenient, built-in stroke counter records number of strokes performed; Measures 6-3/4L x 1-3/4W x 3-3/8 in. H

17-988-408 - Ea.
 Accuro Softside Kit

19-046-750 - Ea.
 Accuro Hardside Kit

Dräger Haz Mat Simultaneous Test Kit



19-046-643 - Ea.
 Kit, test; Dräger; Simultaneous, Hazmat; With pump, spare parts kit, air currents kit, extension hose, test set opener, deluxe tube opener, instruction cards, 3 ea of Simultaneous Test Sets I and II, and 4 of Test Set III, and carrying case

19-500-221 - Ea.
 Hazmat Simultaneous Test Kit without Pump

17-985-354Z - Ea.
 Adapter for Simultaneous Test Kit

Dräger Individual Haz Mat Simultaneous Test Sets



18-556R - Ea.
 Sets, Test; Dräger; Hazmat Simultaneous; Set I; Tests for hydrogen chloride, hydrogen cyanide, carbon monoxide, ammonia, and nitrous fumes

18-556S - Ea.
 Simultaneous Test Set II

18-556T - Ea.
 Simultaneous Test Set III

Dräger CMS Emergency Response Kit



18-999-1916A - Ea.
 CMS Emergency Response Kit, 10 chips

19-999-275 - Ea.
 CMS Emergency Response Kit, No Chips

Dräger Civil Defense Simultest Kit



19-038-865 - Ea.
 Kit, Civil Defense Simulest; Dräger; For chemical warfare agent detection; With Test Sets I and V, two accuro pumps/spare parts kit, 3 ft. L ext. hoses with adapter, 1 tube and 2 set openers, instruction card, Pelican carrying case

19-046-635 - Ea.
 CDS Test Set I

19-046-636 - Ea.
 CDS Test Set V

19-080-703 - Ea.
 Simultest Extension Hose/Adapter Set

Safety Solutions HazMat Smart-Strip Chemical Agent Identifying Badge



19-420-120 - Ea.
 Badge, Chem Agent Detector; Safety Solutions; Smart-Strip; Disposable reagent strip changes colors when it comes in contact with aerosols or surface liquids containing chlorine, acids/caustics, fluoride, nerve agents, oxidizers, arsenic, sulfides, or cyanide

Morphix Technologies Chameleon Chemical Detection Cassettes



19-130-4862 - Ea.
Cassette; Chemical detection; Morphix Technologies; For Chameleon armband; Low pH (acid)
19-130-4863 - Ea.
High pH (base)
19-130-4866 - Ea.
Chlorine/Fluorine
19-150-0714 - Ea.
Combination kit, 10 cassettes

Thermo Scientific RadEye PRD Personal Radiation Detector



19-165-966 - Ea.
Detector, Radiation; Thermo Scientific; Personal; Pager-sized, sensitive "search and find" radiation meter; Dose Rate Range: 1µR/hr to 25mR/hr; Energy Range: 60 keV to 1.3MeV; Factory calibrated in exposure rate R/h

Thermo Scientific EPD Mk2 Electronic Personal Dosimeter



19-166-365 - Ea.
Dosimeter, Electronic Personal; Thermo Scientific; EPD Mk2; Responds to gamma, beta, and X-radiation; 15 keV to 10 MeV; stand-alone unit or use in management system; With coin battery cap

Thermo Scientific Interceptor Personal Radiation Detectors



19-165-943 - Ea.
Detector, Radiation; Thermo Scientific Interceptor; Gamma/Neutron finder with CZT finder detectors, high resolution CZT identification detectors, voice recorder, docking clip, USB cable, power supply, battery clip, manual and software CD, and case
19-165-942 - Ea.
With CZT finder detectors, high resolution CZT identification detectors, 3He neutron detector, voice recorder, docking clip, USB cable, power supply, battery clip, manuals/CD, and case

Thermo Scientific IdentiFINDER Handheld Isotope Identifier



19-165-940 - Ea.
Meter, Dose Rate, and Isotope Identifier; Thermo Scientific; Handheld; IdentiFINDER; With 1.2in. dia. x 1.5in. L NaI(Tl) (30 x 33mm), 3He neutron detector, G-M tube, holster, battery charger, serial/USB interface adapter box, cables, carrying case, and software
19-165-941 - Ea.
Gamma Only

Thermo Scientific TPM-903 Transportable Radiation Portal Monitor



19-165-946 - Ea.
Portal, Radiation Monitor; Thermo Scientific TPM-903; Designed for rapid screening of personnel in event of radiation release; Suitable for monitoring workers, vehicles, and the public; Powered by AC or 40 hr. battery
19-165-947 - Ea.
Rolling Hard Case for TPM-903 Radiation Monitor Portal
19-165-948 - Ea.
Rolling Soft Case for TPM-903 Radiation Monitor Portal

Thermo Scientific RadEye B20 Multi-Purpose Survey Meter



19-810-125 - Ea.
Meter, Radiation; Thermo Scientific RadEye B20; Measures alpha, beta, gamma and X-ray radiation; Measuring range (gamma dose rate): 0-2mSv/h, (contamination): 0-10 kcps; Energy range: 17keV-1.3MeV; LED, sound, vibrator alarms; Weight: 300g

Leak Repair/Control

Ampco Safety Tool Kits



19-805-933 - Ea.
Kit, Tool; Ampco Safety; Small, Nonsparking, M-46; Four-piece; Includes: std. screwdriver with 5/16 in. tip and 3 in. blade, 6.5 in. combination pliers, 8 in. adjustable end wrench, 9 in. crate opener
19-805-934 - Ea.
Large Nonsparking Tool Kit
19-120-3787 - Ea.
Extra-Large Tool Kit
19-805-935 - Ea.
Hazmat Response Tool Kit

Stewart Browne Grounding Clamps



19-047-067 - Ea.
Clamp; Grounding; Stewart R Browne; Aluminum Plier; Three stainless-steel points; Quick-release harness
19-047-066 - Ea.
Bronze Grounding Clamp with Release
19-500-477 - Ea.
Clamp with Steel Jaw

Edwards & Cromwell Universal Leak Control, AE Series Kits



19-823-752 - Ea.
Kit, Universal Leak Control; Edwards and Cromwell; AE Series; For small to medium holes in low-pressure vessels; Covers cracks and holes of all shapes; Includes screw, twin T, ladder patches, ball and taper surface plugs, epoxy putty, lead wool and barrier tape
19-811-089 - Ea.
Nonsparking

Edwards and Cromwell Hazardous Materials Leak Repair Kit



19-500-225 - Ea.
Kit, Repair; Edwards and Cromwell; For Hazardous Material Leak D; Small Size; Repairs punctures, cracks, gashes, surface rotting of containers which allow liquid bulk hazardous material to leak; with steel tools

Chlorine Institute Emergency Equipment Kits



19-812-097 - Ea.
Kit A, Emergency, Chlorine Institute; Includes devices and tools to contain leaks in and around cylinder valve and side wall, US DOT 3A480 and 3AA480
19-812-098 - Ea.
Chlorine Kit B
19-812-099 - Ea.
Chlorine Kit C

Clemens Industries Pat-Lock Drum Dome Clamp



19-808-280 - Ea.
Clamp, Dome; Clemens Industries; Heavy Duty; Assists in containment of tank truck spills, Fits dome tops from 4-1/2 in. to 24-1/2 in.; Inside or outside lipped dome cover; Includes: Quick Change 5/8 in. Lock Down Bolt, Quick Release Pin, Strap-Loop Clamp

Sorbents

Fisherbrand Universal Sorbents



19-034-155 - Ea.
Pad; Fisherbrand; Universal Sorbent; Polypropylene; Double weight; Resist tearing and sticking; Size: 16ft.L x 18in.W (40.6 x 45.7cm); Sorbing Capacity: 27 gal. (102.2L)
19-034-156 - Ea.
Roll; Size: 150 ft.L x 32 in.W (45.7m x 81.3cm); Sorbing capacity: 54 gal. (204.4L)
19-034-157 - Ea.
Universal Pillow; Size: 17L x 8 in.W (43.8 x 20.3cm); Sorbing capacity: 8 gal. (30.2L)
17-206-2B - Ea.
Sock; Size: 48L x 3 in.W; Sorbing capacity: 23 gal. (87L)
17-206-1B - Ea.
Bag; Size: 24 lb. (10.8kg); Sorbing capacity: 46 gal. (174.2L)

Fisherbrand Spill Response Drum Kits



17-985-128 - Ea.
Drum Kit; Fisherbrand; Chemical Spill; 5 Socks; 2 Absorbent Wipes; 2 Disposal Bags with Ties; 2 Shaker Cartons of Sorbent; Sorbing Capacity Range: 4 to 7 gal. (15.1 to 26.5L); Drum Size: 6 gal. (22.7L)
17-206A - Ea.
Drum size: 20 gal. (75.7L)
17-206B - Ea.
Drum size: 55 gal. (208L)
19-034-969 - Ea.
Drum size: 95 gal. (359.5L)

Spilfyter Universal Pads and Rolls



19-066-560 - Ea.
Sorbent pad, Universal; Spilfyter; Eight layers of fine fiber polypropylene; Single weight; Bonded every 8 in.; Perforated vertically for narrow fit; 16 x 18 in.; One-time use; Gray; 200/case
19-066-575 - Ea.
Single weight pad, 16 x 18in.; Premium Green
19-066-576 - Ea.
Medium weight pad, 16 x 18in.; Premium Green
19-066-561 - Ea.
Medium weight pad, 16 x 18in.W; Economy Denim Blue
19-066-579 - Ea.
Double-weight pad; 32 x 36 in.
19-066-585 - Ea.
Medium weight roll, 200ft.L x 32in.W; Premium Green
19-066-581 - Ea.
Double weight roll, 150ft.L x 16in.W; Premium Green
19-066-566 - Ea.
Single weight roll, 300ft.L x 16in.W; Economy Denim Blue
19-066-565 - Ea.
Single weight roll, 300ft.L x 32in.W; Economy Denim Blue
19-066-563 - Ea.
Double weight roll, 150ft.L x 32in.W; Economy Denim Blue
19-066-584 - Ea.
Single weight roll, 300ft.L x 16in.W; Premium Green

Spilfyter Universal Spill Containment Products



19-066-570 - Ea.
Sorbent socks, Universal; Spilfyter; Fine fiber sorbent; Polyester casing w/polypropylene fill; Green; 3 in. x 4 ft.; 15/case
19-066-571 - Ea.
Sock, 4ft.L x 3 in. dia., 40/case
19-066-572 - Ea.
Sock, 10ft.L x 3 in. dia.
19-122-885 - Ea.
Pillow, 8.5L x 17 in.W
19-066-573 - Ea.
Pillow, 10L x 10 in.W
19-066-574 - Ea.
Pillow, 18L x 18 in.W
19-066-569 - Ea.
Pillow-in-a-Pan Kit
19-066-578 - Ea.
Drum Top

Streetfyter Premium Gray DW Universal Sorbent Pads and Rolls



19-169-704 - Ea.
Pad, Sorbent; Streetfyter; Premium Gray DW; Universal; Absorbs and retains oil, water, solvents, coolants; Rag for quick wipe-up; Keeps floors dry and clean; 18L x 16 in.W; Weight: 15 lb. (7kg)
19-169-702 - Ea.
18 x 16 in.
19-169-705 - Ea.
150 ft. x 32 in.

Spillhyder Universal Spunbond Roll



19169707 - Ea.
Roll, Spunbound; Spillhyder; Absorbs and retains oil, water, solvents, coolants; Dimple bonded; Width: 16 in. (40.64cm); Length: 300 ft. (91.44m), Weight: 56 lb. (25kg); Bag: 8/pallet
19169706 - Ea.
Width: 32 in. (81.28cm)

Spilhyder All-in-One Sorbent Roll



19-122-884 - Ea.
Sorbent roll, universal; Spilhyder; Reinforced top layer for durability; Perforated horizontally every 12 in., vertically zipped for folding; Denim blue; 150 ft. x 16 in.; 1/case

SPC Re-Form Sorbent Pads



19-190-052 - Ea.
Pad, Sorbent; SPC Re-Form; General-purpose use; 50% more absorbent; Netted construction; Indoor/outdoor use; Meet NFPA Class A; Light weight; Sorbs 24 gal./case; Size: 15 x 19 in.
19-190-051 - Ea.
Medium weight
19-190-050 - Ea.
Heavyweight
19-190-055 - Ea.
Light weight; With coverstock
19-190-054 - Ea.
Medium weight; With coverstock
19-190-053 - Ea.
Heavyweight; With coverstock

SPC Re-Form Sorbent Rolls



19-190-058 - Ea.
Roll, Sorbent; SPC Re-Form Plus; w/coverstock for use in traffic areas; General-purpose use; 50% more absorbent; Indoor/outdoor use; Double perforated; Medium weight roll; Sorbs 29 gal/roll; Size: 14.25 in. x 150 ft.
19-190-059 - Ea.
Medium weight; Double perforated; Size: 28.5 in. x 150 ft.
19-190-056 - Ea.
Heavy weight roll; Perforated; Size: 14.25 in. x 150 ft.
19-190-057 - Ea.
Heavy weight roll; Double perforated; Size: 28.5 in. x 150 ft.

SPC Re-Form Multiwik Socs



19-190-060 - Ea.
Sock, Sorbent; SPC Re-Form Multiwik; General-purpose use; 50% more absorbent; Indoor/outdoor use; Meet NFPA Class A; Sorbs 12 gal./case; Size: 3 in. x 4 ft.; 12/CS
19-190-063 - Ea.
Size: 3 in. x 4 ft.; 40/Cs
19-190-062 - Ea.
Size: 3 in. x 8 ft.; 4/Cs
19-190-061 - Ea.
Size: 3 in. x 8 ft.; 6/Cs

SPC GP Series Sorbent Pad and Roll



19-041-972 - Ea.
Absorbent, Pad, General purpose, 19W x 15in.L
19-041-973 - Ea.
Sorbent Roll, General purpose, 150 ft.L x 30 in.W

SPC Universal Plus Sorbent Pad



18-999-7 - Ea.
Universal Plus Sorbent Pad; SPC; 19L x 15in.W; 100% Polypropylene; Effective for use with hazardous and aggressive fluids including hydrofluoric acid; Dustless; Flame resistant; Incinerable; Perforated; Safety Green

SPC UXT Universal Xtra Tough Sorbents



18-999-2185 - Ea.
Sorbent pads, Universal; SPC UXT Xtra Tough; 19L x 15"W (48.3 x 38.1cm); Spunbond fabric on both sides for max durability and low lint; 15X more absorbent than clay; Remains intact when saturated; Perforated; 9 gal. sorbed/pk.; 100/pk.

SPC SLIKWIK Socs



19-038-464 - Ea.
Absorbent; SPC; Sock Casing; Corn cob filling; 3W x 42 in. L (7.6 x 107cm)

Fisherbrand Oil-Only Pads and Booms



19-039-126 - Ea.
Sorbent pad, oil only; Fisherbrand; Multilayer fine polypropylene fibers; Bonded every 4 in.; Perforated vertically for narrow spaces; Use for small spills on water, land and around leaking machinery and containers; 16L x 18 in.W (40.6 x 45.7cm); 100/case
19-819-425 - Ea.
Boom; 10ft.L x 5in.W (3m x 12.7cm)
19-819-468 - Ea.
Boom; 10ft.L x 8in.W (3m x 20.3cm)

Fisherbrand Oil-Selective Sorbents



17-215-2C - Ea.
Boom; Oil Sorbent; Fisherbrand; Water-Repellent, Nonwoven Polypropylene; Float on Surface to Selectively Remove Hydrocarbons; Size: 10 ft.L x 5 in.W (3m x 12.7cm); Sorbing Capacity: 35 gal. (132.5L)
17-215-2A - Ea.
Boom; Size: 10 ft.L x 8 in.W (3m x 20.3cm); Sorbing capacity: 70 gal. (265L)
17-215-3 - Ea.
Pillow; Size: 18 in.L x 18 in.W (45.7 x 45.7cm); Sorbing capacity: 22 gal. (83.3L)
17-215-6A - Ea.
Sock; Size: 48L x 3 in.W (122 x 7.6cm); Sorbing capacity: 23 gal. (87L)
17-215D - Ea.
Sock, Double weight; Size: 16L x 18 in.W (40.6 x 45.7cm); Sorbing capacity: 6 gal. (22.7L)
17-215B - Ea.
Pad, Double weight; Size: 16L x 18 in.W (40.6 x 45.7cm); 3/8 in. thick; Premium; Sorbing capacity: 27 gal. (102.2L)
17-215C - Ea.
Sock; Size: 19L x 17 in.W (48.3 x 43.0cm); 3/16 in. thick; Premium; Sorbing capacity: 25 gal. (94.6L)
19-034-972 - Ea.
Roll; Size: 150 ft.L x 32 in.W (45.7m x 81.3cm); Sorbing capacity: 55 gal. (208.2L)
17-215-1A - Ea.
Roll; Size: 150 ft.L x 32 in.W (45.7m x 81.3cm); Sorbing capacity: 78 gal. (295.3L)
17-215-4 - Ea.
Particulate Bag; Size: 24 lb. (10.9kg); Sorbing capacity: 58 gal. (219.6L)

Fisherbrand Universal General-Purpose Corncob Sorbent Sock



19-052-059 - Ea.
 Sock; Universal; Fisherbrand; Corn Cob; Spill Control Sorbent; Size: 3 in. x 4 ft.

Youngstown Barrel & Drum Ultra-Fuel Mop



19-171-319 - Ea.
 Mop, Sorbent; Youngstown Barrel and Drum; Ultra-Fuel; Fast-wicking; Soaks up to 25 times its weight in hydrocarbons; Pivoting aluminum handle telescopes from 30-52 in.; Handle and 6 mop pads
19-171-320 - Ea.
 Ultra-Fuel Mop Refills
19-171-321 - Ea.
 Ultra-Fuel Mop Drip Tray

Spilfyter Oil-Only Pads and Rolls



19-066-600 - Ea.
 Sorbent pads, oil only; Spilfyter; Interlocking sprocket bond; Eight layers of fine fiber polypropylene; Single weight; 16 in. x 18 in.; Bonded every 4 in.; Perforated vertically for narrow fit; Durable for extended use; 200/case
19-066-601 - Ea.
 Pad, medium weight, premium, 16 x 18 in.
19-066-602 - Ea.
 Pad, double weight, premium, 16 x 18 in.
19-066-604 - Ea.
 Pad, double weight, premium, 32 x 36 in.
19-066-610 - Ea.
 Roll, single weight, premium, 300 ft. x 16 in.
19-066-611 - Ea.
 Roll, medium weight, 200 ft. x 32 in.
19-066-606 - Ea.
 Roll, double weight, premium, 150 ft. x 32 in.
19-066-635 - Ea.
 Pad, single weight, economy, 16 x 18 in.

Spilfyter Oil-Only Containment Products



19-142-781 - Ea.
 Sorbent sock, oil only; Spilfyter; Fine fiber sorbent; Polyester casing w/polypropylene fill; Blue; 3 in. x 4 ft.; 15/case
19-066-591 - Ea.
 Pad, 3 in. x 4 ft., 40/case
19-066-592 - Ea.
 Pad, 3 in. x 10 ft., 6/case
19-066-597 - Ea.
 Pillow, 10 x 10 in.
19-142-782 - Ea.
 Pillow, 18 x 18 in.
19-066-603 - Ea.
 Drum top, 22 in. diameter

SPC Oil-Only Sorbents



19-039-124 - Ea.
 Sorbent pad, oil-only; Economy; ENV sorbent, 15 x 19 in.; One-ply, white, heavy-weight pad; For use with oil and petroleum based fluids
19-039-122 - Ea.
 Dimpled Pad, 15 x 19 in., 100/Pk
19-033-611 - Ea.
 Dimpled Pad, 15 x 19 in., 200/Pk
19-819-470 - Ea.
 Pillow, 14 x 2 in.
19-039-135 - Ea.
 Dimpled Blanket, 33 x 144 in.
19-039-123 - Ea.
 Boom, 5 in. x 10 ft.
19-039-128 - Ea.
 Sock, Oil sorbent; 3 in. x 4 ft.
18-999-2594 - Ea.
 Oil Sorbent Booms, 8 in. x 10 ft. 4/cs

SPC Re-Form Oil-Only Heavy Weight Pads and Rolls



19-102-753 - Ea.
 Sorbent pads; SPC; Spunbond coverstock; Perforated; 15 x 19 in.; Chemical resistant; For oil and solvent base liquids; 100/case
19-102-754 - Ea.
 Pad; 15 x 19 in.; 100/bag
19-102-755 - Ea.
 Roll; 14.25 in. x 150 ft
19-102-756 - Ea.
 Roll, 28.5 in. x 150 ft.

Spilfyter Hazmat Sorbents



19-121-018 - Ea.
 Sorbent pad, hazmat; Spilfyter; Single weight; Bonded every 4 in.; Perforated vertically for better fit; 12 x 12 in.; Caution yellow; 100/case
19-066-620 - Ea.
 Pad; Single weight; 16 x 18 in.
19-066-621 - Ea.
 Pad; Medium weight; 16 x 18 in.
19-066-622 - Ea.
 Pad; Double weight; 16 x 18 in.
19-066-627 - Ea.
 Roll, single weight, 300 ft. x 16 in.
19-066-626 - Ea.
 Roll, single weight, 300 ft. x 32 in.
19-812-543 - Ea.
 Sock, 4 ft. x 3 in., 15/case
19-066-617 - Ea.
 Sock, 4 ft. x 3 in., 40/case
19-066-618 - Ea.
 Sock, 10 ft. x 3 in.
19-120-473 - Ea.
 Pillow, 8.5 x 17 in.
19-066-619 - Ea.
 Pillow, 18 x 18 in.

3M High-Capacity Chemical Sorbents



19-087-815 - Ea.
 Sorbent; Chemical; 3M; Dimensions (W x L): 5 in. x 50 ft.; Folded sorbent; Sorbing capacity per pack: 31 gal.

3M Standard Chemical Sorbents



17-210 - Ea.
Sorbent pad, Chemical; 3M; Polypropylene; For use with hazardous liquid spills; 11 x 13 in.; Sorbing Capacity: 4-1/4 gal.
17-210-1A - Ea.
Roll; 13 in. x 100 ft
17-210-3 - Ea.
Pillow; 9 in. x 15 in.

3M Chemical Sorbents, P Series



19-039-443 - Ea.
Mini-Boom; Chemical sorbent; 3M; Place around hazardous spills; Reduces possibility of spread to adjacent areas; Absorbs acids, bases and other hazardous fluids; L x D: 12 ft. x 3 in.; Capacity: 3 gal.

Containment

Youngstown Barrel & Drum Ultra Containment Berms



19-171-315 - Ea.
Berm, Containment; Ultra; Capacity: 5385 gal. : Weight: 268 lb.; Dimensions: 12 x 60 x 1 ft. ; No set-up required; Meet SPCC and EPA Container Storage Regulation 40 CFR 264.175
19-171-316 - Ea.
Capacity: 5610 gal. : Weight: 259 lb.; Dimensions: 15 x 50 x 1 ft.
19-171-317 - Ea.
Capacity: 7405 gal. : Weight: 334 lb.; Dimensions: 15 x 66 x 1 ft.

Ultra Collapsible Wall Containment Berms



19-130-4707 - Ea.
Berm, containment; Capacity: 179 gal (678L); Dimensions: 4 x 6 x 1 ft. (1.2m x 2m x 30cm); Black
19-058-022 - Ea.
Black
19-058-021 - Ea.
748 gal.

Ultra DrainGuard Curb Insert Style



19-120-113 - Ea.
Curb-Insert Style; Ultra DrainGuard; Oil/Sediment Model, For Curb Inlets 24-42 in.; Heavy-duty tension rod secures insert inside the curb inlet, blocking the passage of contaminants
19-120-115 - Ea.
Oil/Sediment Model, For Curb Inlets 42-60 in.
19-120-114 - Ea.
Oil/Sediment Plus Model with X-Tex filter strips

Ultra DrainGuard Catch Basin Insert



19-130-5004 - Ea.
Catch Basin Insert, Ultra DrainGuard; Filters sediment, oil and debris from stormwater; 48 x 36 x 18 in.; Polypropylene, needle-punched; Geotextile material filters pollutants
19-057-557 - Ea.
Oil and Sediment Plus
19-057-559 - Ea.
Trash and Debris

Ultra Grate Hook



19-058-078 - Ea.
Hook, Ultra Grate; Ultra Tech; Youngstown Barrel and Drum; One-piece, heavy-duty steel design; Fits all grates and protects hands from injury

Ultra DrainSeal Mats



19-120-068 - Ea.
Mat, Spill control; UltraTech DrainSeal; Polyurethane; 18L x 18W x 3/8 in.H (46 x 46 x 1cm); Highly visible orange mats constructed with reinforcing mesh sandwiched b/w layers of polyurethane; Flexible, nonabsorbing, and seals to any smooth surface
19-120-069 - Ea.
24L x 24W x 3/8 in.H (61 x 61 x 1cm)
19-823-211 - Ea.
36L x 36W x 3/8 in.H (91 x 91 x 1cm)
19-130-4765 - Ea.
36L x 58W x 3/8 in.H (91 x 147 x 1cm)
19-130-4758 - Ea.
42L x 42W x 3/8 in.H (107 x 107 x 1cm)
19-120-071 - Ea.
48L x 48W x 3/8 in.H (122 x 122 x 1cm)
19-130-4760 - Ea.
12 in. dia. (30.5cm)
19-130-4761 - Ea.
20 in. dia. (51cm)
19-130-4762 - Ea.
30 in. dia. (76cm)
19-130-4763 - Ea.
42 in. dia. (107cm)
19-130-4770 - Ea.
Wall-mount unit, Fits 30-36 in.
19-130-4771 - Ea.
Wall-mount unit, Fits 42- 48 in.

Ultra Ground Tarp



19-120-088 - Ea.
Tarp, Ground; Ultra Tech; Youngstown Barrel and Drum; Durable polypropylene; 11ft. X 11 ft.

Tools

Remco Polypropylene Brushes and Squeegees



17-930A - Ea.
Brush; Small; Remco* No.: 2915; 12 in.
18-999-1165A - Ea.
Squeegee; Revolving neck; 16 in. White
17-930-1A - Ea.
Handle; Fiberglass; Medium length; 53 in. (135cm)
17-930-1B - Ea.
Handle; Long; 61 in.(155cm)

Remco Polypropylene One-Piece Shovels



- 17-932-1A** - Ea.
Shovel; One-piece; Remco; Polypropylene; Nonsparking; Withstand temperatures up to 176° F; Small blade; Blade L x W: 14 x 11 in.; Overall Length: 38 in.; Color: white
- 17-932-1B** - Ea.
Overall Length: 38 in.; Yellow
- 17-932-2A** - Ea.
Overall length: 42 in.; White
- 17-932-2B** - Ea.
Overall length: 42 in.; Yellow

Remco Polypropylene Pan-Type and Two-Piece Shovels



- 17-932B** - Ea.
Shovel, Two-piece; Remco; Lightweight; Non-sparking/polypropylene; Rust or corrode resistant; Medium blade; Pan-type; Blade only; Blade (L x W): 14 x 10.5 in.; Overall length: 20 in.
- 17-932A** - Ea.
Medium blade; Standard D-grip; Blade (L x W): 14 x 10.5 in.; 38.5 in.
- 17-932D** - Ea.
Medium blade; Extended D-grip; Blade (L x W): 14 x 10.5 in.; 43.5 in.
- 17-932C** - Ea.
Large blade; Short D-grip; Blade (L x W): 18 x 14 in.; 35 in.
- 17-932E** - Ea.
Large blade; Standard D-grip; Blade (L x W): 18 x 14 in.; 40.5 in.

Remco Polypropylene Tools

- 17-931A** - Ea.
Scoop; Size: 32 oz.
- 17-931B** - Ea.
Scoop; Size: 82 oz.
- 17-932-3** - Ea.
Scraper; Size: 8 in.L
- 17-932-4** - Ea.
Scraper; Size: 9-3/4 in.L

Vacuums

Minuteman Bio-Haz Vacuums



- 19-163-062** - Ea.
Vacuum, Bio-Haz; Minuteman; 6 gal.; Two-stage, 1.25 hp motor; 28H x 18 in.W; Supplied with floor/rug tool, wand assembly, crevice tool, round dust brush, hand tool, 1-1/2 in. (3.8cm) hose assembly, and 50 ft. (15.2m) cord
- 19-163-063** - Ea.
15 gal.

Minuteman Vacuum Accessories and Replacement Parts



- 19-163-070** - Ea.
Filters, Impact; For 6 and 15 gal. Minuteman Bio-Haz Vacuums, Pack of 12
- 19-063-053** - Ea.
Cloth Filter Assembly for 6 gal. Bio-Haz Vacuum
- 19-163-074** - Ea.
Encapsulation Bags for 6 gal. Bio-Haz Vacuum
- 18-999-991** - Ea.
Filter Protectors for MRS-3 and 15 gal. Bio-Haz Vacuums
- 18-999-1016** - Ea.
Cloth Filter Assembly for 15 gal. Bio-Haz Vacuum
- 19-163-078** - Ea.
Encapsulation Bags for 15 gal. Bio-Haz Vacuum

Minuteman CRV and RFI/EMI Vacuums Accessories

- 18-999-284** - Ea.
Bags, Paper, Disposable; For Minuteman MRS-6 and 6 gal. Bio-Haz Vacuums, Pack of 10
- 18-999-286** - Ea.
Filter Protectors for 6 gal. Bio-Haz Vacuum

Minuteman Filters, Liners, and Bags for Asbestos Vacuum Systems

- 18-999-1013** - Ea.
Bags, Paper, Disposable; For Minuteman MRS-3 and 15 gal. Bio-Haz Vacuums, Pack of 10

Minuteman Back Pack HEPA Vacuum



- 18-063-500** - Ea.
Vacuum, HEPA; Minuteman; Backpack; 99.97% effic. at 0.3um; Molded polyethylene; Tank: 1.5 gal. (5.7L); 122cfm; HxDia.: 22 in.(56cm) x 8 in.(20cm); With 50 ft. power cord, 5 ft. telescopic wand, 14 in. floor tool; Wt: 13.5 lb. (6.1kg)

Minuteman Back Pack HEPA Vacuum Accessories and Replacement Parts



- 19-163-080** - Ea.
Kit, Tools; Minuteman International; For BVP Back Pack HEPA Filter Vacuum; Five piece; Floor Tool, Round Brush, Extension Wand, Crevice Tool, and Upholstery Tool
- 19-163-084** - Ea.
Replacement HEPA Filter
- 19-163-082** - Ea.
Replacement Prefilter Disk
- 19-163-081** - Ea.
Replacement Cloth Bag

Decon

Reeves PVC Decontamination Shower Systems



- 19-167-693** - Ea.
System, Shower; Reeves; Single stall; Effective for NBC decontamination of 1 patient; Schedule 80 PVC piping w/quick-connect fittings; 2.5gpm showerheads; 30gpm submersible water pump; Privacy curtain
- 19-167-694** - Ea.
Double Stall

Reeves DRASH First Response Decontamination Systems



19-167-648 - Ea.
System, Decontamination; Reeves; 2 lane; w/ stands elements; Collapsible wall berm; 2.5GPM showerheads/spray wands; Titanite frame; Durable, resistant cover; 16 x 10 x 8.8 ft.
19-167-647 - Ea.
3 lane

Spilfyter Decontamination Spill Kit



19-812-540 - Ea.
Kit, Spill, Decontamination; Spilfyter; Tools for decontaminating PPE, tools, and surfaces at hazardous material or waste sites; Decontamination solutions require no dilution and are phosphate-free; Includes PPE, brushes, sprayers, and drum

IRT Two-Line Decontamination Shelters



19-120-695 - Ea.
Shelter, Decon; 2-Line; 10L x 8 ft.W; 72 lb.; 32 in. cube; Yellow/white interior with skylight; 10 body sprays; Chemical-resist material; Transport bag; Ground cloth; Ports; Repair/anchor kits; Manual; Video
19-065-287 - Ea.
Two-Line Decon Shelter, 20 x 8 ft.

IRT Individual Decon Shelter



19-065-289 - Ea.
Shelter, Decon; Individual; For one ambulatory casualty; Deploys at 5L x 6 ft. W; Stores as 26 in. cube

Ultra DeconDecks Containment Units



19-130-4731 - Ea.
DeconDeck; Dimensions: 52 x 56 -5/8 x 5-3/4 in. (132 x 144 x 14.6cm), Weight: 90 lb. (40.8kg), Containment Capacity: 99 gal. (375L), Weight Capacity: 6000 lb. UDL (2721kg)

Law Enforcement

Body Armor

MSA ForceField ACH Advanced Combat Helmet (Commercial)



19-150-0345 - Ea.
Helmet, Ballistic Head Protection; MSA ACH Advanced Combat Helmet; Medium; #6 Pad; Black; Originally developed for the U.S. Military; Combines level IIIA ballistics, impact, and fragmentation resistance
19-150-0346 - Ea.
Helmet; #6 Pad; Green; Medium
19-150-0341 - Ea.
Helmet; #8 Pad; Black; Medium
19-150-0342 - Ea.
Helmet; #8 Pad; Green; Medium
19-150-0353 - Ea.
Helmet; #6 Pad; Black; Large
19-150-0354 - Ea.
Helmet; #6 Pad; Green; Large
19-150-0349 - Ea.
Helmet; #8 Pad; Black; Large
19-150-0350 - Ea.
Helmet; #8 Pad; Green; Large
19-150-0347 - Ea.
Helmet; #6 Pad; NV Goggle Hole; Black; Medium
19-150-0348 - Ea.
Helmet; #6 Pad; NV Goggle Hole; Green; Medium
19-150-0343 - Ea.
Helmet; #8 Pad; NV Goggle Hole; Black; Medium
19-150-0344 - Ea.
Helmet; #8 Pad; NV Goggle Hole; Green; Medium
19-150-0355 - Ea.
Helmet; #6 Pad; NV Goggle Hole; Black; Large
19-150-0356 - Ea.
Helmet; #6 Pad; NV Goggle Hole; Green; Large
19-150-0351 - Ea.
Helmet; #8 Pad; NV Goggle Hole; Black; Large
19-150-0352 - Ea.
Helmet; #8 Pad; NV Goggle Hole; Green; Large

Reflective Apparel

Jackson Safety Specialty Vests



19-049-926 - Ea.
Vest, Specialty; Jackson Safety; Blue with Lime reflector
19-049-927 - Ea.
Orange with Lime reflector trim; Police; Large
19-049-928 - Ea.
Brown with Lime reflector trim

Tingley Vision Safety Outerwear



- 19-166-1163** - Ea.
Jacket, Vision; Tingley Rubber; Polyurethane on 150 denier polyester; 7mil thick; Fluorescent yellow green; Class III; Zipper fly front; Velcro straps; Hood in collar; Medium
- 19-166-1164** - Ea.
Jacket; Large
- 19-166-1165** - Ea.
Jacket; X-Large
- 19-166-1167** - Ea.
Jacket; XXX-Large
- 19-166-1169** - Ea.
Jacket; 5X-Large

Tingley Icon Premium Outerwear



- 19-166-1147** - Ea.
Jacket, Icon; Tingley Rubber; Polyurethane on 300 denier polyester; 12mil thick; Fluorescent yellow green; Class III; Zipper fly front; Velcro straps; Hood in collar; Mesh/taffeta lining; Medium
- 19-166-1148** - Ea.
Jacket; Large
- 19-166-1149** - Ea.
Jacket; X-Large
- 19-166-1150** - Ea.
Jacket; XX-Large
- 19-166-1151** - Ea.
Jacket; XXX-Large

Neese Rainwear Econo-Viz Coats



- 19-412-655** - Ea.
Coat, Hi-Vis; Neese; Econo-Viz; Silver 2 in. reflective tape; Detachable hood w/drawstring; Side slash thru pockets; Snap front closure w/interlocking storm flap; Underarm vents; Vented back; Take-up snaps on sleeves; Lime; Small
- 19-412-656** - Ea.
Medium
- 19-412-657** - Ea.
Large
- 19-412-658** - Ea.
X-Large
- 19-412-659** - Ea.
XX-Large
- 19-412-660** - Ea.
XXX-Large
- 19-412-661** - Ea.
4X-Large
- 19-412-663** - Ea.
6X-Large

Eyewear

3M Patrol Series Eyewear



- 19-177-821** - Ea.
Eyewear, Safety; 3M Patrol Series; 99.9% UV protection; Wraparound; Tactical frames; LE100 Model
- 19-177-822** - Ea.
LE200 Model
- 19-177-823** - Ea.
LE300 Model

3M Peltor Nighthawk Tactical Eyewear Kits



- 19-169-502** - Ea.
Goggles, Tactical; 3M Peltor Nighthawk Series; Meet Military Vo Regimen for high-velocity impact protection; Black
- 19-169-511** - Ea.
Spectacle Kit

3M EVP Eyewear Kits



- 19-168-262** - Ea.
Eyewear Kit, Safety; 3M Extreme Vision Protection; Dual aspheric interchangeable lens; w/case, headband, lanyard, cloth; Tactical Black


3M Maxim 2x2 Tactical Air Seal Goggle Kit



- 19-150-0404** - Ea.
Kit, Goggle Air Seal; 3M Maxim; Includes three lenses along with a case; Meets the requirements of ANSI Z87.1-2003 and CSA Z94.3-2007; Case of 10

Headsets/Earplugs

3M E.A.R Combat Arms Ear Plugs



- 19-177-825** - Ea.
Ear Plugs, 3M Combat Arms; NRR 8dB; Corded; Green; Small
- 19-177-826** - Ea.
Medium; yellow
- 19-177-827** - Ea.
Large; red

3M Tactical 6-S Headset



- 19-033-009** - Ea.
Headset; 3M Tactical 6-S; Electronically suppresses sounds over 82dB (such as gunfire) to harmless levels within five milliseconds; Separate microphone, receiver, amplifier, and volume control in each cup

Con-Space Bomb Disposal Communication Kit



- 19-500-188** - Ea.
Kit, Communication; Bomb Disposal; Con-Space Communications; Includes CSI-1100 module, head set, clip, carry case, communication set with univ. speaker, 10 ft. cable, two 100 ft. communication cables, speaker harnesses, boom mic wind screen, single cable splitter


Gloves

Sperian Patrol Fit Law Enforcement Gloves



- 19-170-453** - Ea.
Glove; Law Enforcement; Sperian Patrol Fit; Leather; Black; Staple; Hand-sewn seams; X-Large

Best Glove KPG Nighthawk Gloves



- 19-130-1300B** - Ea.
Gloves, Nitrile; Best Glove; N-DEX Nighthawk; Black for law enforcement; Textured fingertips; Accelerator and powder free; 9.5 in. long; 4 mil thick; Small
- 19-130-1300C** - Ea.
Medium
- 19-130-1300D** - Ea.
Large
- 19-130-1300E** - Ea.
X-Large

SCBA/Respirators

Scott Swat-Pak FR SCBA



19-120-3892 - Ea.
SCBA; SWAT-PAK FR; 4,500psi; 60-minute Carbon Cylinder; Without EBSS
19-120-3891 - Ea.
2216psi; 30-minute Carbon Cylinder; Without EBSS

MSA Millennium CBRN Gas Mask



19-130-0458 - Ea.
Gas Mask; MSA; Millennium; Small; Uses 40mm threaded canister attachment; Features six-point head harness, one-piece polyurethane lens, nose cup, and drinking tube
19-130-0459 - Ea.
Size: Medium
19-130-0460 - Ea.
Size: Large

3M FR-7800B Respirator Full Facepieces



19-130-4853A - Ea.
Facepiece, Full; 3M; For Air Purifying Respirators; 3M; FR-7800B; Features integral speaking diaphragm improves voice clarity; Approved to NIOSH Chemical Biological Radiological Nuclear (CBRN) requirements in conjunction with the 3M Canister FR-15-CBRN; Small
19-130-4853B - Ea.
Medium
19-130-4853C - Ea.
Large

3M Facepiece Carrying Bag

19-823-984 - Ea.
Bag, Carrying; 3M; For Facepiece; Store and transport without damaging components

3M Cartridges and Canisters for FR-M40, 6000, and 7800S Series Negative Pressure Facepieces



19-045-578 - Ea.
Cartridge, Filter; 3M; FR-C2A1; Protection against numerous chemical warfare agents; NIOSH approved for use against acid gases, CS, CN, and as a P100 filter; NIOSH Approval No. TC-84A-3281, Sold singly
19-130-0673 - Ea.
CBRN Canister
19-045-577 - Ea.
CP3N Canister

3M Full Facepiece Respirator FR-M40



19-813-760 - Ea.
Respirator, Full Facepiece; 3M; FR-M40; Small; For use with Cartridges FR-64/FR-C2A1; Negative-pressure; Suitable for protection against numerous chemical warfare agents when fitted with appropriate filter cartridges
19-813-762 - Ea.
FR-M40 Facepiece, Medium
19-813-764 - Ea.
FR-M40 Facepiece, Large
19-130-0670 - Ea.
FR-M40 CBRN Respirator System, Small
19-130-0671 - Ea.
FR-M40 CBRN Respirator System, Medium
19-130-0672 - Ea.
FR-M40 CBRN Respirator System, Large

3M Responder Filter Media



19-045-575 - Ea.
Canisters, Respirators, 3M; For air purifying respirators; Responder filter media; CP3N canister; Filters tear gases, pepper spray
19-813-754 - Ea.
FR-64 cartridge

3M Tight-Fitting Powered-Air Purifying Respirator Assemblies



19-823-964 - Ea.
Respirators, Air Purifying; 3M; Tight-Fitting; Assembly; Turbo PAPR Unit; Breathing Tube; Decon Belt; Canister; Lithium Battery Pack; Airflow Indicator; Duffle; LxWxH: 26.71 x 10.38 x 19.45" (6.8 x 2.6 x 4.9cm). Gross weight: 2.5 lb. (1.13kg)
19-823-965 - Ea.
Lithium battery and vest
19-823-966 - Ea.
NiMH and belt
19-823-967 - Ea.
NiMH and vest

3M RRPAS Rapid Response Powered Air-Purifying Respirator System



19-058-520 - Ea.
Respirator, Powered; 3M; Rapid Response Powered Air System (RRPAS); With 6800DIN Facepiece and Lithium Battery; FR-40 Canister; Bag converts into a vest; For rapid deployment
19-058-524 - Ea.
RRPAS with 6800DIN Facepiece and NiMH Battery, FR-40 Canister
19-058-526 - Ea.
RRPAS with 6800DIN Facepiece and Lithium Battery, FR-57 Canister
19-058-521 - Ea.
RRPAS with 6800DIN Facepiece and NiMH Battery, FR-57 Canister
19-058-525 - Ea.
RRPAS with 6900DIN Facepiece and Lithium Battery, FR-40 Canister
19-058-527 - Ea.
RRPAS with 6900DIN Facepiece and NiMH Battery, FR-40 Canister
19-058-522 - Ea.
RRPAS with 6900DIN Facepiece and Lithium Battery, FR-57 Canister

3M Canister FR-40 and Cartridge FR-57



19-045-576 - Ea.
Canisters, Filter; FR-40; For use with 3M Breathe Easy 10 PAPR, RRPAS, and 6000DIN facepiece; Advanced 3M carbon filtering technology; NIOSH Approval No.: TC-14G-0261
19-044-570 - Ea.
FR-57 Cartridge

3M Replacement RRPAS Bag/Vest

19-042-809 - Ea.
Bag/Vest, Replacement; 3M; For RRPAS PAPR; Black bag opens up into vest; Has a comfort pad on back, clip for facepiece and attachment for ID; Large pockets allow the storage of other gear; All pockets have drains.

Thermal Imaging

Bullard Tacsight S2 Thermal Imager



19-130-0492 - Ea.
Tacsight S2 Thermal Imager Kit; For tactical, surveillance and scene assessment; Detects extremely small temperature differences; One-button operation with right or left hand; 3-1/2 in. LCD screen; Includes Tacsight Thermal Imager; Command B

Bullard TacSight SE35 Thermal Imaging Camera and Kit



19-165-101 - Ea.
Camera, Thermal; Bullard Tacsight SE 35; 3.5 in. LCD; 17 degree field of view, human detection at 635m; Switches from white hot to a black hot image; Variable focus; Waterproof; 4.25L x 7.5W x 6 in. H; Weight (w/battery): 3.5 lb.; 2 rechargeable 10V NiMH batteries; Kevlar side-strap system
19-165-103 - Ea.
Tacsight SE35 Thermal Imaging Kit

Bullard TacPort Attachable Utility Block for Thermal Imager



19-130-3853 - Ea.
Block, Utility; Bullard TacPort; Attachable; For use in recording T3, T4, or TacSight images or extended surveillance operations; 12VDC operation via included cigarette-plug adaptor; BNC video out with RCA adapter

Bullard T3 and T4 Thermal Imager Accessories



19-100-733 - Ea.
Devise, Recording and Transmitting; Bullard SceneCatcher; DVR with two-channel transmitter; Records up to 60 mins. and 300 still photos; Transmits 2000 ft. line of sight, 600 ft. through typical construction; w/CD-ROM; Receiver not included
19-100-731 - Ea.
Two-Channel Mobile Command Center


Bullard TacSight Thermal Imager Accessories



19-130-0677 - Ea.
Handle, Thermal Imager; Bullard TacSight; Attaches easily; Nonreflective labels; Does not include transmitter
19-130-0675 - Ea.
Four-Channel Wireless Remote Transmitter
19-130-0683 - Ea.
TacScope Attachable Monocular Eyepiece
19-100-730 - Ea.
Alkaline Battery Case

Mass Casualty Shelters/Trailers

Reeves Incident Command Posts



19-169-420 - Ea.
Post, Incident Command; Reeves; Small; Deployed directly to the scene of an incident
19-169-421 - Ea.
Medium
19-169-422 - Ea.
Large

Reeves DRASH XB Shelters




19-167-643 - Ea.
Shelter, Emergency; Reeves Drash XB; 1-piece design; Set up in 15 min.; Pack down to less than 2% deployed size; Interior: 13.6 ft. W; Meets U.S. military soft-wall shelter reqs.; -50 to +131°F; 249 sq.ft.; Green
19-167-644 - Ea.
249 sq.ft.; Tan
19-167-592 - Ea.
358.8 sq.ft.; Green
19-167-591 - Ea.
358.8 sq.ft.; Tan
19-167-594 - Ea.
413.4 sq.ft.; Green
19-167-595 - Ea.
413.4 sq.ft.; Tan

Reeves Medical Surge Facilities



19-169-430 - Ea.
Shelter, Medical Surge; Reeves; 10-bed capacity; Includes shelter, HVAC, plenum and lighting
19-167-740 - Ea.
25-Bed Medical Surge Facility

Reeves 10-Bed Casualty Collection Point



19-167-715 - Ea.
Shelter, Collection Point, Casualty; Reeves; 10-bed; Rapidly deployable, climate-controlled shelter; with 5-Ton Mobile HVAC system; Interior W x L X H: 18 x 33.3 x 9.7 ft.; Usable area: 519 sq.ft.; Tan

Reeves DRASH M Series Shelters



19-167-539 - Ea.
Shelter, Emergency; Reeves DRASH MX; 1-piece design; Set up in 15 min.; Pack down to less than 2% deployed size; Interior: 18ft. W; Meets U.S. military soft-wall shelter reqs.; -50 to +131°F; 442 sq.ft.; Green
19-167-540 - Ea.
442 sq.ft.; Tan
19-167-537 - Ea.
519 sq.ft.; Green
19-167-538 - Ea.
519 sq.ft.; Tan

IRT Casualty Management Shelters



19-120-1079 - Ea.
Shelter, Casualty Management, Decontamination; IRT; 16W x 18 ft.L; 159 lb.; Customer specific ext. fabrics; Full length screened window; 1 Side door/ Side end doors; Aluminum frame; Anchor Kit; Storage bag; Ground cloth; Small; Yellow
19-120-1080 - Ea.
Casualty Management Shelter (16W x 22 ft.L)
19-120-1081 - Ea.
Casualty Management Shelter (16W x 24 ft.L)

Ferno MIR Triage Tags and Folding Board Kit



19-130-5720 - Ea.
Kit, MIR Triage Tags and Folding Board; Ferno; Ready-to-use system with all the equipment and forms you need for a Mass Casualty Incident

Advanced Containment Systems Mass Casualty Decon Trailer



19-169-180 - Ea.
Decontamination Shelter; ASCI Mass Casualty; Fully contained; 2 decon compartments w/ decon solution application, rinse and dressing areas; 3 diesel-fired hot water heaters; 200 gal. water tank; Exterior shower booms; One 15KW diesel generator w/60 gal. fuel tank; Negative pressure air unit w/HEPA filtration; 28L x 8W x 11.5 ft. H

Advanced Containment Systems Hospital Decon Skid Shelter



19-165-4000 - Ea.
Decontamination Shelter; ASCI Hospital Skid; Semi-permanent for hospitals, plants during a mass casualty event; Leak-free aluminum roof, seamless interior, roof-mounted air intake, and plumbing system; Separate extra-wide entry/exit doors; Integrates with existing hospital power and water systems; 20L x 10W x 7.5ft. H
19-165-4008 - Ea.
28L x 12W x 7.5 ft.
19-165-4026 - Ea.
40L x 14W x 7.5 ft.

Reeves Hospital Response Decontamination Systems



19-167-521 - Ea.
System, Decontamination; Reeves; Individual; 5 x 6.8 x 8.3 ft.; Titanite frame; Effective for NBC decontamination of 1 or 2; Fire-retardant, mildew resistant, water repellent, UV-resistant cover; 30 GPM submersible water pump w/25-ft. discharge hose; Blue
19-167-523 - Ea.
2-lane
19-167-522 - Ea.
2-lane w/dress areas
19-167-524 - Ea.
2-3 lane
19-167-690 - Ea.
2-3 lane w/dress areas
19-167-525 - Ea.
3-lane
19-167-526 - Ea.
3 lane w/dress areas

Reeves Rigid-Frame Sectional Roller System



19-167-689 - Ea.
Roller System, Sectional; Reeves; Corrosion-resistant powder-coated aluminum; Forty 1.5 in. dia rollers per 5-ft. section; No litter/board needed; Stainless steel bearings; 2 folding legs; Adjusts from 34 to 43 in. H; Sections can interlock

Reeves Collapsible Roller System



19-167-717 - Ea.
Roller System, Collapsible; Reeves; Allows nonambulatory patients to roll thru the decontamination process; Corrosion-resistant aluminum; Cap.: 300-lb. per ft.; Accommodates standard back boards; Height adjustable; Articulating frame; 8 ft. L
19-167-718 - Ea.
12 ft. L
19-167-719 - Ea.
16 ft. L
19-167-720 - Ea.
20 ft. L
19-167-721 - Ea.
24 ft. L

Reeves Folding Mesh Litter



19-167-691 - Ea.
Litter, Folding; Reeves; For patient transport during decontamination; Mesh; 18 oz. vinyl-coated nylon cover; Shaped hardwood handles; Dimensions: 87 x 22 x 4.5 in. (open), 43.5 x 3.5 x 7.5 in. (closed)

Fisherbrand Overpack Redress Kit



19-065-248 - Ea.
Kit, Overpack Biohazard; Fisherbrand; Includes 50 Tyvek coveralls, 50 PVC shoe covers, 95 gal. Poly-Overpack; Meets Group 1 packaging standards and salvage drum regulations

IRT MP Decontamination System



19-120-2326 - Ea.
System, Decontamination; IRT; Multi-Part, High Capacity; Designed and equipped for rapid deployment, effective onsite decontamination of NBC casualties, and efficient post-decon and knockdown; Transported on a 12 ft. trailer (included)

IRT Compact Decontamination System



19-120-2342 - Ea.
System, Decontamination; IRT; 2-Line for Hospitals/First Responders; Decon Shelter: 8W x 20 ft. L; Flash water heater; Shower maintenance kit; Hand sprayers; Water hoses/pump; Lights; Litter conveyor; Transfer board; Floor risers

IRT First Responder and Hospital Decontamination System



19-120-2343 - Ea.
System, Decontamination; IRT; 3-Line for Hospitals/First Responders; Decon Shelter: 11W x 20 ft. L; Flash water heater; Shower maintenance kit; Hand sprayers; Water hoses/pump; Light; Litter conveyor; Transfer board; Floor risers

IRT Mass Casualty Decon Shelters



19-120-1077 - Ea.
Shelter, Decon; Mass Casualty; IRT; 9L x 18 ft. W; 203 lb.; 42 in. cube; Canopy UV stabilized, fire retardant/chemical resistant; Construction noncorrosive material; Transport bag; Ground cloth; Utility ports; Repair/anchor kits
19-120-1078 - Ea.
Mass Casualty Decon Shelter, 9L x 22 ft.

IRT Three-Line Decon Shelter



19-065-288 - Ea.
Shelter, Decon; IRT; 3-Line; 20L x 11 ft. W; 215 lb.; 45 in. cube; Yellow/white interior with skylight; 12 body sprays; Chemical-resistant material; Transport bag; Ground cloth; Ports; Repair/anchor kits; Manual; Video

IRT Flash Heater with Injection System




19-120-2392 - Ea.
Heater System, Flash Injection; IRT; Diesel-fired; Dositron solution; 4 hose outputs; Hydrant/garden hose-like inputs; Turf tires; Guide handles; Pressure reduction valve; Thermostatic temp valve; Inline filter; Electronic ignition; 500,000 BTU
19-120-1099 - Ea.
340K BTU Flash Injection Heater System

IRT Floor Risers



19-820-786 - Ea.
Risers, Floor; IRT; Poly; Rigid; 1.75 x 24 x 48 in.; Elevation grid for decon drainage

IRT Hoses



19-120-2387 - Ea.
Hose, Water, Decon; IRT; Nylon F-F Cam Loks; 20 ft. long; 1/2 in. dia.; Blue
19-120-2388 - Ea.
Hose; 20 ft. long; 0.5 in. dia.; Red
19-120-1107 - Ea.
Hose; 50 ft. long; 3/4 in. dia.; Blue

IRT Sprayers



19-120-2385 - Ea.
Sprayer, Handheld; IRT; Nylon Connection; Quick Connect

IRT Litter Conveyor Table



19-065-290 - Ea.
Conveyor, Litter; IRT; 8 ft.; Expandable articulating frame; Constructed of anodized aluminum and stainless-steel hardware to withstand contaminants; Roller weight capacity of 300 lb. per roller provides a solid foundation for patients

IRT Litter Conveyor and Board



19-120-1110 - Ea.
Conveyor, Litter; IRT; 10 ft.; Expandable articulating frame; Constructed of anodized aluminum and stainless-steel hardware to withstand contaminants; Roller weight capacity of 300 lb. per roller provides a solid foundation for patients
19-120-1111 - Ea.
Litter Conveyor, 12 ft.
19-120-2389 - Ea.
Transfer Board

IRT Lighting



19-823-206 - Ea.
Fixture, Lighting, Fluorescent; IRT; 110V; Single bulb; Water Resistant; 40w bulb

Reeves Emergency Operations Centers



19-167-585 - Ea.
Operations Center, Emergency; Reeves; Rapidly deployable, climate-controlled shelter; with 3.5-ton Mobile HVAC system; I.D.: 13.6 x 29.6 x 8.6 ft.; Usable area: 249 sq. ft.; Medium
19-167-636 - Ea.
Large

Reeves Remains Transfer Sheet



19-167-567 - Ea.
Transfer Sheets, Remains; Reeves; For mortuary decontamination; Vinyl-coated mesh; Reinforced webbing; Fits in mortuary remains tray; Run off filters through; 6 carry handles; Folds to 9 x 9 x 5 in.

Reeves Mortuary Decon Remains Tray and Cover



19-167-566 - Ea.
Tray, Mortuary; Reeves; For remains; High-density polyethylene; 2 notches at each end; W/o.75 in. capped drain port; 80 x 30 x 10 in.; Gray
19-169-439 - Ea.
Cover

Reeves Heavy-Duty NBC Adult Body Bag with Viewing Window



19-167-568 - Ea.
Body Bag, PVC; Reeves; Heavy Duty; Adult; with window; 87 x 42 in.; Six handles; Capacity: 800 lb.; Black

Reeves DRASH Responder Series Shelters



19-167-722 - Ea.
Shelter; Reeves DRASH (Deployable Rapid Assembly Shelter); Use as decontamination, hygiene, modesty, triage and rehabilitation areas; Free-standing, self-supporting structure needs no power or air to erect; Includes duffel bag, repair kit, push poles, wind lines and steel pin stake set; Blue; Weight: 160 lb.; Ext. L x W x H: 11ft. 10in. x 8ft. x 10ft. 6in.
19-167-723 - Ea.
12ft. x 11ft. 10in. x 10ft. 6in.
19-167-724 - Ea.
16ft. x 11ft. 10in. x 10ft. 6in.
19-167-725 - Ea.
20ft. x 11ft. 10in. x 10ft. 6in.
19-167-726 - Ea.
24ft. x 11ft. 10in. x 10ft. 6in.
19-167-727 - Ea.
10ft. x 13ft. 6in. x 11ft.
19-167-728 - Ea.
15ft. x 13ft. 6in. x 11ft.
19-167-729 - Ea.
20ft. x 13ft. 6in. x 11ft.
19-167-730 - Ea.
25ft. x 13ft. 6in. x 11ft.
19-167-731 - Ea.
30ft. x 13ft. 6in. x 11ft.
19-167-732 - Ea.
12ft. x 16ft. 6in. x 10ft. 6in.
19-167-733 - Ea.
16ft. x 16ft. 6in. x 10ft. 6in.
19-167-734 - Ea.
20ft. x 16ft. 6in. x 10ft. 6in.
19-167-735 - Ea.
24ft. x 16ft. 6in. x 10ft. 6in.

Reeves Incident Camps



19-169-427 - Ea.
Shelter, Incident camp; Reeves; 10-bed; For temporary housing; 519 sq. ft. usable space; Includes shelter, center section, end caps, tarps, floors, duffel bags, repair kits, push poles, wind lines, stakes; 5-ton HVAC system, 4-light set; wiring kit

19-169-428 - Ea.
20 bed

Reeves 50-Watt EMI-Hardened Stringable Lights



19-169-434 - Ea.
Lights, Stringable; Reeves 50-Watt EMI-Hardened

19-169-435 - Ea.
50-Watt EMI-Hardened; Two-Light Set with Carrying Bag

19-169-436 - Ea.
50-Watt EMI-Hardened; Four-Light Set with Hardened Case

Reeves 50W Overhead Lights



19-167-654 - Ea.
Light, Dead-End; Reeves; Overhead; High-impact resistant; No heat build up; Low amp draw; 42.25 in. cord at one end; W/rubber hooks for hanging

19-167-655 - Ea.
Stringable

19-167-685 - Ea.
Carrying Case

Reeves DRASH D-1000B Heater



19-167-559 - Ea.
Heater, Shelter; Reeves Drash; 100,000 BTU/hr at 880 CMF; 2-piece molded outer body; Stainless-steel combustion chamber; 250°F output safety cutoff; Heater: 23.8 x 53.2 x 32.3 in. (60.5 x 135 x 82cm)

Reeves 3.5-Ton Mobile HVAC System



19-167-557 - Ea.
System, HVAC; Reeves; 3.5 ton; Mobile; 57 x 33 x 41 in.; 42,000 BTU cooling; 40,000 BTU heating; UL listed; 208/230V single phase, 28 amps, 1400 CFM; Industrial grade casters; Built in handles; White

Reeves Heat Pac 70,000 BTU Propane Air Heater/Blower with Supply Duct



19-167-555 - Ea.
Heater/Blower, Air; Reeves Heat Pac; Propane; 70,000 BTU; Portable; 10 hr heat w/standard 20 lb. tank; Heat rise of 100° at outlet; 120V AC, 50/60Hz, 1 amp; 8 in x 20 ft duct; Dimensions: 18.5 x 13.5 x 15.3 in.; Yellow

Reeves Camfire 60,000 BTU Multi-Fuel Air Heater with Supply Duct



19-167-556 - Ea.
Heater, Air; Reeves Camfire; 60,000 BTU; Dimensions: 51 x 20.5 x 24 in.; Portable; Heats up to 17 hrs.; Uses diesel, kerosene, home heating oil, JP4, or JP8; Fuel capacity: 13.5 gal.; Fuel consumption: 0.8 gph; 12 in x 15 ft duct; 120V AC, 60Hz, 4.75 amps; Gray

Reeves 105,000 BTU Pro-100 Propane Water Heater



19-169-419 - Ea.
Heater, Water; Reeves Pro-100; 105,000 BTU; Self-contained; Provides up to 6 gpm of heated water; Stainless-steel construction; Dimensions: 13 x 14 x 24 in.; Weight (with cart): 130 lb.

Reeves 165,000 BTU G2S Water Heaters



19-167-560 - Ea.
Heater, Water; Reeves; 165,000 BTU; Dimensions: 36 x 30 x 34 in.; Multifuel; Portable; 18 GPM flowrate; 4-gal on board tank; Thermostatically-controlled; Black

19-167-561 - Ea.
Water Heater w/Decon Solution Injection

Reeves 425,000 BTU G2 Water Heater



19-167-562 - Ea.
Heater, Water; Reeves; 425,000 BTU; Dimensions: 47 x 30 x 40 in.; Ideal for decontamination showers/sinks; Multifuel; 28 GPM; 10-gal on board fuel tank with drain; Portable; Thermostatically controlled; Black

19-167-563 - Ea.
Water Heater w/Decon Solution Injection

Reeves Box-Style Fresh Water Bladders



19-169-403 - Ea.
Bladder, Fresh Water; Reeves; Box style; PVC-coated 28 oz. heavy duty Panama weave Rip-Stop woven polyester; Heat-seal welded seams; 110 gal. capacity

19-169-404 - Ea.
Fresh; 150 gal. capacity

19-169-405 - Ea.
Fresh; 300 gal. capacity

19-169-406 - Ea.
Fresh; 600 gal. capacity

19-169-407 - Ea.
Fresh; 1200 gal. capacity

19-169-408 - Ea.
Fresh; 1800 gal. capacity

19-169-409 - Ea.
Fresh; 2500 gal. capacity

19-169-410 - Ea.
Fresh; 3000 gal. capacity

Reeves Box-Style Waste Water Bladders



19-167-649 - Ea.
Bladder, Waste Water; Reeves; Box style; Stores contaminated run off water; PVC-coated 28 oz. heavy duty Panama weave Rip-Stop woven polyester; Heat-seal welded seams; w/bladder adapter kit; 110 gal. capacity

19-167-650 - Ea.
150 gal. capacity

19-167-651 - Ea.
300 gal. capacity

19-167-652 - Ea.
600 gal. capacity

19-167-653 - Ea.
1200 gal. capacity

19-169-400 - Ea.
1800 gal. capacity

19-169-401 - Ea.
2500 gal. capacity

19-169-402 - Ea.
3000 gal. capacity

Reeves Small Erect/Strike Bladder and Blower System



19-167-707 - Ea.
System, Blower; Reeves; Small/Erect Strike Bladder; Assist w/shelter set up; Rapid deployment; Black

Reeves Military-Style Cots



19-169-416 - Ea.
Cot, Emergency; Reeves; Military-style; Aluminum frame; Fabric deck; Holds 300 lb.; Easy set up/break down; mid-size; Green
19-167-545 - Ea.
25.5 x 74 x 16 in.
19-167-546 - Ea.
32 x 82 x 18 in.

Reeves Bi-Fold Spring Cot



19-167-547 - Ea.
Cot, Movable; Reeves; Sets up/folds easy; Chromed tubular steel frame; Heavy-duty nylon canvas mat w/44 springs; 72 x 26 x 16 in.; Blue

Reeves Medical Needs Cot



19-167-548 - Ea.
Cot, Medical; Reeves; 1 in. heavy-duty aluminum tubing; 4-position elevation for head/feet; IV poles sleeves at all four corners; 1 IV pole included; 2-in. polyspun mattress; 75 x 27 in.; Blue

Reeves Stuffed Pillow



19-167-550 - Ea.
Pillow, Cot; Reeves; 100% polyester fiber; 25 x 19 in.

Reeves Inflatable Pillow



19-167-551 - Ea.
Pillow, Cot; Reeves; Adjustable inflation; Hypo-allergenic polyester over PVC; White

Reeves Emergency Blankets



19-167-553 - Ea.
Blanket, Emergency; Reeves; 30% wool and polyester blend; 60 x 90 in.; Light blue
19-167-554 - Ea.
70% wool/polyester blend
19-167-552 - Ea.
100% polyester

Reeves Linen Set



19-169-417 - Ea.
Linen Set; Reeves; Maximize patient safety and comfort in field; Includes: 2 cot sheets, 1 polar fleece 54 x 72 in. acrylic blanket, 1 cotton-polyester blend pillow case, One 18 x 12 in. polyester fiber pillow; Vacuum packed in a poly bag

Patient Management

DQE MasCache 96-Hour Pods



19-909-000 - Ea.
Medical Surge Pod; HazMat DQE MasCache; Supplies to care for 25 patients for 96-hours; Contains assortment of prepackaged patient care kits, linen kits, staff scrubs and lab coats, etc.; Color coded; bilingual content lists; Wrapped for long-term storage; Size: Adult Pod
19-909-001 - Ea.
Pediatric Pod
19-909-002 - Ea.
Combo Pod

Reeves 104 Mass Casualty Stretcher



19-167-514 - Ea.
Stretcher, Mass Casualty; Reeves; Capacity: 1000 lb.; 5 removable hardwood slats; 18 oz. vinyl-coated Polyester; 6 handles; 3 polypropylene web patient security straps; Orange
19-167-515 - Ea.
Black

| Cat. No. | Page |
|------------------|------|
| 01-361-2B..... | 32 |
| 01-361-2C..... | 32 |
| 01-361-2D..... | 32 |
| 01-361-51A..... | 32 |
| 01-361-51B..... | 32 |
| 01-361-51C..... | 32 |
| 01-361-51D..... | 32 |
| 11-391-136D..... | 33 |
| 11-391-137C..... | 33 |
| 11-391-138C..... | 33 |
| 11-391-140C..... | 33 |
| 11-394-8A..... | 4 |
| 11-394-8B..... | 4 |
| 11-394-8C..... | 4 |
| 11-394-8D..... | 4 |
| 11-394-9A..... | 4 |
| 11-394-9B..... | 4 |
| 11-394-9C..... | 4 |
| 11-394-9D..... | 4 |
| 11-394-9E..... | 4 |
| 11-395-44A..... | 4 |
| 11-395-44B..... | 4 |
| 11-395-44C..... | 4 |
| 11-395-44D..... | 4 |
| 17-150-100..... | 21 |
| 17-206-1B..... | 37 |
| 17-206-2B..... | 37 |
| 17-206A..... | 37 |
| 17-206B..... | 37 |
| 17-210..... | 40 |
| 17-210-1A..... | 40 |
| 17-210-3..... | 40 |
| 17-215-1A..... | 38 |
| 17-215-2A..... | 38 |
| 17-215-2C..... | 38 |
| 17-215-3..... | 38 |
| 17-215-4..... | 38 |
| 17-215-6A..... | 38 |
| 17-215B..... | 38 |
| 17-215C..... | 38 |
| 17-215D..... | 38 |
| 17-377-403..... | 1 |
| 17-388-1A..... | 3 |
| 17-388-1B..... | 3 |
| 17-442-1..... | 29 |
| 17-442B..... | 29 |
| 17-506-1B..... | 31 |
| 17-506-1C..... | 31 |
| 17-506-1D..... | 31 |
| 17-506-1E..... | 31 |
| 17-506B..... | 31 |
| 17-506C..... | 31 |
| 17-506D..... | 31 |
| 17-506E..... | 31 |
| 17-816-10..... | 30 |
| 17-816-11..... | 30 |
| 17-816-13..... | 30 |
| 17-816-14..... | 30 |
| 17-816-15..... | 30 |
| 17-816-16..... | 30 |
| 17-816-17..... | 30 |
| 17-816-18..... | 30 |
| 17-816-19..... | 30 |
| 17-816-20..... | 30 |
| 17-816-24..... | 31 |
| 17-816-25..... | 31 |
| 17-816-26..... | 31 |
| 17-816-31..... | 31 |
| 17-816-36..... | 31 |
| 17-816-4..... | 30 |
| 17-816-44..... | 30 |
| 17-816-5..... | 30 |
| 17-816-9..... | 30 |
| 17-827-300..... | 1 |
| 17-827-301..... | 1 |
| 17-827-302..... | 1 |
| 17-930-1A..... | 40 |
| 17-930-1B..... | 40 |
| 17-930A..... | 40 |
| 17-931A..... | 41 |
| 17-931B..... | 41 |
| 17-932-1A..... | 41 |

| Cat. No. | Page |
|------------------|------|
| 17-932-1B..... | 41 |
| 17-932-2A..... | 41 |
| 17-932-2B..... | 41 |
| 17-932-3..... | 41 |
| 17-932-4..... | 41 |
| 17-932A..... | 41 |
| 17-932B..... | 41 |
| 17-932C..... | 41 |
| 17-932D..... | 41 |
| 17-932E..... | 41 |
| 17-961-000..... | 35 |
| 17-985-128..... | 37 |
| 17-985-354Z..... | 35 |
| 17-985-403B..... | 33 |
| 17-985-403C..... | 33 |
| 17-985-403D..... | 33 |
| 17-985-403E..... | 33 |
| 17-985-403F..... | 33 |
| 17-985-403G..... | 33 |
| 17-985-403H..... | 33 |
| 17-985-403J..... | 33 |
| 17-985-403K..... | 33 |
| 17-985-403L..... | 33 |
| 17-985-404A..... | 33 |
| 17-985-404B..... | 33 |
| 17-985-404C..... | 33 |
| 17-985-404D..... | 33 |
| 17-985-404E..... | 33 |
| 17-985-404F..... | 33 |
| 17-985-404G..... | 33 |
| 17-985-404H..... | 33 |
| 17-985-404J..... | 33 |
| 17-985-615..... | 35 |
| 17-985-617..... | 35 |
| 17-985-618..... | 35 |
| 17-985-620..... | 35 |
| 17-985-621..... | 35 |
| 17-985-622..... | 35 |
| 17-985-623..... | 35 |
| 17-986-11A..... | 11 |
| 17-986-11B..... | 11 |
| 17-986-11C..... | 11 |
| 17-986-11D..... | 11 |
| 17-986-11E..... | 11 |
| 17-986-229..... | 2 |
| 17-986-236..... | 14 |
| 17-986-237..... | 14 |
| 17-986-387..... | 8 |
| 17-986-388..... | 8 |
| 17-986-389..... | 8 |
| 17-986-390..... | 8 |
| 17-986-391..... | 8 |
| 17-986-392..... | 8 |
| 17-986-393..... | 8 |
| 17-986-394..... | 8 |
| 17-986-70A..... | 35 |
| 17-986-9A..... | 11 |
| 17-986-9B..... | 11 |
| 17-986-9C..... | 11 |
| 17-987-394..... | 14 |
| 17-987-3A..... | 11 |
| 17-987-3B..... | 11 |
| 17-987-401A..... | 8 |
| 17-987-401B..... | 8 |
| 17-987-401C..... | 8 |
| 17-987-401D..... | 8 |
| 17-987-401E..... | 8 |
| 17-987-401F..... | 8 |
| 17-987-401G..... | 8 |
| 17-988-408..... | 35 |
| 18-039-212..... | 27 |
| 18-063-500..... | 41 |
| 18-306..... | 11 |
| 18-478..... | 19 |
| 18-556R..... | 35 |
| 18-556S..... | 35 |
| 18-556T..... | 35 |
| 18-813-464..... | 1 |
| 18-813-465..... | 1 |
| 18-813-466..... | 1 |
| 18-813-467..... | 1 |
| 18-813-468..... | 1 |

| Cat. No. | Page |
|-------------------|------|
| 18-813-469..... | 1 |
| 18-813-470..... | 1 |
| 18-813-471..... | 1 |
| 18-813-472..... | 1 |
| 18-813-473..... | 1 |
| 18-813-474..... | 1 |
| 18-813-475..... | 1 |
| 18-861-225..... | 25 |
| 18-861-226..... | 25 |
| 18-861-227..... | 25 |
| 18-861-280..... | 24 |
| 18-919-001..... | 26 |
| 18-919-002..... | 26 |
| 18-919-003..... | 26 |
| 18-919-004..... | 26 |
| 18-919-012..... | 26 |
| 18-919-014..... | 27 |
| 18-919-022..... | 26 |
| 18-919-023..... | 26 |
| 18-919-024..... | 27 |
| 18-919-025..... | 27 |
| 18-919-034..... | 27 |
| 18-919-035..... | 27 |
| 18-919-036..... | 27 |
| 18-919-037..... | 27 |
| 18-919-038..... | 27 |
| 18-919-067..... | 28 |
| 18-999-1013..... | 41 |
| 18-999-1016..... | 41 |
| 18-999-1114..... | 14 |
| 18-999-1115..... | 14 |
| 18-999-1132..... | 14 |
| 18-999-1133..... | 14 |
| 18-999-1165A..... | 40 |
| 18-999-1504..... | 12 |
| 18-999-1651..... | 23 |
| 18-999-1720..... | 19 |
| 18-999-1721..... | 19 |
| 18-999-1722..... | 19 |
| 18-999-1916A..... | 35 |
| 18-999-2185..... | 38 |
| 18-999-2216..... | 32 |
| 18-999-2217..... | 32 |
| 18-999-2313..... | 1 |
| 18-999-2314..... | 1 |
| 18-999-2315..... | 1 |
| 18-999-2316..... | 1 |
| 18-999-2594..... | 39 |
| 18-999-284..... | 41 |
| 18-999-286..... | 41 |
| 18-999-327..... | 23 |
| 18-999-329..... | 23 |
| 18-999-330..... | 23 |
| 18-999-3337..... | 12 |
| 18-999-3338..... | 12 |
| 18-999-336B..... | 31 |
| 18-999-336C..... | 31 |
| 18-999-336D..... | 31 |
| 18-999-3427..... | 12 |
| 18-999-3687..... | 12 |
| 18-999-3765..... | 12 |
| 18-999-3791..... | 12 |
| 18-999-3807..... | 12 |
| 18-999-3808..... | 12 |
| 18-999-3810..... | 12 |
| 18-999-3886..... | 2 |
| 18-999-3887..... | 2 |
| 18-999-3889..... | 2 |
| 18-999-3897..... | 12 |
| 18-999-3898..... | 12 |
| 18-999-3899..... | 12 |
| 18-999-3900..... | 12 |
| 18-999-3919..... | 12 |
| 18-999-3920..... | 12 |
| 18-999-3923..... | 12 |
| 18-999-3932..... | 2 |
| 18-999-3933..... | 2 |
| 18-999-3934..... | 2 |
| 18-999-3935..... | 2 |
| 18-999-3936..... | 2 |
| 18-999-3937..... | 2 |
| 18-999-3978..... | 12 |

| Cat. No. | Page |
|------------------|------|
| 18-999-4000..... | 34 |
| 18-999-431A..... | 33 |
| 18-999-431B..... | 33 |
| 18-999-431C..... | 33 |
| 18-999-4548..... | 11 |
| 18-999-4549..... | 11 |
| 18-999-4550..... | 11 |
| 18-999-4551..... | 11 |
| 18-999-4552..... | 11 |
| 18-999-4553..... | 11 |
| 18-999-4555..... | 11 |
| 18-999-4556..... | 11 |
| 18-999-4557..... | 11 |
| 18-999-4566..... | 11 |
| 18-999-4567..... | 11 |
| 18-999-473..... | 10 |
| 18-999-7..... | 38 |
| 18-999-991..... | 41 |
| 19-002-705..... | 10 |
| 19-002-707..... | 10 |
| 19-002-709..... | 10 |
| 19-002-711..... | 10 |
| 19-002-713..... | 10 |
| 19-002-718..... | 10 |
| 19-002-719..... | 10 |
| 19-003-230..... | 12 |
| 19-003-264A..... | 19 |
| 19-003-264B..... | 19 |
| 19-003-264C..... | 19 |
| 19-003-267A..... | 19 |
| 19-005-165..... | 10 |
| 19-006-100..... | 14 |
| 19-006-101..... | 14 |
| 19-006-105..... | 14 |
| 19-006-108..... | 14 |
| 19-006-109..... | 14 |
| 19-006-110..... | 14 |
| 19-006-111..... | 14 |
| 19-008-095A..... | 20 |
| 19-013-349..... | 5 |
| 19-013-352..... | 5 |
| 19-013-357..... | 5 |
| 19-013-359..... | 5 |
| 19-013-469..... | 4 |
| 19-013-471..... | 4 |
| 19-013-475..... | 4 |
| 19-013-483..... | 4 |
| 19-013-820..... | 10 |
| 19-013-821..... | 10 |
| 19-013-822..... | 10 |
| 19-017-466..... | 15 |
| 19-017-959..... | 2 |
| 19-019-489..... | 9 |
| 19-019-490..... | 9 |
| 19-019-491..... | 9 |
| 19-019-492..... | 9 |
| 19-019-493..... | 9 |
| 19-019-494..... | 9 |
| 19-019-495..... | 9 |
| 19-019-496..... | 9 |
| 19-019-497..... | 9 |
| 19-019-498..... | 9 |
| 19-019-499..... | 9 |
| 19-019-500..... | 9 |
| 19-019-501..... | 9 |
| 19-020-048..... | 28 |
| 19-020-090..... | 28 |
| 19-021-229..... | 3 |
| 19-021-230..... | 3 |
| 19-021-350..... | 2 |
| 19-021-352..... | 2 |
| 19-021-353..... | 2 |
| 19-021-356..... | 2 |
| 19-021-359..... | 2 |
| 19-021-361..... | 2 |
| 19-021-362..... | 2 |
| 19-022-730..... | 9 |
| 19-022-731..... | 9 |
| 19-022-732..... | 9 |
| 19-022-733..... | 9 |
| 19-022-734..... | 9 |
| 19-022-735..... | 9 |

| Cat. No. | Page | Cat. No. | Page | Cat. No. | Page | Cat. No. | Page |
|------------------|------|------------------|------|-----------------|------|-------------------|------|
| 19-022-736..... | 9 | 19-035-266G..... | 9 | 19-047-276..... | 32 | 19-065-287..... | 42 |
| 19-022-737..... | 9 | 19-035-269A..... | 9 | 19-047-277..... | 32 | 19-065-288..... | 46 |
| 19-024-492..... | 8 | 19-035-302..... | 10 | 19-047-278..... | 32 | 19-065-289..... | 42 |
| 19-027-390..... | 29 | 19-035-303..... | 10 | 19-047-286..... | 2 | 19-065-290..... | 47 |
| 19-028-431..... | 23 | 19-035-304..... | 9 | 19-047-287..... | 2 | 19-065-556B..... | 6 |
| 19-028-433..... | 23 | 19-035-305..... | 10 | 19-047-289..... | 2 | 19-065-556C..... | 6 |
| 19-030-140..... | 24 | 19-037-352..... | 10 | 19-047-290..... | 2 | 19-065-556D..... | 6 |
| 19-030-141..... | 24 | 19-037-501..... | 11 | 19-047-294..... | 2 | 19-065-921..... | 29 |
| 19-030-142..... | 24 | 19-037-930..... | 30 | 19-047-826..... | 11 | 19-066-008..... | 29 |
| 19-030-143..... | 24 | 19-037-931..... | 30 | 19-047-828..... | 11 | 19-066-560..... | 37 |
| 19-030-145..... | 24 | 19-038-297..... | 19 | 19-048-161..... | 8 | 19-066-561..... | 37 |
| 19-030-146..... | 24 | 19-038-464..... | 38 | 19-048-163..... | 8 | 19-066-563..... | 37 |
| 19-032-814A..... | 7 | 19-038-865..... | 35 | 19-048-164..... | 8 | 19-066-565..... | 37 |
| 19-032-814B..... | 7 | 19-039-023A..... | 12 | 19-048-166..... | 8 | 19-066-566..... | 37 |
| 19-032-814C..... | 7 | 19-039-023B..... | 12 | 19-048-168..... | 8 | 19-066-569..... | 37 |
| 19-032-814D..... | 7 | 19-039-023C..... | 12 | 19-048-169..... | 8 | 19-066-570..... | 37 |
| 19-032-814E..... | 7 | 19-039-122..... | 39 | 19-048-170..... | 8 | 19-066-571..... | 37 |
| 19-032-814F..... | 7 | 19-039-123..... | 39 | 19-049-750..... | 24 | 19-066-572..... | 37 |
| 19-032-815B..... | 7 | 19-039-124..... | 39 | 19-049-752..... | 24 | 19-066-573..... | 37 |
| 19-032-815C..... | 7 | 19-039-126..... | 38 | 19-049-797..... | 14 | 19-066-574..... | 37 |
| 19-032-815D..... | 7 | 19-039-128..... | 39 | 19-049-801..... | 14 | 19-066-575..... | 37 |
| 19-033-002B..... | 12 | 19-039-135..... | 39 | 19-049-812..... | 14 | 19-066-576..... | 37 |
| 19-033-002C..... | 12 | 19-039-208..... | 1 | 19-049-814..... | 14 | 19-066-578..... | 37 |
| 19-033-003A..... | 12 | 19-039-209..... | 1 | 19-049-817..... | 14 | 19-066-579..... | 37 |
| 19-033-003B..... | 12 | 19-039-211..... | 1 | 19-049-926..... | 42 | 19-066-581..... | 37 |
| 19-033-004A..... | 12 | 19-039-212..... | 1 | 19-049-927..... | 42 | 19-066-584..... | 37 |
| 19-033-004B..... | 12 | 19-039-213..... | 1 | 19-049-928..... | 42 | 19-066-585..... | 37 |
| 19-033-004C..... | 12 | 19-039-227..... | 1 | 19-049-939..... | 14 | 19-066-591..... | 39 |
| 19-033-005A..... | 12 | 19-039-228..... | 1 | 19-049-941..... | 5 | 19-066-592..... | 39 |
| 19-033-009..... | 43 | 19-039-229..... | 1 | 19-049-942..... | 5 | 19-066-597..... | 39 |
| 19-033-524..... | 10 | 19-039-443..... | 40 | 19-051-510..... | 30 | 19-066-600..... | 39 |
| 19-033-611..... | 39 | 19-039-694A..... | 11 | 19-051-643..... | 18 | 19-066-601..... | 39 |
| 19-034-155..... | 37 | 19-039-694B..... | 11 | 19-051-645..... | 18 | 19-066-602..... | 39 |
| 19-034-156..... | 37 | 19-039-695A..... | 11 | 19-051-647..... | 18 | 19-066-603..... | 39 |
| 19-034-157..... | 37 | 19-039-695B..... | 11 | 19-051-649..... | 18 | 19-066-604..... | 39 |
| 19-034-362G..... | 30 | 19-040-016..... | 12 | 19-051-651..... | 18 | 19-066-606..... | 39 |
| 19-034-363B..... | 30 | 19-040-020..... | 12 | 19-051-695..... | 18 | 19-066-610..... | 39 |
| 19-034-461B..... | 33 | 19-041-172A..... | 3 | 19-051-699..... | 18 | 19-066-611..... | 39 |
| 19-034-461C..... | 33 | 19-041-172B..... | 3 | 19-051-701..... | 18 | 19-066-617..... | 39 |
| 19-034-461D..... | 33 | 19-041-172C..... | 3 | 19-051-783..... | 14 | 19-066-618..... | 39 |
| 19-034-461E..... | 33 | 19-041-172D..... | 3 | 19-051-793..... | 14 | 19-066-619..... | 39 |
| 19-034-461F..... | 33 | 19-041-172E..... | 3 | 19-052-059..... | 39 | 19-066-620..... | 39 |
| 19-034-461G..... | 33 | 19-041-417..... | 11 | 19-053-372..... | 29 | 19-066-621..... | 39 |
| 19-034-461H..... | 33 | 19-041-418..... | 11 | 19-055-141..... | 8 | 19-066-622..... | 39 |
| 19-034-462A..... | 9 | 19-041-420..... | 11 | 19-055-142..... | 8 | 19-066-626..... | 39 |
| 19-034-462B..... | 9 | 19-041-427..... | 10 | 19-055-143..... | 8 | 19-066-627..... | 39 |
| 19-034-462C..... | 9 | 19-041-429..... | 10 | 19-055-144..... | 8 | 19-066-635..... | 39 |
| 19-034-462D..... | 9 | 19-041-906A..... | 12 | 19-055-145..... | 8 | 19-067-524..... | 2 |
| 19-034-462E..... | 9 | 19-041-906B..... | 12 | 19-055-520..... | 34 | 19-067-903..... | 4 |
| 19-034-462F..... | 9 | 19-041-906C..... | 12 | 19-055-521..... | 34 | 19-067-904..... | 4 |
| 19-034-462G..... | 9 | 19-041-915..... | 34 | 19-055-522..... | 34 | 19-068-333..... | 20 |
| 19-034-462H..... | 9 | 19-041-972..... | 38 | 19-056-143..... | 8 | 19-068-968..... | 9 |
| 19-034-462J..... | 9 | 19-041-973..... | 38 | 19-056-144..... | 8 | 19-068-969..... | 9 |
| 19-034-663..... | 12 | 19-042-064..... | 24 | 19-056-145..... | 8 | 19-069-485..... | 5 |
| 19-034-900..... | 10 | 19-042-091..... | 34 | 19-056-146..... | 8 | 19-070-037..... | 14 |
| 19-034-901..... | 10 | 19-042-127..... | 5 | 19-056-186..... | 29 | 19-070-476..... | 2 |
| 19-034-902..... | 10 | 19-042-128..... | 5 | 19-057-354..... | 2 | 19-071-371..... | 5 |
| 19-034-903..... | 10 | 19-042-129..... | 34 | 19-057-557..... | 40 | 19-071-373..... | 5 |
| 19-034-904..... | 10 | 19-042-200..... | 34 | 19-057-559..... | 40 | 19-071-375..... | 5 |
| 19-034-905..... | 10 | 19-042-201..... | 34 | 19-058-021..... | 40 | 19-071-377..... | 5 |
| 19-034-906..... | 10 | 19-042-809..... | 44 | 19-058-022..... | 40 | 19-073-465..... | 15 |
| 19-034-907..... | 10 | 19-042-810..... | 34 | 19-058-078..... | 40 | 19-080-490..... | 30 |
| 19-034-908..... | 10 | 19-043-675..... | 2 | 19-058-280..... | 2 | 19-080-703..... | 35 |
| 19-034-909..... | 10 | 19-043-731..... | 30 | 19-058-288..... | 2 | 19-085-159..... | 29 |
| 19-034-910..... | 10 | 19-043-732..... | 29 | 19-058-520..... | 44 | 19-085-439..... | 2 |
| 19-034-913..... | 11 | 19-044-570..... | 44 | 19-058-521..... | 44 | 19-085-440..... | 2 |
| 19-034-914..... | 11 | 19-045-575..... | 44 | 19-058-522..... | 44 | 19-086-200..... | 30 |
| 19-034-915..... | 11 | 19-045-576..... | 44 | 19-058-524..... | 44 | 19-086-590..... | 15 |
| 19-034-916..... | 11 | 19-045-577..... | 44 | 19-058-525..... | 44 | 19-086-826..... | 30 |
| 19-034-917..... | 11 | 19-045-578..... | 44 | 19-058-526..... | 44 | 19-086-975..... | 12 |
| 19-034-918..... | 11 | 19-046-635..... | 35 | 19-058-527..... | 44 | 19-087-375A..... | 1 |
| 19-034-950..... | 13 | 19-046-636..... | 35 | 19-058-791..... | 5 | 19-087-375B..... | 1 |
| 19-034-969..... | 37 | 19-046-643..... | 35 | 19-058-792..... | 5 | 19-087-815..... | 39 |
| 19-034-972..... | 38 | 19-046-750..... | 35 | 19-059-139..... | 14 | 19-088-1230B..... | 32 |
| 19-035-260C..... | 9 | 19-046-756..... | 11 | 19-059-140..... | 14 | 19-088-1230C..... | 32 |
| 19-035-264C..... | 9 | 19-046-757..... | 11 | 19-059-169..... | 14 | 19-088-1230D..... | 32 |
| 19-035-264D..... | 9 | 19-046-758..... | 11 | 19-059-468..... | 14 | 19-088-1230E..... | 32 |
| 19-035-264F..... | 9 | 19-046-759..... | 11 | 19-059-668..... | 4 | 19-088-1230F..... | 32 |
| 19-035-266C..... | 9 | 19-047-066..... | 36 | 19-063-053..... | 41 | 19-088-1230G..... | 32 |
| 19-035-266D..... | 9 | 19-047-067..... | 36 | 19-063-072..... | 3 | 19-088-1470..... | 15 |
| 19-035-266E..... | 9 | 19-047-192..... | 2 | 19-065-248..... | 46 | 19-088-2137..... | 6 |
| 19-035-266F..... | 9 | 19-047-275..... | 32 | 19-065-286..... | 21 | 19-088-2138..... | 6 |

| Cat. No. | Page |
|------------------|------|
| 19-088-2139..... | 6 |
| 19-088-2140..... | 6 |
| 19-088-2141..... | 6 |
| 19-088-2142..... | 6 |
| 19-088-2143..... | 6 |
| 19-088-2144..... | 6 |
| 19-088-2145..... | 6 |
| 19-088-2146..... | 6 |
| 19-088-2147..... | 6 |
| 19-088-2148..... | 6 |
| 19-088-2149..... | 6 |
| 19-088-2150..... | 6 |
| 19-088-2151..... | 6 |
| 19-088-2152..... | 6 |
| 19-088-2153..... | 6 |
| 19-088-2154..... | 6 |
| 19-088-2155..... | 6 |
| 19-088-2156..... | 6 |
| 19-088-2157..... | 6 |
| 19-088-2158..... | 6 |
| 19-088-2159..... | 6 |
| 19-088-2160..... | 6 |
| 19-088-2161..... | 6 |
| 19-088-2162..... | 6 |
| 19-088-2163..... | 6 |
| 19-088-2164..... | 6 |
| 19-096-901..... | 11 |
| 19-100-348..... | 17 |
| 19-100-349..... | 17 |
| 19-100-350..... | 17 |
| 19-100-351..... | 17 |
| 19-100-352..... | 17 |
| 19-100-374..... | 17 |
| 19-100-375..... | 17 |
| 19-100-730..... | 45 |
| 19-100-731..... | 45 |
| 19-100-733..... | 45 |
| 19-102-753..... | 39 |
| 19-102-754..... | 39 |
| 19-102-755..... | 39 |
| 19-102-756..... | 39 |
| 19-110-114..... | 21 |
| 19-120-068..... | 40 |
| 19-120-069..... | 40 |
| 19-120-071..... | 40 |
| 19-120-088..... | 40 |
| 19-120-1072..... | 21 |
| 19-120-1073..... | 21 |
| 19-120-1077..... | 46 |
| 19-120-1078..... | 46 |
| 19-120-1079..... | 45 |
| 19-120-1080..... | 45 |
| 19-120-1081..... | 45 |
| 19-120-1099..... | 47 |
| 19-120-1107..... | 47 |
| 19-120-1110..... | 47 |
| 19-120-1111..... | 47 |
| 19-120-113..... | 40 |
| 19-120-114..... | 40 |
| 19-120-115..... | 40 |
| 19-120-158..... | 25 |
| 19-120-2112..... | 29 |
| 19-120-214..... | 24 |
| 19-120-215..... | 24 |
| 19-120-2326..... | 46 |
| 19-120-2342..... | 46 |
| 19-120-2343..... | 46 |
| 19-120-2344..... | 21 |
| 19-120-2346..... | 21 |
| 19-120-2348..... | 21 |
| 19-120-2385..... | 47 |
| 19-120-2387..... | 47 |
| 19-120-2388..... | 47 |
| 19-120-2389..... | 47 |
| 19-120-2392..... | 47 |
| 19-120-2478..... | 19 |
| 19-120-2671..... | 23 |
| 19-120-2672..... | 23 |
| 19-120-2679..... | 23 |
| 19-120-2742..... | 22 |
| 19-120-285..... | 34 |
| 19-120-312A..... | 7 |

| Cat. No. | Page |
|-------------------|------|
| 19-120-312B..... | 7 |
| 19-120-312C..... | 7 |
| 19-120-312D..... | 7 |
| 19-120-312E..... | 7 |
| 19-120-312F..... | 7 |
| 19-120-3161..... | 25 |
| 19-120-3161..... | 25 |
| 19-120-329A..... | 18 |
| 19-120-329C..... | 18 |
| 19-120-329E..... | 18 |
| 19-120-329G..... | 18 |
| 19-120-329I..... | 18 |
| 19-120-3524..... | 25 |
| 19-120-3525..... | 25 |
| 19-120-3526..... | 25 |
| 19-120-3787..... | 36 |
| 19-120-3891..... | 44 |
| 19-120-3892..... | 44 |
| 19-120-473..... | 39 |
| 19-120-695..... | 42 |
| 19-121-018..... | 39 |
| 19-121-528..... | 34 |
| 19-121-531..... | 13 |
| 19-121-532..... | 13 |
| 19-121-533..... | 13 |
| 19-121-534..... | 13 |
| 19-121-535..... | 13 |
| 19-121-677..... | 34 |
| 19-121-720..... | 12 |
| 19-121-721..... | 34 |
| 19-121-722..... | 34 |
| 19-121-753..... | 31 |
| 19-121-807..... | 22 |
| 19-121-808..... | 22 |
| 19-122-849..... | 2 |
| 19-122-884..... | 38 |
| 19-122-885..... | 37 |
| 19-123-398..... | 35 |
| 19-123-401..... | 35 |
| 19-123-415..... | 35 |
| 19-123-486..... | 20 |
| 19-123-487..... | 20 |
| 19-123-600..... | 12 |
| 19-130-0000..... | 32 |
| 19-130-0001..... | 32 |
| 19-130-0002..... | 32 |
| 19-130-0003..... | 32 |
| 19-130-0004..... | 32 |
| 19-130-0005..... | 32 |
| 19-130-0012..... | 32 |
| 19-130-0330..... | 32 |
| 19-130-0331..... | 32 |
| 19-130-0332..... | 32 |
| 19-130-0333..... | 32 |
| 19-130-0334..... | 32 |
| 19-130-0335..... | 32 |
| 19-130-0336..... | 32 |
| 19-130-0381..... | 14 |
| 19-130-0457..... | 34 |
| 19-130-0458..... | 44 |
| 19-130-0459..... | 44 |
| 19-130-0460..... | 44 |
| 19-130-0465..... | 3 |
| 19-130-0466..... | 3 |
| 19-130-0492..... | 45 |
| 19-130-0504..... | 20 |
| 19-130-0512..... | 20 |
| 19-130-0553A..... | 17 |
| 19-130-0553B..... | 17 |
| 19-130-0553C..... | 17 |
| 19-130-0553D..... | 17 |
| 19-130-0553E..... | 17 |
| 19-130-0670..... | 44 |
| 19-130-0671..... | 44 |
| 19-130-0672..... | 44 |
| 19-130-0673..... | 44 |
| 19-130-0675..... | 45 |
| 19-130-0677..... | 45 |
| 19-130-0683..... | 45 |
| 19-130-091..... | 22 |
| 19-130-0950..... | 23 |
| 19-130-0951..... | 23 |

| Cat. No. | Page |
|-------------------|------|
| 19-130-0952..... | 23 |
| 19-130-0980..... | 25 |
| 19-130-1009..... | 25 |
| 19-130-1010..... | 25 |
| 19-130-1082..... | 22 |
| 19-130-1300B..... | 43 |
| 19-130-1300C..... | 43 |
| 19-130-1300D..... | 43 |
| 19-130-1300E..... | 43 |
| 19-130-1597A..... | 3 |
| 19-130-1597B..... | 3 |
| 19-130-1597C..... | 3 |
| 19-130-1597D..... | 3 |
| 19-130-1597E..... | 3 |
| 19-130-1597F..... | 3 |
| 19-130-1929E..... | 31 |
| 19-130-1975..... | 3 |
| 19-130-1976..... | 3 |
| 19-130-1977..... | 3 |
| 19-130-2041..... | 13 |
| 19-130-3853..... | 45 |
| 19-130-4282..... | 29 |
| 19-130-4582..... | 1 |
| 19-130-4583..... | 1 |
| 19-130-4584..... | 1 |
| 19-130-4585..... | 1 |
| 19-130-4586..... | 1 |
| 19-130-4587..... | 1 |
| 19-130-4707..... | 40 |
| 19-130-4731..... | 42 |
| 19-130-4758..... | 40 |
| 19-130-4760..... | 40 |
| 19-130-4761..... | 40 |
| 19-130-4762..... | 40 |
| 19-130-4763..... | 40 |
| 19-130-4765..... | 40 |
| 19-130-4770..... | 40 |
| 19-130-4771..... | 40 |
| 19-130-4853A..... | 44 |
| 19-130-4853B..... | 44 |
| 19-130-4853C..... | 44 |
| 19-130-4862..... | 36 |
| 19-130-4863..... | 36 |
| 19-130-4866..... | 36 |
| 19-130-5004..... | 40 |
| 19-130-5364..... | 14 |
| 19-130-5365..... | 14 |
| 19-130-5367..... | 14 |
| 19-130-5368..... | 14 |
| 19-130-5369..... | 14 |
| 19-130-5370..... | 14 |
| 19-130-5371..... | 14 |
| 19-130-5700..... | 28 |
| 19-130-5718..... | 28 |
| 19-130-5720..... | 45 |
| 19-130-5806..... | 7 |
| 19-130-5807..... | 7 |
| 19-130-5808..... | 7 |
| 19-130-5809..... | 7 |
| 19-130-5810..... | 7 |
| 19-130-5811..... | 7 |
| 19-130-5812..... | 7 |
| 19-130-5813..... | 7 |
| 19-134-500..... | 4 |
| 19-134-501..... | 4 |
| 19-134-502..... | 4 |
| 19-134-503..... | 4 |
| 19-134-504..... | 4 |
| 19-141-740..... | 26 |
| 19-141-741..... | 26 |
| 19-141-750..... | 32 |
| 19-141-751..... | 32 |
| 19-141-752..... | 32 |
| 19-141-754..... | 32 |
| 19-142-781..... | 39 |
| 19-142-782..... | 39 |
| 19-145-476..... | 19 |
| 19-146-381..... | 13 |
| 19-146-383..... | 13 |
| 19-146-385..... | 13 |
| 19-146-387..... | 13 |
| 19-148-340..... | 13 |

| Cat. No. | Page |
|------------------|------|
| 19-148-341..... | 13 |
| 19-148-342..... | 13 |
| 19-148-343..... | 13 |
| 19-148-729..... | 13 |
| 19-148-730..... | 13 |
| 19-148-731..... | 13 |
| 19-148-732..... | 13 |
| 19-149-863..... | 3 |
| 19-149-863A..... | 3 |
| 19-149-863B..... | 3 |
| 19-149-863C..... | 3 |
| 19-149-863D..... | 3 |
| 19-149-864..... | 3 |
| 19-149-864A..... | 3 |
| 19-149-864B..... | 3 |
| 19-149-864C..... | 3 |
| 19-149-864D..... | 3 |
| 19-149-891..... | 14 |
| 19-149-893..... | 14 |
| 19-150-0048..... | 29 |
| 19-150-0069..... | 10 |
| 19-150-0070..... | 10 |
| 19-150-0341..... | 42 |
| 19-150-0342..... | 42 |
| 19-150-0343..... | 42 |
| 19-150-0344..... | 42 |
| 19-150-0345..... | 42 |
| 19-150-0346..... | 42 |
| 19-150-0347..... | 42 |
| 19-150-0348..... | 42 |
| 19-150-0349..... | 42 |
| 19-150-0350..... | 42 |
| 19-150-0352..... | 42 |
| 19-150-0353..... | 42 |
| 19-150-0354..... | 42 |
| 19-150-0355..... | 42 |
| 19-150-0356..... | 42 |
| 19-150-0404..... | 43 |
| 19-150-0417..... | 14 |
| 19-150-0714..... | 36 |
| 19-150-0729..... | 4 |
| 19-150-2304..... | 35 |
| 19-150-2305..... | 35 |
| 19-150-2306..... | 35 |
| 19-150-2307..... | 35 |
| 19-153-650..... | 3 |
| 19-153-651..... | 3 |
| 19-154-639..... | 21 |
| 19-160-321..... | 29 |
| 19-160-322..... | 29 |
| 19-160-398A..... | 4 |
| 19-160-398B..... | 4 |
| 19-160-398C..... | 4 |
| 19-160-398D..... | 4 |
| 19-160-822A..... | 13 |
| 19-160-822B..... | 13 |
| 19-160-822C..... | 13 |
| 19-160-822D..... | 13 |
| 19-160-824D..... | 13 |
| 19-160-826..... | 13 |
| 19-161-597..... | 29 |
| 19-161-726..... | 31 |
| 19-161-727..... | 31 |
| 19-161-728..... | 31 |
| 19-161-729..... | 31 |
| 19-161-730..... | 31 |
| 19-161-731..... | 31 |
| 19-161-732..... | 31 |
| 19-161-914..... | 1 |
| 19-163-062..... | 41 |
| 19-163-063..... | 41 |
| 19-163-070..... | 41 |
| 19-163-074..... | 41 |
| 19-163-078..... | 41 |
| 19-163-080..... | 41 |
| 19-163-081..... | 41 |
| 19-163-082..... | 41 |
| 19-163-084..... | 41 |
| 19-165-101..... | 45 |
| 19-165-103..... | 45 |
| 19-165-4000..... | 46 |

| Cat. No. | Page |
|------------------|------|
| 19-165-4008..... | 46 |
| 19-165-4026..... | 46 |
| 19-165-616..... | 22 |
| 19-165-617..... | 22 |
| 19-165-940..... | 36 |
| 19-165-941..... | 36 |
| 19-165-942..... | 36 |
| 19-165-943..... | 36 |
| 19-165-946..... | 36 |
| 19-165-947..... | 36 |
| 19-165-948..... | 36 |
| 19-165-966..... | 36 |
| 19-166-1147..... | 43 |
| 19-166-1148..... | 43 |
| 19-166-1149..... | 43 |
| 19-166-1150..... | 43 |
| 19-166-1151..... | 43 |
| 19-166-1163..... | 43 |
| 19-166-1164..... | 43 |
| 19-166-1165..... | 43 |
| 19-166-1167..... | 43 |
| 19-166-1169..... | 43 |
| 19-166-330E..... | 7 |
| 19-166-330F..... | 7 |
| 19-166-330G..... | 7 |
| 19-166-365..... | 36 |
| 19-166-485..... | 7 |
| 19-166-487..... | 7 |
| 19-166-488..... | 7 |
| 19-166-489..... | 7 |
| 19-166-490..... | 7 |
| 19-166-491..... | 7 |
| 19-166-492..... | 7 |
| 19-166-493..... | 7 |
| 19-166-494..... | 7 |
| 19-166-495..... | 7 |
| 19-166-496..... | 7 |
| 19-167-050..... | 33 |
| 19-167-051..... | 33 |
| 19-167-052..... | 33 |
| 19-167-053..... | 33 |
| 19-167-054..... | 33 |
| 19-167-227..... | 29 |
| 19-167-228..... | 29 |
| 19-167-339..... | 18 |
| 19-167-340..... | 18 |
| 19-167-341..... | 18 |
| 19-167-342..... | 18 |
| 19-167-343..... | 18 |
| 19-167-344..... | 18 |
| 19-167-345..... | 18 |
| 19-167-346..... | 18 |
| 19-167-347..... | 18 |
| 19-167-348..... | 18 |
| 19-167-349..... | 18 |
| 19-167-350..... | 18 |
| 19-167-351..... | 18 |
| 19-167-352..... | 18 |
| 19-167-353..... | 18 |
| 19-167-354..... | 18 |
| 19-167-355..... | 18 |
| 19-167-356..... | 18 |
| 19-167-357..... | 18 |
| 19-167-396..... | 18 |
| 19-167-397..... | 18 |
| 19-167-398..... | 18 |
| 19-167-399..... | 18 |
| 19-167-400..... | 18 |
| 19-167-401..... | 18 |
| 19-167-402..... | 18 |
| 19-167-403..... | 18 |
| 19-167-404..... | 18 |
| 19-167-405..... | 18 |
| 19-167-406..... | 18 |
| 19-167-407..... | 18 |
| 19-167-408..... | 18 |
| 19-167-409..... | 18 |
| 19-167-410..... | 18 |
| 19-167-411..... | 18 |
| 19-167-412..... | 18 |
| 19-167-413..... | 18 |
| 19-167-414..... | 18 |

| Cat. No. | Page |
|-----------------|------|
| 19-167-415..... | 18 |
| 19-167-506..... | 29 |
| 19-167-507..... | 29 |
| 19-167-508..... | 29 |
| 19-167-509..... | 29 |
| 19-167-510..... | 29 |
| 19-167-511..... | 29 |
| 19-167-512..... | 28 |
| 19-167-513..... | 28 |
| 19-167-514..... | 49 |
| 19-167-515..... | 49 |
| 19-167-516..... | 29 |
| 19-167-517..... | 29 |
| 19-167-518..... | 29 |
| 19-167-519..... | 28 |
| 19-167-520..... | 28 |
| 19-167-521..... | 46 |
| 19-167-522..... | 46 |
| 19-167-523..... | 46 |
| 19-167-524..... | 46 |
| 19-167-525..... | 46 |
| 19-167-526..... | 46 |
| 19-167-529..... | 28 |
| 19-167-532..... | 28 |
| 19-167-533..... | 28 |
| 19-167-534..... | 28 |
| 19-167-535..... | 28 |
| 19-167-536..... | 28 |
| 19-167-537..... | 45 |
| 19-167-538..... | 45 |
| 19-167-539..... | 45 |
| 19-167-540..... | 45 |
| 19-167-545..... | 49 |
| 19-167-546..... | 49 |
| 19-167-547..... | 49 |
| 19-167-548..... | 49 |
| 19-167-550..... | 49 |
| 19-167-551..... | 49 |
| 19-167-552..... | 49 |
| 19-167-553..... | 49 |
| 19-167-554..... | 49 |
| 19-167-555..... | 48 |
| 19-167-556..... | 48 |
| 19-167-557..... | 48 |
| 19-167-559..... | 48 |
| 19-167-560..... | 48 |
| 19-167-561..... | 48 |
| 19-167-562..... | 48 |
| 19-167-563..... | 48 |
| 19-167-566..... | 47 |
| 19-167-567..... | 47 |
| 19-167-568..... | 47 |
| 19-167-585..... | 47 |
| 19-167-591..... | 45 |
| 19-167-592..... | 45 |
| 19-167-594..... | 45 |
| 19-167-595..... | 45 |
| 19-167-636..... | 47 |
| 19-167-643..... | 45 |
| 19-167-644..... | 45 |
| 19-167-647..... | 42 |
| 19-167-648..... | 42 |
| 19-167-649..... | 48 |
| 19-167-650..... | 48 |
| 19-167-651..... | 48 |
| 19-167-652..... | 48 |
| 19-167-653..... | 48 |
| 19-167-654..... | 48 |
| 19-167-655..... | 48 |
| 19-167-685..... | 48 |
| 19-167-689..... | 46 |
| 19-167-690..... | 46 |
| 19-167-691..... | 46 |
| 19-167-693..... | 41 |
| 19-167-694..... | 41 |
| 19-167-707..... | 49 |
| 19-167-715..... | 45 |
| 19-167-717..... | 46 |
| 19-167-718..... | 46 |
| 19-167-719..... | 46 |
| 19-167-720..... | 46 |
| 19-167-721..... | 46 |

| Cat. No. | Page |
|------------------|------|
| 19-167-722..... | 47 |
| 19-167-723..... | 47 |
| 19-167-724..... | 47 |
| 19-167-725..... | 47 |
| 19-167-726..... | 47 |
| 19-167-727..... | 47 |
| 19-167-728..... | 47 |
| 19-167-729..... | 47 |
| 19-167-730..... | 47 |
| 19-167-731..... | 47 |
| 19-167-732..... | 47 |
| 19-167-733..... | 47 |
| 19-167-734..... | 47 |
| 19-167-735..... | 47 |
| 19-167-740..... | 45 |
| 19-167-805A..... | 5 |
| 19-167-805B..... | 5 |
| 19-167-805C..... | 5 |
| 19-167-805D..... | 5 |
| 19-167-805E..... | 5 |
| 19-167-806A..... | 5 |
| 19-167-806B..... | 5 |
| 19-167-806C..... | 5 |
| 19-167-806D..... | 5 |
| 19-167-806E..... | 5 |
| 19-167-807B..... | 5 |
| 19-167-807C..... | 5 |
| 19-167-807D..... | 5 |
| 19-168-178..... | 28 |
| 19-168-179..... | 28 |
| 19-168-2070..... | 5 |
| 19-168-2072..... | 5 |
| 19-168-2073..... | 5 |
| 19-168-2075..... | 5 |
| 19-168-2076..... | 5 |
| 19-168-2083..... | 5 |
| 19-168-2084..... | 5 |
| 19-168-2085..... | 5 |
| 19-168-2112..... | 5 |
| 19-168-2113..... | 5 |
| 19-168-2114..... | 5 |
| 19-168-2115..... | 5 |
| 19-168-2116..... | 5 |
| 19-168-2117..... | 5 |
| 19-168-2118..... | 5 |
| 19-168-2120..... | 5 |
| 19-168-2122..... | 5 |
| 19-168-223..... | 21 |
| 19-168-245A..... | 16 |
| 19-168-245B..... | 16 |
| 19-168-245C..... | 16 |
| 19-168-245D..... | 16 |
| 19-168-245E..... | 16 |
| 19-168-245F..... | 16 |
| 19-168-245G..... | 16 |
| 19-168-262..... | 43 |
| 19-168-290..... | 4 |
| 19-168-291..... | 4 |
| 19-168-292..... | 4 |
| 19-168-293..... | 4 |
| 19-168-322..... | 22 |
| 19-168-323..... | 22 |
| 19-168-350A..... | 8 |
| 19-168-350B..... | 8 |
| 19-168-350C..... | 8 |
| 19-168-350D..... | 8 |
| 19-168-350E..... | 8 |
| 19-168-350F..... | 8 |
| 19-168-350G..... | 8 |
| 19-168-350H..... | 8 |
| 19-168-350I..... | 8 |
| 19-168-351B..... | 7 |
| 19-168-351C..... | 7 |
| 19-168-351D..... | 7 |
| 19-168-351E..... | 7 |
| 19-168-351F..... | 7 |
| 19-168-351G..... | 7 |
| 19-168-373..... | 19 |
| 19-168-374..... | 19 |
| 19-168-375..... | 19 |
| 19-168-376..... | 19 |
| 19-168-377..... | 19 |

| Cat. No. | Page |
|------------------|------|
| 19-168-378..... | 19 |
| 19-168-379..... | 19 |
| 19-168-50..... | 5 |
| 19-168-51..... | 5 |
| 19-168-52..... | 5 |
| 19-168-53..... | 5 |
| 19-168-54..... | 5 |
| 19-168-55..... | 5 |
| 19-168-730..... | 34 |
| 19-168-731..... | 34 |
| 19-168-732..... | 34 |
| 19-168-733..... | 34 |
| 19-168-734..... | 34 |
| 19-168-735..... | 34 |
| 19-168-967A..... | 3 |
| 19-168-967B..... | 3 |
| 19-168-967C..... | 3 |
| 19-168-967D..... | 3 |
| 19-168-967E..... | 3 |
| 19-168-967F..... | 3 |
| 19-169-180..... | 46 |
| 19-169-400..... | 48 |
| 19-169-401..... | 48 |
| 19-169-402..... | 48 |
| 19-169-403..... | 48 |
| 19-169-404..... | 48 |
| 19-169-405..... | 48 |
| 19-169-406..... | 48 |
| 19-169-407..... | 48 |
| 19-169-408..... | 48 |
| 19-169-409..... | 48 |
| 19-169-410..... | 48 |
| 19-169-413..... | 21 |
| 19-169-414..... | 21 |
| 19-169-415..... | 21 |
| 19-169-416..... | 49 |
| 19-169-417..... | 49 |
| 19-169-419..... | 48 |
| 19-169-420..... | 45 |
| 19-169-421..... | 45 |
| 19-169-422..... | 45 |
| 19-169-427..... | 48 |
| 19-169-428..... | 48 |
| 19-169-430..... | 45 |
| 19-169-434..... | 48 |
| 19-169-435..... | 48 |
| 19-169-436..... | 48 |
| 19-169-439..... | 47 |
| 19-169-502..... | 43 |
| 19-169-511..... | 43 |
| 19-169-702..... | 37 |
| 19-169-704..... | 37 |
| 19-169-705..... | 37 |
| 19-169-948..... | 29 |
| 19-170-453..... | 43 |
| 19-171-019A..... | 16 |
| 19-171-019B..... | 16 |
| 19-171-019C..... | 16 |
| 19-171-019D..... | 16 |
| 19-171-019E..... | 16 |
| 19-171-019F..... | 16 |
| 19-171-019G..... | 16 |
| 19-171-020A..... | 16 |
| 19-171-020B..... | 16 |
| 19-171-020C..... | 16 |
| 19-171-020D..... | 16 |
| 19-171-020E..... | 16 |
| 19-171-020F..... | 16 |
| 19-171-020G..... | 16 |
| 19-171-021..... | 21 |
| 19-171-022..... | 21 |
| 19-171-023..... | 21 |
| 19-171-197..... | 30 |
| 19-171-198..... | 30 |
| 19-171-199..... | 30 |
| 19-171-200..... | 30 |
| 19-171-201..... | 30 |
| 19-171-202..... | 30 |
| 19-171-203..... | 30 |
| 19-171-206..... | 30 |
| 19-171-315..... | 40 |
| 19-171-316..... | 40 |

| Cat. No. | Page |
|------------|------|
| 19-171-317 | 40 |
| 19-171-319 | 39 |
| 19-171-320 | 39 |
| 19-171-321 | 39 |
| 19-177-821 | 43 |
| 19-177-822 | 43 |
| 19-177-823 | 43 |
| 19-177-825 | 43 |
| 19-177-826 | 43 |
| 19-177-827 | 43 |
| 19-181-540 | 1 |
| 19-181-541 | 1 |
| 19-181-542 | 1 |
| 19-186-170 | 22 |
| 19-190-050 | 38 |
| 19-190-051 | 38 |
| 19-190-052 | 38 |
| 19-190-053 | 38 |
| 19-190-054 | 38 |
| 19-190-055 | 38 |
| 19-190-056 | 38 |
| 19-190-057 | 38 |
| 19-190-058 | 38 |
| 19-190-059 | 38 |
| 19-190-060 | 38 |
| 19-190-061 | 38 |
| 19-190-062 | 38 |
| 19-190-063 | 38 |
| 19-220-347 | 23 |
| 19-220-349 | 23 |
| 19-220-350 | 23 |
| 19-220-363 | 23 |
| 19-313-420 | 24 |
| 19-412-655 | 43 |
| 19-412-656 | 43 |
| 19-412-657 | 43 |
| 19-412-658 | 43 |
| 19-412-659 | 43 |
| 19-412-660 | 43 |
| 19-412-661 | 43 |
| 19-412-663 | 43 |
| 19-420-120 | 35 |
| 19-500-115 | 19 |
| 19-500-122 | 19 |
| 19-500-154 | 15 |
| 19-500-188 | 43 |
| 19-500-189 | 22 |
| 19-500-221 | 35 |
| 19-500-225 | 36 |
| 19-500-245 | 23 |
| 19-500-246 | 23 |
| 19-500-301 | 25 |
| 19-500-302 | 25 |
| 19-500-304 | 25 |
| 19-500-332 | 20 |
| 19-500-366 | 22 |
| 19-500-368 | 22 |
| 19-500-399 | 24 |
| 19-500-400 | 24 |
| 19-500-402 | 25 |
| 19-500-413 | 20 |
| 19-500-414 | 20 |
| 19-500-416 | 20 |
| 19-500-417 | 20 |
| 19-500-425 | 34 |
| 19-500-462 | 28 |
| 19-500-477 | 36 |
| 19-500-481 | 17 |
| 19-500-482 | 17 |
| 19-500-483 | 22 |
| 19-500-500 | 17 |
| 19-500-507 | 26 |
| 19-500-508 | 26 |
| 19-500-509 | 26 |
| 19-500-510 | 26 |
| 19-500-511 | 26 |
| 19-500-518 | 26 |
| 19-500-519 | 26 |
| 19-500-559 | 22 |
| 19-500-562 | 22 |
| 19-512-700 | 23 |
| 19-520-301 | 2 |

| Cat. No. | Page |
|------------|------|
| 19-520-302 | 2 |
| 19-520-304 | 2 |
| 19-520-319 | 13 |
| 19-520-320 | 13 |
| 19-520-321 | 13 |
| 19-520-322 | 13 |
| 19-520-323 | 13 |
| 19-520-324 | 13 |
| 19-520-325 | 13 |
| 19-520-415 | 15 |
| 19-520-416 | 15 |
| 19-520-417 | 15 |
| 19-520-418 | 15 |
| 19-520-419 | 15 |
| 19-520-420 | 15 |
| 19-520-421 | 15 |
| 19-520-422 | 15 |
| 19-520-423 | 15 |
| 19-700-879 | 34 |
| 19-804-193 | 19 |
| 19-805-484 | 15 |
| 19-805-485 | 15 |
| 19-805-875 | 24 |
| 19-805-933 | 36 |
| 19-805-934 | 36 |
| 19-805-935 | 36 |
| 19-806-299 | 27 |
| 19-806-383 | 19 |
| 19-808-077 | 10 |
| 19-808-280 | 37 |
| 19-808-328 | 27 |
| 19-808-329 | 27 |
| 19-808-331 | 27 |
| 19-808-335 | 27 |
| 19-808-374 | 26 |
| 19-808-375 | 26 |
| 19-808-470 | 26 |
| 19-808-503 | 26 |
| 19-808-504 | 26 |
| 19-808-505 | 26 |
| 19-808-767 | 19 |
| 19-808-768 | 19 |
| 19-808-794 | 26 |
| 19-808-802 | 20 |
| 19-808-803 | 20 |
| 19-810-125 | 36 |
| 19-811-089 | 36 |
| 19-811-422 | 28 |
| 19-811-469 | 24 |
| 19-811-761 | 20 |
| 19-811-762 | 20 |
| 19-811-765 | 20 |
| 19-811-766 | 20 |
| 19-812-097 | 37 |
| 19-812-098 | 37 |
| 19-812-099 | 37 |
| 19-812-424 | 28 |
| 19-812-426 | 28 |
| 19-812-428 | 28 |
| 19-812-540 | 42 |
| 19-812-543 | 39 |
| 19-812-659 | 31 |
| 19-812-660 | 31 |
| 19-812-661 | 31 |
| 19-812-662 | 31 |
| 19-812-663 | 31 |
| 19-812-800 | 21 |
| 19-812-801 | 21 |
| 19-812-804 | 28 |
| 19-812-806 | 29 |
| 19-812-807 | 29 |
| 19-813-754 | 44 |
| 19-813-760 | 44 |
| 19-813-762 | 44 |
| 19-813-764 | 44 |
| 19-814-690 | 15 |
| 19-814-691 | 15 |
| 19-814-692 | 15 |
| 19-814-693 | 15 |
| 19-814-937 | 15 |
| 19-815-029 | 16 |
| 19-815-031 | 16 |

| Cat. No. | Page |
|------------|------|
| 19-815-032 | 16 |
| 19-815-033 | 16 |
| 19-815-200 | 16 |
| 19-815-201 | 16 |
| 19-815-202 | 16 |
| 19-815-849 | 21 |
| 19-816-366 | 14 |
| 19-816-834 | 4 |
| 19-816-835 | 4 |
| 19-816-836 | 4 |
| 19-816-922 | 5 |
| 19-817-730 | 24 |
| 19-817-733 | 24 |
| 19-817-738 | 25 |
| 19-817-749 | 25 |
| 19-817-750 | 25 |
| 19-818-103 | 17 |
| 19-818-104 | 17 |
| 19-818-105 | 17 |
| 19-818-106 | 17 |
| 19-818-110 | 17 |
| 19-818-111 | 17 |
| 19-818-113 | 17 |
| 19-818-115 | 17 |
| 19-818-117 | 17 |
| 19-818-121 | 27 |
| 19-818-124 | 27 |
| 19-818-129 | 27 |
| 19-818-133 | 27 |
| 19-818-134 | 27 |
| 19-818-470 | 34 |
| 19-818-471 | 34 |
| 19-818-472 | 34 |
| 19-819-075 | 9 |
| 19-819-425 | 38 |
| 19-819-468 | 38 |
| 19-819-470 | 39 |
| 19-819-830 | 23 |
| 19-819-836 | 22 |
| 19-820-441 | 26 |
| 19-820-442 | 26 |
| 19-820-786 | 47 |
| 19-820-797 | 25 |
| 19-820-798 | 25 |
| 19-820-799 | 25 |
| 19-820-800 | 25 |
| 19-820-818 | 25 |
| 19-820-820 | 25 |
| 19-820-821 | 25 |
| 19-820-822 | 25 |
| 19-820-824 | 25 |
| 19-820-825 | 25 |
| 19-821-451 | 17 |
| 19-821-452 | 17 |
| 19-821-453 | 17 |
| 19-821-479 | 17 |
| 19-821-480 | 17 |
| 19-821-481 | 17 |
| 19-821-482 | 17 |
| 19-821-483 | 17 |
| 19-821-484 | 17 |
| 19-821-485 | 17 |
| 19-821-486 | 17 |
| 19-821-487 | 17 |
| 19-821-488 | 17 |
| 19-821-489 | 17 |
| 19-821-490 | 17 |
| 19-821-491 | 17 |
| 19-822-499 | 22 |
| 19-822-500 | 22 |
| 19-822-550 | 34 |
| 19-822-580 | 34 |
| 19-822-581 | 34 |
| 19-822-762 | 8 |
| 19-822-848 | 12 |
| 19-822-943 | 22 |
| 19-823-180 | 15 |
| 19-823-206 | 47 |
| 19-823-211 | 40 |
| 19-823-213 | 25 |
| 19-823-218 | 25 |
| 19-823-219 | 25 |

| Cat. No. | Page |
|-------------|------|
| 19-823-220 | 25 |
| 19-823-668 | 23 |
| 19-823-669 | 23 |
| 19-823-671 | 23 |
| 19-823-674 | 23 |
| 19-823-752 | 36 |
| 19-823-964 | 44 |
| 19-823-965 | 44 |
| 19-823-966 | 44 |
| 19-823-967 | 44 |
| 19-823-984 | 44 |
| 19-825-009 | 13 |
| 19-825-010 | 13 |
| 19-825-011 | 13 |
| 19-825-012 | 13 |
| 19-909-000 | 49 |
| 19-909-001 | 49 |
| 19-909-002 | 49 |
| 19-999-275 | 35 |
| 19-999-367 | 11 |
| 19-999-368 | 11 |
| 19110113 | 21 |
| 19110115 | 21 |
| 19110116 | 21 |
| 19169706 | 37 |
| 19169707 | 37 |
| NC9099076 | 24 |
| NC9128590 | 24 |
| NC9314054 | 24 |
| NC9412407 | 23 |
| NC9526515 | 21 |
| NC9549915 | 24 |
| NC9565422 | 26 |
| NC9583492 | 32 |
| NC9583493 | 32 |
| NC9583494 | 32 |
| NC9583495 | 32 |
| NC9583496 | 32 |
| NC9639821 | 33 |
| NC9646223 | 33 |
| NC9672972 | 23 |
| NC9882387 | 11 |
| SCT80419101 | 19 |
| SCT80419102 | 19 |



For customer service, call 1-800-772-6733.
To fax an order, use 1-800-772-7702.
To order online: www.fishersafety.com

©2010 Thermo Fisher Scientific Inc. All rights reserved.