

# value-added solutions for your laboratory

with Thermo Scientific products

**18**  
great offers

Biological Safety Cabinets  
Ultra-Low Temperature Freezers  
High Performance Lab Refrigerators and Freezers  
Wireless Monitoring System  
LN<sub>2</sub> Cryogenic Storage  
Microbiological Incubators  
CO<sub>2</sub> Incubators  
DNA Vacuum Concentrators  
Orbital Shakers  
Water Purification Systems  
Centrifuges  
Cryogenic Tubes  
Microplates  
Bath Circulators

Choose from an exceptional  
line of technologies and  
laboratory solutions!

# An exceptional line up of **technologies and laboratory solutions**

**Our commitment:** to help you attain the maximum value from our high-quality laboratory solutions.

Every Thermo Scientific™ product is backed by our worldwide customer support and service. We are always ready to help you gain the maximum advantages from our high-quality laboratory solutions.

## **THERMO SCIENTIFIC PRODUCTS INCLUDE:**

**1300 Series A2 Biological Safety Cabinets**

**Herasafe® KS Biological Safety Cabinets**

**Revco® UxF Ultra-Low Temperature Freezers**

**Revco High Performance Lab Refrigerators and Freezers**

**Forma® 88000 Series and Double Door Ultra-Low Temperature Freezers**

**Locator® Plus LN<sub>2</sub> Cryogenic Storage**

**Heratherm® Advanced Protocol Security Microbiological Incubators**

**Heracell® 150i CO<sub>2</sub> Incubators**

**Forma® CO<sub>2</sub> Incubators**

**Smart-Vue™ Wireless Monitoring Systems**

**Savant® DNA 120 SpeedVac Concentrators**

**MaxQ™ Orbital Shakers**

**Barnstead® Smart2Pure™ Water Purification Systems**

**Sorvall® Legend® Micro 21 Microcentrifuges**

**Sorvall Legend and Sorvall ST General Purpose Centrifuge Series**

**Nalgene™ Cryogenic Tubes**

**Nunc™ Edge™ Plate and Optical Bottom Plates**

**ARCTIC 12 Liter Refrigerated/Heated Bath Circulator**

**18**  
**great offers**

See ordering information starting on page 12

# containment, comfort, and **convenience**



*Storage shelf hangs on the base stand for flasks or supplies up to 30kg.*



Thermo Scientific  
1300 Series A2  
Biological Safety Cabinets

1

## Smart features and packages for your next generation BSC!

- **SmartFlow™** provides real-time compensation and balancing of airflow, ensuring protection everyday
- **SmartPort™** allows easy and safe side routing of tubing and cables
- **SmartPromise** – 5-year warranty on parts and labor\*

## PACKAGED SAVINGS!

A 1300 A2 series package **includes stand, armrests, and timed UV light** with choice of sizes, interior walls, and sash working height – **savings of \$200.**

## SPECIAL OFFERS

Choose a **storage shelf** or **serological pipet storage** at no additional cost – **a value up to \$280.**

\*Subject to the terms and conditions of the standard limited warranty found in the product literature and in Thermo Fisher Scientific's Standard Terms and Conditions of Sale, available at [www.thermoscientific.com](http://www.thermoscientific.com)



Thermo Scientific  
Herasafe KS  
Biological Safety Cabinet

2

## Protection that never takes the day off

- Ultimate protection, comfort, and performance
- Motorized frameless window sash ensures safe sash height at the push of a button
- Transparent side-glass windows maximize light and visibility
- System is designed to illuminate entire work area without shadows

## SPECIAL OFFER

Purchase a Herasafe KS biosafety cabinet and **receive an Ergolign Saddle Stool** with exclusive seat design to reduce back strain and fatigue at no additional cost – **a value over \$500.**



See ordering tables for further details and instructions on these special offers. **3**



# your samples, our obsession



## GREEN TIP

### SAVE ENERGY!

Revco UxF consumes approximately **15% less energy** when using the Energy Savings mode.\*

\*Compared to high performance mode.

3



4

## Thermo Scientific Revco UxF Ultra-Low Temperature Freezers

### Performance

Outstanding BTU (British Thermal Unit) reserve, leading to fast door opening recovery

### Safety and Security

Innovative touch-screen featuring 24/7 health monitor, event log and access settings

### Capacity

Innovative design allows for up to 30% MORE storage area per footprint compared to previous models

## PACKAGED SAVINGS UP TO \$2400

**Packaged savings** when you purchase a Revco UxF ultra-low temperature (ULT) freezer using one of the five special-priced packages below – a value up to **\$2400!**

- 1 ] ULT and 2 shelves of racks
- 2 ] ULT, LN<sub>2</sub> back-up system and 2 shelves of racks
- 3 ] ULT, CO<sub>2</sub> back-up system and 2 shelves of racks
- 4 ] ULT, HID access card lock and 2 shelves of racks
- 5 ] ULT, with 5-year “bumper to bumper” parts and labor warranty\*

\*Subject to the terms and conditions of the standard limited warranty found in the product literature and in Thermo Fisher Scientific's Standard Terms and Conditions of Sale, available at [www.thermoscientific.com](http://www.thermoscientific.com)

## Thermo Scientific Revco High Performance Lab Refrigerators and Freezers

### Peace of Mind

Advanced microprocessor-controlled set points for precise temperature regulation

### Temperature Uniformity

Directional airflow for uniform temperature at all points

### Dependability

Key-operated alarms, set point security and non-invasive defrost provide optimal sample security and safety

## PACKAGED SAVINGS UP TO \$1800

Take advantage of one of our **special packaged offers** below for your cold storage needs.

- 1 ] High Performance refrigerator and 5.6 cu. ft. undercounter value refrigerator
- 2 ] High Performance refrigerator and 5.6 cu. ft. undercounter value freezer
- 3 ] High Performance freezer and 5.6 cu. ft. undercounter value refrigerator
- 4 ] High Performance freezer and 5.6 cu. ft. undercounter value freezer



5

## Thermo Scientific Forma 88000 Series and 900 Series Double Door Ultra-Low Temperature Freezers

### Performance

Designed for maximum heat removal that provides outstanding cooling and temperature recovery after door openings

### Sample Protection

Vacuum panels combined with water-blown foam and the 4x7 door gasket provide high insulating "R" factor

### Versatility

Choose from five new capacities in the 88000 Series or unique double-door in the 900 Series

### PACKAGED SAVINGS!

Take advantage of **packaged savings** when you purchase Forma ULT's by using one of the special-priced packages below.

- 1 ] 88000 Series ULT and 2 shelves of rack
- 2 ] 88000 Series ULT, with 5-year "bumper to bumper" parts and labor warranty\*
- 3 ] 900 Series double door, 17 cu. ft. or larger and 2 shelves of racks

\*Subject to the terms and conditions of the standard limited warranty found in the product literature and in Thermo Fisher Scientific's Standard Terms and Conditions of Sale, available at [www.thermoscientific.com](http://www.thermoscientific.com)



6

## Thermo Scientific Smart-Vue Wireless Monitoring Solution



### OBSESSIVE IS SMART

- Designed to ensure the protection of valuable samples
- Delivers continuous monitoring, secure data logging and automatic audit trails required for regulatory compliance
- Instant wireless notification in the event sample integrity is threatened

### PACKAGED SAVINGS UP TO \$1090\*

**Packaged savings** when you purchase the special priced Smart-Vue wireless monitoring ULT Kit below – **a value up to \$1090!**

- 1 USB Receiver
- 1 ULT Smart-Vue Module
- Smart-Vue 1.0 Software

\*Offer expires June 1, 2013

See ordering tables for further details and instructions on these special offers.

Capacities up to **6,000 vials**

### GREEN TIP

LN<sub>2</sub> design reduces the need for power consumption.

7



## Thermo Scientific Locator Plus LN<sub>2</sub> Cryogenic Storage

### Versatile

Available in four sizes, suited for both manual and computerized inventory record-keeping methods

### Convenient

Unique hanging rack and gridded box design allow for vial inventory tracking and easy sample retrieval

### Cost-Effective

Vacuum insulation minimizes liquid nitrogen evaporation and reduces operating costs

### PACKAGED SAVINGS UP TO \$1000

**Packaged savings** when you purchase a Locator Plus LN<sub>2</sub> storage system using one of the two special-priced packages below – **a value up to \$1000!**

- 1] Locator Plus and wheeled cart (dolly)
- 2] Locator Plus and level monitor



6

8



## Thermo Scientific Heratherm Advanced Protocol Security Microbiological Incubators

### Safe. Easy. Efficient.

- Unique “dual convection” airflow technology for versatility of application\*
- Certified 140°C decontamination cycle
- Small external footprint to conserve valuable laboratory space
- Lockable incubator door for restricted access
- Available in a range of sizes to fit your applications – 18L, 60L, 100L, 180L, 400L and 750L

### VALUE OVER \$600

Purchase any Heratherm Advanced Protocol Security Incubator and **receive a Heratherm IMC-18 compact incubator** at no additional cost – **over a \$600 value!**

*\*Dual convection technology not available on 400L and 750L models*

See ordering tables for further details and instructions on these special offers.

# Advanced technology. Proven results.

9



Thermo Scientific  
Heracell 150i CO<sub>2</sub> Incubators

## Discovery thrives in a culture of confidence

- Proven reliability, exceptional contamination prevention and optimal growing conditions
- High-temperature decontamination function that eliminates the need for autoclaving and handling components
- Innovative features like 100% pure copper interior, iCAN touchscreen, and rapid response humidity system

## SPECIAL OFFER

Culture with complete confidence with Heracell and **save up to \$3000** with special pricing.

10



Thermo Scientific  
Forma CO<sub>2</sub> Incubators

## Proven protection from the benchmark in CO<sub>2</sub> incubators

- Protect from airborne contamination with our in-chamber HEPA filtration system, providing Class 100 air quality
- Includes copper humidity pan
- On the Steri-Cycle model, on-demand 140°C sterilization cycle is proven effective in eliminating microbial contamination

## SPECIAL OFFER

**Packaged savings up to \$3000** on special dual stack packages of either Forma 3110 water jacket or Steri-Cycle direct heat model. Package includes two stackable chambers with rollerbase and copper humidity pan.



## Targeted solutions for DNA and RNA applications



11

Thermo Scientific  
Savant DNA 120  
SpeedVac Concentrators

### Consistent Performance

Designed to ensure drying time and reproducible results

### Simplicity

A single program is all you need to support your DNA/RNA application

### Sample Protection

Option of drying at ambient temperatures or very low heat to ensure maximum sample protection

### PACKAGED SAVINGS UP TO \$997

Packaged savings when you purchase any SavantDNA SpeedVac. Package includes a **RD2MP rotor with two shallow-well microplate carriers**.



12

Thermo Scientific  
MaxQ Orbital Shakers

### Reliability

Our triple eccentric drive mechanism allows continuous 24-hour operation and ensures smooth and uniform stirring of large and uneven loads

### Simplicity

Precise adjustment of temperature, speed and time with all three parameters shown simultaneously on individual control displays to prevent the risk of error when establishing run conditions

### Flexibility

Bench-top, floor and stackable models are available, fully equipped with incubation, refrigeration and water bath options to accommodate various applications and budgets

### PACKAGED SAVINGS UP TO \$1500

Packaged savings up to \$1500 when you purchase a MaxQ shaker listed in this brochure. Package includes a **platform and a clamp starter kit**. Kit includes the following Erlenmeyer flask clamps (2 x 125 mL, 4 x 250 mL, 4 x 500 mL, 2 x 1L and 2 x 2L) and a microwell plate clamp.



# Exceptional lab water systems without the attitude

Thermo Scientific  
Barnstead Smart2Pure Water Purification Systems

13



## Innovation

- Type 1 and Type 2 water from one compact system utilizing tap water as the feed water
- Integrated 6L tank on 3 LPH and 6 LPH models to free up bench space
- Independent cartridges – only replace those that need replacing

## Flexibility

- Mount unit on the bench or on the wall
- Two types of water serve more applications in the lab
- Units are customizable to meet your Type 1 water applications

## Convenience

- Complete packages in one part number
- Quick disconnects for easy maintenance
- Variable flow control knob for easy control of dispensing flow

## PACKAGED SAVINGS UP TO \$1297

Packaged savings up to \$1297 when you purchase one of our Smart2Pure water purification systems. Package includes **RO/pretreatment cartridge, ultrapure polisher cartridge, sterile 0.2 micron filter, pressure regulator, UV lamp and/or UF filter on applicable systems, and 1 micron prefilter.**

more samples. more speed.  
**your answers faster.**



### Thermo Scientific Sorvall Legend Micro 21 Microcentrifuges

#### High Productivity

Generous capacity holds 36 x 0.5 mL microtubes, 24 x 2 mL tubes or 8 x 8 PCR strips

#### Safety and Convenience

Thermo Scientific ClickSeal biocontainment lid “clicks” to indicate proper sealing

### SPECIAL OFFERS

Order one of our special packages including:

- 1] Sorvall Legend Micro 21 or 21R microcentrifuge with 24-place rotor and ClickSeal® biocontainment lid and dual row rotor for application versatility – **save up to 30%**
- 2] Sorvall Legend Micro 21 or 21R microcentrifuge with 24-place rotor and ClickSeal biocontainment lid at the price of a Sorvall Legend Micro 17 or 17R microcentrifuge – **save up to 20%**

Plus with these two packages, you can extend the standard limited warranty\* by an additional two years – at no additional charge. Redemption required.

\*Subject to the terms and conditions of Thermo Fisher Scientific's standard limited warranty, available at [www.thermoscientific.com/micro-warranty](http://www.thermoscientific.com/micro-warranty)



### Thermo Scientific Sorvall Legend and Sorvall ST General Purpose Centrifuge Series

#### More Samples

Maximized capacity up to 40 x 50 mL conical tubes and 6 x 250 mL bottles on the bench, plus Auto-Lock rotor exchange for system versatility

#### More Speed

High RPM/RCF with both swinging bucket and fixed angle configurations, including Fiberlite carbon fiber rotors

### MORE SAVINGS

Limited-time offer on packages designed around you and your applications — Thermo Scientific Sorvall general-purpose centrifuges, rotors and accessories. **Save up to \$6000** on complete packages.

#### PLUS –

- Five-year centrifuge warranty\*\*
- One-handed certified ClickSeal biocontainment lids
- 15-year Fiberlite rotor warranty

\*\*Subject to the terms and conditions of Thermo Fisher Scientific's standard limited warranty, available at [www.thermoscientific.com/spinitwarranty](http://www.thermoscientific.com/spinitwarranty)

16

## Thermo Scientific Nalgene Cryogenic Tubes

Nalgene™ cryogenic storage tubes protect samples with secure sealing, virgin class VI resins and sterility assurance level of 10<sup>-6</sup>.


- Tubes designed for one-handed capping and decapping
- Large writing area and graduations for easy sample identification
- Available with linear barcodes for secure sample traceability
- Compatible with Thermo Scientific ID Scribe Tube Identifier to ensure clear sample identification



### SPECIAL OFFERS

Purchase two cases of Nalgene Cryogenic tubes and **receive a third case** at no additional cost!

*Limit two free cases per lab.*




18

## Thermo Scientific Nunc Microplates

The Nunc™ Edge™ plate and optical bottom plates are ideal for cell culture and microscopic imaging applications.

- The Edge plate perimeter moat design eliminates evaporation in lengthy incubations
- Optical bottom plates are optimized for fluorescence and luminescence in cell culture and microscopic applications




### SPECIAL OFFERS

Purchase two cases of any Thermo Scientific Nunc Plate and **receive a third case** at no additional cost.

**Added bonus:** receive **Microplate Storage Rack** Cat. No. 12-566-191 at no additional cost. Great for chest and upright mechanical freezers or incubators.

*Limit three promotional cases and one promotional rack per lab.*



17



## Thermo Scientific ARCTIC 12 liter Refrigerated/Heated Bath Circulators

Ideal for laboratory applications that require a bath work space and/or external circulation. Choose from five different controllers to best meet your application needs.

- Temperature Range: -25°C to +200°C (depending on control head selected)
- Cooling Capacity: 500 Watts at 20°C

### Key features:

- Drain port at the front for operator convenience
- For less demanding applications, power consumption can be lowered by utilizing the energy savings mode
- Controller can be turned 90° for easier viewing

### SPECIAL OFFER

Purchase an ARCTIC 12 liter bath circulator and receive one of the two accessories below at no additional cost:

- 1 ] Insulated plumbing package** for external circulation to your application. The unit comes standard with fittings; simply attach the plumbing package and you're ready to go
- 2 ] Trolley with casters:** This accessory makes moving the bath circulator around the laboratory a breeze!



# Ordering Information [ Biological Safety Cabinets and Freezers ]

1

Cat. No.	Description	Model No.	Offer Includes:	
<b>Thermo Scientific 1300 A2 Biological Safety Cabinet</b>				
<b>Packages – Cabinet with coated interior walls and 8-inch window working height</b>				
13-261-340	1300 Series A2 Biological Safety Cabinet; 3 ft.	1340	Package includes manual adjustable stand, factory-installed UV light, and one set of armrests	
13-261-314	1300 Series A2 Biological Safety Cabinet; 4 ft.	1395		
13-261-344	1300 Series A2 Biological Safety Cabinet; 5 ft.	1351		
13-261-315	1300 Series A2 Biological Safety Cabinet; 6 ft.	1397		
<b>Packages – Cabinet with stainless steel interior walls and 8-inch window working height</b>				
13-261-342	1300 Series A2 Biological Safety Cabinet; 3 ft.	1342		
13-261-312	1300 Series A2 Biological Safety Cabinet; 4 ft.	1335		
13-261-346	1300 Series A2 Biological Safety Cabinet; 5 ft.	1353		
13-261-313	1300 Series A2 Biological Safety Cabinet; 6 ft.	1337		
<b>Packages – Cabinet with coated interior walls and 10-inch window working height</b>				
13-261-332	1300 Series A2 Biological Safety Cabinet; 3 ft.	1321		
13-261-304	1300 Series A2 Biological Safety Cabinet; 4 ft.	1385		
13-261-336	1300 Series A2 Biological Safety Cabinet; 5 ft.	1369		
13-261-306	1300 Series A2 Biological Safety Cabinet; 6 ft.	1387		
<b>Packages – Cabinet with stainless steel interior walls and 10-inch window working height</b>				
13-261-334	1300 Series A2 Biological Safety Cabinet; 3 ft.	1323		
13-261-222	1300 Series A2 Biological Safety Cabinet; 4 ft.	1375		
13-261-338	1300 Series A2 Biological Safety Cabinet; 5 ft.	1371		
13-261-223	1300 Series A2 Biological Safety Cabinet; 6 ft.	1377		

*Please order using these special part numbers to take advantage of package pricing and promotional offer. Purchase order will be provided at time of order. To redeem your storage option base stand shelf (Cat No. 13-261-361) or your serological pipet storage (Cat No. 13-715), please visit [www.thermoscientific.com/fisheroffers](http://www.thermoscientific.com/fisheroffers)*

2

Cat. No.	Description	Model No.	Offer Includes:
<b>Thermo Scientific Herasafe KS Biological Safety Cabinet</b>			
13-998-000	Thermo Scientific Herasafe KS Biological Safety Cabinet Herasafe KS9, 120V 3-ft. model, with armrest, dual beam UV (51900642), single piece indented tabletop (50073670) and battery backup (51900786)	51027116	Ergolign saddle stool
13-998-001	Herasafe KS12, 120V 4-ft. model, with armrest, dual beam UV (51900642), single piece indented tabletop (50073670) and battery backup (51900786)	51027117	
13-998-002	Herasafe KS15, 120V 5-ft. model, with armrest, dual beam UV (51900642), single piece indented tabletop (50073670) and battery backup (51900786)	51027118	
13-998-003	Herasafe KS18, 120V 6-ft. model, with armrest dual beam UV (51900642), single piece indented tabletop (50073670) and battery backup (51900786)	51027120	

*Please order using these special part numbers to take advantage of the package pricing and promotional offer. Purchase order will be provided at time of order. To redeem your saddle stool (Cat. No. ERGCR2330), please visit [www.thermoscientific.com/fisheroffers](http://www.thermoscientific.com/fisheroffers)*

3

Cat. No.	Description	Model No.	Offer Includes:
<b>Thermo Scientific Revco UxF Upright Ultra-Low Temperature Freezers</b>			
13-987-139	-86°C UxF700, 700 Box, 33.3 cu. ft., 208-230V	UxF70086D	Special Package Pricing on the ULT, LN <sub>2</sub> Back-Up and TWO shelves of inventory racks for 2" boxes
13-987-136	-86°C UxF600, 600 Box, 28.6 cu. ft., 115V	UxF60086A	14 Sliding Drawer Racks (2 Kits, No. RSK700SD5)
13-987-137	-86°C UxF600, 600 Box, 28.6 cu. ft., 208-230V	UxF60086D	
13-987-133	-86°C UxF500, 500 Box, 24 cu. ft., 115V	UxF50086A	12 Sliding Drawer Racks (2 Kits, No. RSK600SD5)
13-987-134	-86°C UxF500, 500 Box, 24 cu. ft., 208-230V	UxF50086D	
13-987-130	-86°C UxF400, 400 Box, 19.3 cu. ft., 115V	UxF40086A	10 Sliding Drawer Racks (2 Kits, No. RSK500SD5)
13-987-131	-86°C UxF400, 400 Box, 19.3 cu. ft., 208-230V	UxF40086D	

*Please order using these special Fisher Scientific catalog numbers to take advantage of package pricing on the ULT, racks and factory installed LN<sub>2</sub> back-up. No redemption necessary; racks and factory installed LN<sub>2</sub> back-up ship automatically with the freezer. Rack kits contain sliding drawer racks for 2" boxes and also contain 2" cryoboxes with 100 count cell dividers.*

Cat. No.	Description	Model No.	Offer Includes:
<b>Thermo Scientific Revco UxF Upright Ultra-Low Temperature Freezers</b>			
13-987-078	-86°C UxF700, 700 Box, 33.3 cu. ft., 208-230V	UxF70086D	Special Package Pricing on the ULT and TWO shelves of inventory racks for 2" boxes
13-987-075	-86°C UxF600, 600 Box, 28.6 cu. ft., 115V	UxF60086A	14 Sliding Drawer Racks (2 Kits, No. RSK700SD5)
13-987-076	-86°C UxF600, 600 Box, 28.6 cu. ft., 208-230V	UxF60086D	
13-987-072	-86°C UxF500, 500 Box, 24 cu. ft., 115V	UxF50086A	12 Sliding Drawer Racks (2 Kits, No. RSK600SD5)
13-987-073	-86°C UxF500, 500 Box, 24 cu. ft., 208-230V	UxF50086D	
13-987-069	-86°C UxF400, 400 Box, 19.3 cu. ft., 115V	UxF40086A	10 Sliding Drawer Racks (2 Kits, No. RSK500SD5)
13-987-070	-86°C UxF400, 400 Box, 19.3 cu. ft., 208-230V	UxF40086D	
13-987-066	-86°C UxF300, 300 Box, 14.8 cu. ft., 115V	UxF30086A	8 Sliding Drawer Racks (2 Kits, No. RSK400SD5)
13-987-067	-86°C UxF300, 300 Box, 14.8 cu. ft., 208-230V	UxF30086D	

*Please order using these special Fisher Scientific catalog numbers to take advantage of package pricing on ULT and racks. No redemption necessary; racks ship automatically with the freezer. Rack kits contain sliding drawer racks for 2" boxes and also contain 2" cryoboxes with 100 count cell dividers.*

# Ordering Information [ ULT Freezers ]

## 3

Cat. No.	Description	Model No.	Offer Includes:
	<b>Thermo Scientific Revco UxF Upright Ultra-Low Temperature Freezers</b>		<b>Special Package Pricing on the ULT, CO<sub>2</sub> Back-Up and TWO shelves of inventory racks for 2" boxes</b>
13-987-150	-86°C UxF700, 700 Box, 33.3 cu. ft., 208-230V	UxF70086D	14 Sliding Drawer Racks (2 Kits, No. RSK700SD5)
13-987-147	-86°C UxF600, 600 Box, 28.6 cu. ft., 115V	UxF60086A	12 Sliding Drawer Racks (2 Kits, No. RSK600SD5)
13-987-148	-86°C UxF600, 600 Box, 28.6 cu. ft., 208-230V	UxF60086D	
13-987-144	-86°C UxF500, 500 Box, 24 cu. ft., 115V	UxF50086A	10 Sliding Drawer Racks (2 Kits, No. RSK500SD5)
13-987-145	-86°C UxF500, 500 Box, 24 cu. ft., 208-230V	UxF50086D	
13-987-141	-86°C UxF400, 400 Box, 19.3 cu. ft., 115V	UxF40086A	8 Sliding Drawer Racks (2 Kits, No. RSK400SD5)
13-987-142	-86°C UxF400, 400 Box, 19.3 cu. ft., 208-230V	UxF40086D	
<p><i>Please order using these special Fisher Scientific catalog numbers to take advantage of package pricing on the ULT, racks and factory installed CO<sub>2</sub> back-up. No redemption necessary; racks and factory installed CO<sub>2</sub> back-up ship automatically with the freezer. Rack kits contain sliding drawer racks for 2" boxes and also contain 2" cryoboxes with 100 count cell dividers.</i></p>			

Cat. No.	Description	Model No.	Offer Includes:
	<b>Thermo Scientific Revco UxF Upright Ultra-Low Temperature Freezers</b>		<b>Special Package Pricing on the ULT, HID access card lock and TWO shelves of inventory racks for 2" boxes</b>
13-987-197	-86°C UxF700, 700 Box, 33.3 cu. ft., 208-230V	UxF70086D	14 Sliding Drawer Racks (2 Kits, No. RSK700SD5)
13-987-195	-86°C UxF600, 600 Box, 28.6 cu. ft., 115V	UxF60086A	12 Sliding Drawer Racks (2 Kits, No. RSK600SD5)
13-987-194	-86°C UxF600, 600 Box, 28.6 cu. ft., 208-230V	UxF60086D	
13-987-192	-86°C UxF500, 500 Box, 24 cu. ft., 115V	UxF50086A	10 Sliding Drawer Racks (2 Kits, No. RSK500SD5)
13-987-191	-86°C UxF500, 500 Box, 24 cu. ft., 208-230V	UxF50086D	
13-987-189	-86°C UxF400, 400 Box, 19.3 cu. ft., 115V	UxF40086A	8 Sliding Drawer Racks (2 Kits, No. RSK400SD5)
13-987-188	-86°C UxF400, 400 Box, 19.3 cu. ft., 208-230V	UxF40086D	
13-987-186	-86°C UxF300, 300 Box, 14.8 cu. ft., 115V	UxF30086A	6 Sliding Drawer Racks (2 Kits, No. RSK300SD5)
13-987-185	-86°C UxF300, 300 Box, 14.8 cu. ft., 208-230V	UxF30086D	
<p><i>Please order using these special Fisher Scientific catalog numbers to take advantage of package pricing on ULT, racks and HID access card lock. No redemption necessary; racks and factory installed HID access card lock ship automatically with the freezer. Rack kits contain sliding drawer racks for 2" boxes and also contain 2" cryoboxes with 100 count cell dividers.</i></p>			

Cat. No.	Description	Model No.	Offer Includes:	
	<b>Thermo Scientific Revco UxF Upright Ultra-Low Temperature Freezers</b>		<b>Special Package Pricing on the ULT with 5-year parts and labor warranty</b>	
13-990-609	-86°C UxF700, 700 Box, 33.3 cu. ft., 208-230V	UxF70086D	5-Year Parts and Labor Warranty	
13-990-607	-86°C UxF600, 600 Box, 28.6 cu. ft., 115V	UxF60086A		
13-990-608	-86°C UxF600, 600 Box, 28.6 cu. ft., 208-230V	UxF60086D		
13-990-614	-86°C UxF500, 500 Box, 24 cu. ft., 115V	UxF50086A		
13-990-606	-86°C UxF500, 500 Box, 24 cu. ft., 208-230V	UxF50086D		
13-990-612	-86°C UxF400, 400 Box, 19.3 cu. ft., 115V	UxF40086A		
13-990-613	-86°C UxF400, 400 Box, 19.3 cu. ft., 208-230V	UxF40086D		
13-990-610	-86°C UxF300, 300 Box, 14.8 cu. ft., 115V	UxF30086A		
13-990-611	-86°C UxF300, 300 Box, 14.8 cu. ft., 208-230V	UxF30086D		
<p><i>Please order using these special Fisher Scientific catalog numbers to take advantage of package pricing on ULT. Promotional warranty extends the standard limited warranty by an additional 5 years. No redemption necessary; warranty is registered automatically at the factory when shipped. See <a href="http://www.thermoscientific.com">www.thermoscientific.com</a> for details on standard limited warranty.</i></p>				

Order any products listed by contacting **Fisher Scientific at 1-800-766-7000**

After your purchase, visit [www.thermoscientific.com/fisheroffers](http://www.thermoscientific.com/fisheroffers) for redemption instructions and additional details.

Proof of purchase required. Product to be shipped separately from order when applicable.

## Ordering Information [ Refrigerators and Freezers ]

4

Cat. No.	Description	Offer Includes:
<b>Thermo Scientific Revco High-Performance Lab Refrigerators and Freezers</b>		<b>Special Package Pricing on HP refrigerator and undercounter refrigerator</b>
REL2304REF	23.3 cu. ft. Thermo Scientific Revco HP lab refrigerator, 115V	<b>5.6 cu. ft. Thermo Scientific undercounter refrigerator (Model 1398919)</b>
REL3004REF	29.2 cu. ft. Thermo Scientific Revco HP lab refrigerator, 115V	
REL4504REF	45.8 cu. ft. Thermo Scientific Revco HP lab refrigerator, 115V	
REL2304FRZ	23.3 cu. ft. Thermo Scientific Revco HP lab refrigerator, 115V	<b>5.0 cu. ft. Thermo Scientific undercounter freezer (Model 3752-DB)</b>
REL3004FRZ	29.2 cu. ft. Thermo Scientific Revco HP lab refrigerator, 115V	
REL4504FRZ	45.8 cu. ft. Thermo Scientific Revco HP lab refrigerator, 115V	
UGL2320REF	23.3 cu. ft. Thermo Scientific Revco HP manual defrost -20°C freezer, 115V	<b>5.6 cu. ft. Thermo Scientific undercounter refrigerator (Model 3751-DB)</b>
ULT2330REF	23.3 cu. ft. Thermo Scientific Revco HP auto defrost -30°C freezer, 115V	
ULT3030REF	29.2 cu. ft. Thermo Scientific Revco HP auto defrost -30°C freezer, 115V	
UGL2320FRZ	23.3 cu. ft. Thermo Scientific Revco HP manual defrost -20°C freezer, 115V	<b>5.0 cu. ft. Thermo Scientific undercounter freezer (Model 3752-DB)</b>
ULT2330FRZ	23.3 cu. ft. Thermo Scientific Revco HP auto defrost -30°C freezer, 115V	
ULT3030FRZ	29.2 cu. ft. Thermo Scientific Revco HP auto defrost -30°C freezer, 115V	
<i>Please order using these special Fisher Scientific catalog numbers. No redemption necessary; undercounter refrigerator or freezer ships automatically with the high-performance lab refrigerator or freezer.</i>		

5

Cat. No.	Description	Model No.	Offer Includes:
<b>Thermo Scientific Forma Upright Ultra-Low Temperature Freezers</b>			<b>Special Package Pricing on the ULT and TWO shelves of inventory racks for 2" boxes</b>
993RAK	-86°C Forma Double-Door 993, holds 288- 2" boxes, 17.3 cu., ft., 120V	993	<b>8 Sliding Drawer Racks (2 Kits, No. RSK17SD4)</b>
988RAK	-86°C Forma Double-Door 988, holds 288- 2" boxes, 17.3 cu., ft., 208-230V	988	
990RAK	-86°C Forma Double-Door 990, holds 360- 2" boxes, 23 cu. ft., 120V	990	<b>10 Sliding Drawer Racks (2 Kits, No. RSK23SD4)</b>
989RAK	-86°C Forma Double-Door 989, holds 360- 2" boxes, 23 cu. ft., 208-230V	989	
88300ARAK	-86°C Forma 88300, holds 300- 2" boxes, 14.8 cu., ft., 120V	88300A	<b>6 Sliding Drawer Racks (2 Kits, No. RSK300SD4)</b>
88300DRAK	-86°C Forma 88300, holds 300- 2" boxes, 14.8 cu., ft., 208-230V	88300D	
88400ARAK	-86°C Forma 88400, holds 400- 2" boxes, 19.3 cu., ft., 120V	88400A	<b>8 Sliding Drawer Racks (2 Kits, No. RSK400SD4)</b>
88400DRAK	-86°C Forma 88400, holds 400- 2" boxes, 19.3 cu., ft., 208-230V	88400D	
88500ARAK	-86°C Forma 88500, holds 500- 2" boxes, 24 cu., ft., 120V	88500A	<b>10 Sliding Drawer Racks (2 Kits, No. RSK500SD4)</b>
88500DRAK	-86°C Forma 88500, holds 500- 2" boxes, 24 cu., ft., 208-230V	88500D	
88600ARAK	-86°C Forma 88600, holds 600- 2" boxes, 28.6 cu. ft., 115V	88600A	<b>12 Sliding Drawer Racks (2 Kits, No. RSK600SD4)</b>
88600DRAK	-86°C Forma 88600, holds 600- 2" boxes, 28.6 cu. ft., 208-230V	88600D	
88700DRAK	Forma 88700, holds 700- 2" boxes, 33.3 cu. ft., 208-230V	88700D	<b>14 Sliding Drawer Racks (2 Kits, No. RSK700SD4)</b>
<i>Please order using these special Fisher Scientific catalog numbers to take advantage of package pricing. No redemption necessary; racks ship automatically with the freezer. Rack kits contain sliding drawer racks for 2" boxes and also contain 2" cryoboxes with 100 count cell dividers. Racks for double-door freezer are for bottom-half of freezer.</i>			

Order any products listed by contacting **Fisher Scientific at 1-800-766-7000**. After your purchase, visit [www.thermoscientific.com/fisheroffers](http://www.thermoscientific.com/fisheroffers) for redemption instructions and additional details.

Proof of purchase required. Product to be shipped separately from order when applicable.

Cat. No.	Description	Model No.	Offer Includes:
<b>Thermo Scientific Forma 88000 Upright Ultra-Low Temperature Freezers</b>			<b>Special Package Pricing on the ULT with 5-year parts and labor warranty</b>
88700D5BB	-86°C Forma 88700, 700 Box, 33.3 cu. ft., 208-230V	88700D	<b>5-Year Parts and Labor Warranty</b>
88600A5BB	-86°C Forma 88600, 600 Box, 28.6 cu. ft., 115V	88600A	
88600D5BB	-86°C Forma 88600, 600 Box, 28.6 cu. ft., 208-230V	88600D	
88500A5BB	-86°C Forma 88500, 500 Box, 24 cu. ft., 115V	88500A	
88500D5BB	-86°C Forma 88500, 500 Box, 24 cu. ft., 208-230V	88500D	
88400A5BB	-86°C Forma 88400, 400 Box, 19.3 cu. ft., 115V	88400A	
88400D5BB	-86°C Forma 88400, 400 Box, 19.3 cu. ft., 208-230V	88400D	
88300A5BB	-86°C Forma 88300, 300 Box, 14.8 cu. ft., 115V	88300A	
88300D5BB	-86°C Forma 88300, 300 Box, 14.8 cu. ft., 208-230V	88300D	
<i>Please order using these special Fisher Scientific catalog numbers to take advantage of package pricing on ULT. Promotional warranty extends the standard limited warranty by an additional 5 years. See <a href="http://www.thermoscientific.com">www.thermoscientific.com</a> for details on standard limited warranty. No redemption necessary; warranty is registered automatically at the factory when shipped.</i>			



## Ordering Information [ Wireless Monitoring ]

6

Cat. No.	Frequency	Description	Offer Includes:
<b>Thermo Scientific Smart-Vue Wireless Monitoring</b>			<b>Special Package Pricing on Smart-Vue Kit with software, module and receiver</b>
<b>SV-800-100-KIT</b>	915	Smart-Vue kit of calibrated wireless modules for ULT freezers.	Client server software, 1 USB receiver and 1 calibrated wireless module with PT100 sensor. Kit designed for first-time users who require both Smart-Vue software and receiver
<b>SV-803-100-KIT</b>	915	Smart-Vue kit of calibrated wireless modules for refrigerators.	Client server software, 1 USB receiver and 1 calibrated wireless module with digital sensor. Kit designed for first-time users who require both Smart-Vue software and receiver
<b>SV-804-300-KIT</b>	915	Smart-Vue kit of calibrated wireless modules for 2/3 door refrigerator	One calibrated wireless module with PT100 sensor 3.5 meters length. Kit designed for first-time users who require both Smart-Vue software and receiver
<p><i>Please order using these special part numbers to take advantage of package pricing and promotional offer. No redemption necessary; software, module and receiver will ship automatically with your order. Offer expires June 1, 2013.</i></p>			

Order any products listed by contacting  
**Fisher Scientific at 1-800-766-7000**

After your purchase, visit

**[www.thermoscientific.com/fisheroffers](http://www.thermoscientific.com/fisheroffers)**

for redemption instructions and additional details.

Proof of purchase required. Product to be shipped separately from order when applicable.

# Ordering Information [ Cryogenic Storage, Incubators and Concentrators ]

7

Cat. No.	Description	Model No.	Offer Includes:
Thermo Scientific Locator Plus LN <sub>2</sub> Cryogenic Storage			Special Package Pricing on LN <sub>2</sub> Cryogenic storage with Locator Jr. carts
04-979-258	Locator Jr. Plus with 2-inch box racks and cart	CY50925-70	Locator Jr. 4 and 8 Plus (cart model 11-676-2); 6 Plus (cart model 11-676-66)
04-979-260	Locator 4 Plus with 2-inch box racks and cart	CY50935-70	
04-979-259	Locator 6 Plus with 2-inch box racks and cart	CY50985-70	
04-979-261	Locator 8 Plus with 2-inch box racks and cart	CY50945-70	
04-979-262	Locator Jr. Plus with level monitor/120 V and cart	CY509106	
04-979-263	Locator 4 Plus with level monitor/120 V and cart	CY509108	
04-979-264	Locator 6 Plus with level monitor/120 V and cart	CY509109	
04-979-265	Locator 8 Plus with level monitor/120 V and cart	CY509111	
13-687-530	Locator Jr. Plus (71L) with level monitor upgrade	CY50925-70	Special Package Pricing
13-687-531	Locator 4 Plus (121L) with level monitor upgrade	CY50935-70	
13-687-533	Locator 8 Plus (121L) with level monitor upgrade	CY50985-70	
13-687-532	Locator 6 Plus (184L) with level monitor upgrade	CY50945-70	
<i>Please order using these special part numbers to take advantage of package pricing and promotional offer. No redemption necessary. Locator Jr. automatically ships out with order.</i>			

8

Cat. No.	Description	Model No.	Offer Includes:
Thermo Scientific Heratherm Advanced Protocol Security Microbiological Incubator			
51028111H	6.3 cu. ft. – Heratherm Advanced Protocol Security Microbiological Incubator	IMH180-S	IMC-18 Heratherm compact incubator – part number 50125590H
51029323H	Heratherm Advanced Protocol Security Incubator, 400L, mechanical convection, 120VAC;60HZ	IMH400-S	
51029324H	Heratherm Advanced Protocol Security Incubator, 400L, mechanical convection, stainless steel exterior, 120VAC;60HZ	IMH400-S SS	
51029335H	Heratherm Advanced Protocol Security Incubator, 750L, mechanical convection, 120VAC;60HZ	IMH750-S	
51029336H	Heratherm Advanced Protocol Security Incubator, 750L, mechanical convection, stainless steel exterior, 120VAC;60HZ	IMH750-S SS	
<i>Please order using these special part numbers to take advantage of package pricing and promotional offer. Purchase order will be provided at time of order. To redeem your incubator, please visit <a href="http://www.thermoscientific.com/fisheroffers">www.thermoscientific.com/fisheroffers</a></i>			

9

Cat. No.	Description	Model No.	Offer Includes:
Thermo Scientific Heracell 150i Incubator			Special Package Pricing
MPP51026283	Heracell 150i single copper chamber, TCD sensor, ContraCon high temperature decontamination, 120V	51026283	Culture with Confidence at special savings
MPP50116050	Heracell 150i dual-stack copper chambers with roller dolly, TCD sensor, ContraCon, 120V	50116050	
<i>Please order using these special part numbers to take advantage of package pricing and promotional offer. No redemption necessary.</i>			

10

Cat. No.	Description	Model No.	Offer Includes:
Thermo Scientific Forma CO <sub>2</sub> Incubator			Special Package Pricing on CO <sub>2</sub> incubators with two stackable chambers, with rollerbase and copper humidity pan
2023110	Includes 2 each Forma 3110 water jacket incubators with copper pan, stacking kit, and roller dolly, 120V	2023110	Dual stack packages at special price
203370	Includes 2 each of the Forma 370 direct heat incubator with copper pan, and sterilization cycle, and stacking kit and roller dolly, 120V	203370	
<i>Please order using these special part numbers to take advantage of package pricing and promotional offer. No redemption necessary. Chambers and humidity pan automatically ship out with order.</i>			

11

Cat. No.	Description	Offer Includes:
Thermo Scientific Savant DNA 120 SpeedVac Concentrators		
20-548-130	Savant DNA SpeedVac (model DNA120-115)	RD2MP rotor with microplate carriers at no additional cost
<i>Please order using these special part numbers to take advantage of package pricing and promotional offer. Purchase order will be provided at time of order. To redeem your rotor and carriers, please visit <a href="http://www.thermoscientific.com/fisheroffers">www.thermoscientific.com/fisheroffers</a></i>		

## Ordering Information [ Orbital Shakers and Water Systems ]

# 12

Cat. No.	Description	Offer Includes:
<b>Thermo Scientific MaxQ Orbital Shakers</b>		<b>Special Package Pricing on orbital shakers with Platform and Clamp Starter Kit</b>
11-676-063	MaxQ 2000 Orbital Small Capacity Open Air Shaker, Analog, 120V	<b>Platform and Clamp Starter Kit at no additional cost</b>
11-676-066	MaxQ 2000 Orbital Small Capacity Open Air Shaker, Digital, 120V	
11-676-064	MaxQ 2506 Reciprocating Small Capacity Open Air Shaker, Analog, 120V	
11-676-065	MaxQ 2508 Dual Action Orbital/Reciprocating Open Air Shaker, Analog, m120V	
11-676-068	MaxQ 3000 Orbital Large Capacity Open Air Shaker, Analog, 120V	
11-676-067	MaxQ 3000 Orbital Large Capacity Open Air Shaker, Digital, 120V	
11-676-069	MaxQ 4450 Orbital Small Bench-Top Incubated Shaker, Analog, 120V	
11-676-071	MaxQ 4450 Orbital Small Bench-Top Incubated Shaker, Digital, 120V	
11-676-072	MaxQ 4450 Orbital Small Bench-Top Incubated Shaker with cooling coil, Digital, 120V	
11-676-073	MaxQ 4000 Orbital Large Bench-Top Incubated Shaker, Analog, 120V	
11-676-074	MaxQ 4000 Orbital Large Bench-Top High Temperature Incubated Shaker, Analog, 120V	
11-676-075	MaxQ 4000 Orbital Large Bench-Top Incubated/Refrigerated Shaker, Analog, 120V	
11-676-076	MaxQ 4000 Orbital Large Bench-Top Incubated Shaker, Digital, 120V	
11-676-077	MaxQ 4000 Orbital Large Bench-Top High Temperature Incubated Shaker, Digital, 120V	
11-676-078	MaxQ 4000 Orbital Large Bench-Top Incubated/Refrigerated Shaker, Digital, 120V	
11-676-079	MaxQ 5000 Orbital Incubated Floor Shaker, Analog, 120V	
11-676-080	MaxQ 5000 Orbital Incubated/Refrigerated Floor Shaker, Analog, 120V	
11-676-081	MaxQ 5000 Orbital Incubated Floor Shaker, Digital, 120V	
11-676-082	MaxQ 5000 Orbital Incubated/Refrigerated Floor Shaker, Digital, 120V	
11-676-083	MaxQ 6000 Orbital Incubated Stackable Shaker, Digital, 120V	
11-676-084	MaxQ 6000 Orbital Incubated/Refrigerated Stackable Shaker, Digital, 120V	
11-676-085	MaxQ 7000 Orbital Water Bath Shaker, Analog, 120V	
11-676-086	MaxQ 7000 Orbital Water Bath Shaker, Digital, 120V	
11-676-087	MaxQ 8000 Orbital Incubated Stackable Shaker, 120V	
11-676-088	MaxQ 8000 Orbital Incubated/Refrigerated Stackable Shaker, 120V	

*Please order using these special part numbers to take advantage of package pricing and promotional offer. No redemption necessary. Platform and Clamp Starter Kit automatically ship with order.*

# 13

Cat. No.	Description	Offer Includes:
<b>Thermo Scientific Barnstead Smart2Pure Water System</b>		
50129872PR	Smart2Pure UV 3LPH	<b>RO/pretreatment cartridge, ultrapure polisher cartridge, sterile 0.2 micron filter, pressure regulator, UV lamp and/or UF filter on applicable systems, and 1 micron prefilter</b>
50129885PR	Smart2Pure UV 6LPH	
50129890PR	Smart2Pure UV 12LPH*	
50129688PR	Smart2Pure UV/UF 3LPH	
50129887PR	Smart2Pure UV/UF 6LPH	
50129845PR	Smart2Pure UV/UF 12LPH*	
10-451-010	30L Tank for Smart2Pure 12LPH Systems	
10-451-015	60L Tank for Smart2Pure 12LPH Systems	
10-451-003	Sterile Overflow for Reservoir	
10-451-002	CO <sub>2</sub> Absorber + 0.2 micron Sterile Filter	

\* 12LPH Systems require a tank, sterile overflow, and CO<sub>2</sub> Absorber

*Please order using these special part numbers to take advantage of package pricing and promotional offer. No redemption necessary. Cartridges, filters, regulator, and lamp automatically ship out with order.*

Order any products listed by contacting  
**Fisher Scientific at 1-800-766-7000**

After your purchase, visit  
**[www.thermoscientific.com/fisheroffers](http://www.thermoscientific.com/fisheroffers)**  
for redemption instructions and additional details.

Proof of purchase required. Product to be shipped separately from order when applicable.



# Ordering Information [ Microcentrifuges, General Purpose Centrifuges ]

14

Cat. No.	Description	Offer Includes:
<b>Thermo Scientific Sorvall Legend Micro 21 Microcentrifuges</b>		
75-772-488	Sorvall Legend Micro 21 Microcentrifuge, 120V	24 x 1.5/2.0 mL rotor with ClickSeal biocontainment lid and dual row 18 x 0.5 and 18 x 2.0 mL rotor with screw-on lid
75-772-490	Sorvall Legend Micro 21R Microcentrifuge, 120V	
75-772-436	Sorvall Legend Micro 21 Microcentrifuge, 120V	24 x 1.5/2.0 mL rotor with ClickSeal biocontainment lid at price of equivalent Sorvall Legend Micro 17 microcentrifuge
75-772-446	Sorvall Legend Micro 21R Microcentrifuge, 120V	
<p><i>Please order using these special part numbers to take advantage of package pricing and promotional offer. Promotional warranty extends the standard limited warranty by an additional 2 years.</i></p> <p><i>See <a href="http://www.thermoscientific.com/micro-warranty">www.thermoscientific.com/micro-warranty</a> for details.</i></p>		

15

Cat. No.	Description	Offer Includes:
<b>Thermo Scientific Sorvall Legend and Sorvall ST Centrifuges</b>		
<b>Cell Culture</b>		
75-218-382	Sorvall Legend X1 Centrifuge, 120V	TX-400 Swinging Bucket Rotor, 400 mL Round Buckets, 4x50 mL Conical Adapters (4), 9x15 mL Conical Adapters (4)
75-618-382	Sorvall Legend X1R Centrifuge, 120V	
75-418-382	Sorvall ST 16 Centrifuge, 120V	
75-818-382	Sorvall ST 16R Centrifuge, 120V	
75-103-839	Sorvall ST 40 Centrifuge, 120V	TX-750 Swinging Bucket Rotor, 750 mL Round Buckets (4), 7x50 mL Conical Adapters (4), 14x15 mL Conical Adapters (4)
75-253-839	Sorvall ST 40R Centrifuge, 120V	
75-063-839	Sorvall Legend XT Centrifuge, 120V	
75-213-839	Sorvall Legend XTR Centrifuge, 120V	
75-333-839	Sorvall Legend XF Centrifuge, 120V	
75-393-839	Sorvall Legend XFR Centrifuge, 120V	
75-067-473	Sorvall Legend XT Centrifuge, 120V	BIOLiner Swinging Bucket Rotor, BIOLiner Buckets (4), 10x50 mL Conical Adapters (4), 22x15 mL Conical Adapters
75-217-473	Sorvall Legend XTR Centrifuge, 120V	
<b>Clinical</b>		
75-410-885	Sorvall ST 16 Centrifuge, 120V	TX-200 Swinging Bucket Rotor, 200 mL Round Buckets (4), ClickSeal Lids (4), 7x15/10 mL Blood Collection Adapters (4), 8x 5/7 mL Blood Collection Adapters (4)
75-810-885	Sorvall ST 16R Centrifuge, 120V	
75-418-180	Sorvall ST 16 Centrifuge, 120V	TX-400 Swinging Bucket Rotor, 400 mL Round Buckets (4), ClickSeal Lids (4), 14x15/10 mL Blood Collection Adapters (4), 19x5/7 mL Blood Collection Adapters (4)
75-818-180	Sorvall ST 16R Centrifuge, 120V	
75-101-923	Sorvall ST 40 Centrifuge, 120V	TX-750 Swinging Bucket Rotor, 750 mL Round Buckets (4), 21x10 mL Blood Collection Adapters (4), 27x5/7 mL Blood Collection Adapters (4)
75-251-923	Sorvall ST 40R Centrifuge, 120V	
75-107-271	Sorvall ST 40 Centrifuge, 120V	BIOLiner Swinging Bucket Rotor, BIOLiner Buckets (4), ClickSeal Lids (4); 37x10 mL Blood Collection Adapters (4), 49x5/7 mL Blood Collection Adapters
75-257-271	Sorvall ST 40R Centrifuge, 120V	
75-337-271	Sorvall Legend XF Centrifuge, 120V	
75-397-271	Sorvall Legend XFR Centrifuge, 120V	
<b>Microplate Processing</b>		
75-212-452	Sorvall Legend X1 Centrifuge, 120V	M-20 Microplate Rotor
75-612-452	Sorvall Legend X1R Centrifuge, 120V	
75-060-817	Sorvall Legend XT Centrifuge, 120V	TX-750 Swinging Bucket Rotor, Carriers for Microplates and T-75 Horizontal Flasks
75-210-817	Sorvall Legend XTR Centrifuge, 120V	
75-066-770	Sorvall Legend XT Centrifuge, 120V	BIOLiner Swinging Bucket Rotor, Carriers for Microplates
75-216-770	Sorvall Legend XTR Centrifuge, 120V	
75-336-770	Sorvall Legend XF Centrifuge, 120V	
75-396-770	Sorvall Legend XFR Centrifuge, 120V	
<b>High Performance Carbon Fiber Fiberlite Rotors</b>		
75-612-963	Sorvall Legend X1R Centrifuge, 120V	TX-400 Swinging Bucket Rotor, 400 mL Round Buckets (4), Fiberlite F15-8x50c Rotor
75-210-062	Sorvall Legend XTR Centrifuge, 120V	TX-750 Swinging Bucket Rotor, 750 mL Round Buckets (4), and Fiberlite F14S-6x250LE Rotor
75-210-063	Sorvall Legend XTR Centrifuge, 120V	TX-750 Swinging Bucket Rotor, 750 mL Round Buckets (4), and Fiberlite F15-8x50c Rotor
75-210-061	Sorvall Legend XTR Centrifuge, 120V	TX-750 Swinging Bucket Rotor, 750 mL Round Buckets (4), and Fiberlite F13S-14x50c Rotor
<p><i>Please order with these Fisher Scientific catalog numbers to take advantage of special package pricing. Rotors, buckets, microplate carriers and adaptors ship automatically with order.</i></p>		

Order any products listed by contacting Fisher Scientific at 1-800-766-7000

After your purchase, visit [www.thermoscientific.com/fisheroffers](http://www.thermoscientific.com/fisheroffers) for redemption instructions and additional details.

Proof of purchase required. Product to be shipped separately from order when applicable.

# Ordering Information [ Cryogenic Tubes, Bath Circulators and Microplates ]

16

Cat. No.	Description	Offer Includes:
<b>Thermo Scientific Nalgene Cryogenic Tubes</b>		
033377C	Cryogenic Tube, Sterile PP, 1.2 mL, 25 pk/500 case	<b>1 case of Nalgene Cryogenic tubes, at no additional cost</b>
033377D	Cryogenic Tube, Sterile PP, 2.0 mL, 25 pk/500 case	
033377H	Cryogenic Tube, Sterile PP, 5.0 mL, 10 pack/250 case	
033377X	System 100 Cryogenic Tube, Sterile PP, 1.0 mL, 25 pack/500 case	
033377Y	System 100 Cryogenic Tube, Sterile PP, 1.5 mL, 25 pack/500 case	
03390110	Cryogenic Tube with Barcode, Sterile PP, 1.2 mL, 25 pack/500 case	
03390111	Cryogenic Tube with Barcode, Sterile PP, 2.0 mL, 25 pack/500 case	
03390112	Cryogenic Tube with Barcode, Sterile PP, 5.0 mL, 10 pack/250 case	
03390113	System 100 Cryogenic Tube with Barcode, Sterile PP, 1.5 mL, 25 pack/500 case	
033377N	Cryogenic Tube, Non-sterile PP, 1.2 mL, Non-printed, Bulk pack, 1000 case	
033377P	Cryogenic Tube, Non-sterile PP, 2.0 mL, Non-printed, Bulk pack, 1000 case	
033377V	Cryogenic Tube, Sterile PP, 1.2 mL, Bulk pack, 1000 case	
033377W	Cryogenic Tube, Sterile PP, 2.0 mL, Bulk pack, 1000 case	
<i>Please order using these special part numbers to take advantage of package pricing and promotional offer. Purchase order will be provided at time of order. To redeem your case of cryogenic tubes, please visit <a href="http://www.thermoscientific.com/fisheroffers">www.thermoscientific.com/fisheroffers</a></i>		

18

Cat. No.	Description	Offer Includes:
<b>Thermo Scientific Nunc Microplates</b>		
12565026	96-Well Edge Plate, Polystyrene, Nunclon Delta treated, Sterile with Lid, Clear	<b>1 case of Nunc Microplates, at no additional cost</b>
12565028	96-Well Edge Plate, Polystyrene, Non-treated, Sterile with Lid, Clear	
12565355	384-Well Plate, Polystyrene with Optical Bottom Polybase, Non-treated, Non-sterile no Lid, White, 120 µL/well	
12565473	384-Well Plate, Polystyrene with Optical Bottom Polybase, Cell Culture treated, Sterile, no Lid, Black, 120 µL/well	
12565607	96-Well Plate, Polystyrene with Optical Bottom Coverglass, CC2 treated, Sterile with Lid, Black, 400 µL well	
12565902	96-Well Plate, Polystyrene, Poly-D-Lysine treated, Non-sterile with Lid, Black with Clear Bottom, 400 µL/well	
12565903	96-Well Plate, Polystyrene, Poly-D-Lysine treated, Non-sterile with Lid, White with Clear Bottom, 400 µL/well	
12565905	384-Well Plate, Polystyrene, Poly-D-Lysine treated, Non-Sterile with Lid, Black with Clear Bottom 120 µL/well	
12565909	96-Well Plate, Polystyrene, Collagen I treated, Non-sterile with Lid, Black with Clear Bottom, 400 µL/well	
12565910	96-Well Plate, Polystyrene, Collagen I treated, Non-sterile with Lid, White with Clear Bottom, 400 µL/well	
12565912	384-Well Plate, Polystyrene, Collagen I treated, Non-sterile with Lid, Black with Clear Bottom, 120 µL/well	
12566	384-Well Plate, Polystyrene with Optical Bottom Polybase, Cell Culture treated, Sterile with Lid, Black, 120 µL/well	
125661	384-Well Plate, Polystyrene with Optical Bottom Polybase, Cell Culture treated, Sterile with Lid, White, 120 µL/well	
125662	384-Well Plate, Polystyrene with Optical Bottom Polybase, Non-treated, Non-sterile no Lid, Black, 120 µL/well	
12566280	384-Well Plate, Polystyrene with Optical Bottom Coverglass, Cell Culture treated, Sterile with Lid, Black, 120 µL/well	
12566281	384-Well Plate, Polystyrene with Optical Bottom Coverglass, Non-treated, Non-sterile no Lid, Black, 120 µL/well	
1256635	96-Well Plate, Polystyrene with Optical Bottom Coverglass, Cell Culture treated, Sterile with Lid, Black, 200 µL/well	
1256637	96-Well Plate, Polystyrene with Optical Bottom Coverglass, Cell Culture treated, Sterile with Lid, White, 200 µL/well	
1256638	96-Well Plate, Polystyrene with Optical Bottom Coverglass, Non-treated, Non-Sterile no Lid, Black, 400 µL/well	
1256670	96-Well Plate, Polystyrene with Optical Bottom Polymer Base, Cell Culture treated, Sterile with Lid, Black, 400 µL/well	
1256671	96-Well Plate, Polystyrene with Optical Bottom Polymer Base, Cell Culture treated, Sterile with Lid, White, 400 µL/well	
1256672	96-Well Plate, Polystyrene with Optical Bottom Polymer Base, Non-treated, Non-sterile no Lid, Black, 400 µL/well	
1256673	96-Well Plate, Polystyrene with Optical Bottom Polymer Base, Non-treated, Non-sterile no Lid, White, 400 µL/well	
<i>Please order using these special part numbers to take advantage of package pricing and promotional offer. Purchase order will be provided at time of order. To redeem your case of Nunc plates, please visit <a href="http://www.thermoscientific.com/fisheroffers">www.thermoscientific.com/fisheroffers</a></i>		

17

Cat. No.	Description	Model No.	Offer Includes:
<b>Thermo Scientific ARCTIC Refrigerated/Heated Bath Circulators</b>			
			<b>Special Package Pricing on bath circulators with plumbing package or trolley with casters</b>
13265400	12 liter refrigerated/heated bath circulator, 3 languages, -25°C to +100°C	SC100-A25	<b>Insulated plumbing package</b>
13265401	12 liter refrigerated/ heated bath circulator, 3 languages, USB port, -25°C to +150°C	SC150-A25	
13265402	12 liter refrigerated/ heated bath circulator, 5 languages, -25°C to +150°C	AC150-A25	
13265403	12 liter refrigerated/ heated bath circulator, 5 languages, USB port, -25°C to +200°C	AC200-A25	
13265404	12 liter refrigerated/ heated bath circulator, 7 languages, USB port, -25°C to +200°C	PC200-A25	<b>Trolley with casters</b>
13265405	12 liter refrigerated/ heated bath circulator, 3 languages, -25°C to +100°C	SC100-A25	
13265406	12 liter refrigerated/ heated bath circulator, 3 languages, USB port, -25°C to +150°C	SC150-A25	
13265407	12 liter refrigerated/ heated bath circulator, 5 languages, -25°C to +150°C	AC150-A25	
13265408	12 liter refrigerated/ heated bath circulator, 5 languages, USB port, -25°C to +200°C	AC200-A25	
13265409	12 liter refrigerated/ heated bath circulator, 7 languages, USB port, -25°C to +200°C	PC200-A25	
<i>Please order using these Fisher Scientific catalog numbers to receive your insulated plumbing package or trolley with casters.</i>			

## Protecting your investment

To improve your laboratory's efficiency, you should be free to focus on your work, not burdened with managing instrument service. Unity Lab Services provides a complete portfolio of customized, integrated and innovative services and support solutions designed to help you improve productivity, reduce total cost of ownership and ensure compliance throughout your laboratory – from instrument and equipment acquisition to disposition. Let our expertise complement yours.

Explore all the new ways to protect your instruments and equipment at [unitylabservices.com](http://unitylabservices.com)

**Support Plans | Parts and Consumables | Training, and more**



**Unity** Lab Services  
Part of Thermo Fisher Scientific

# ACT NOW!

## Special Limited Time Offers!

Order any products listed by contacting  
**Fisher Scientific at 1-800-766-7000**

After your purchase, visit  
**[www.thermoscientific.com/fisheroffers](http://www.thermoscientific.com/fisheroffers)**  
for redemption instructions and additional details.

Proof of purchase required. Product to be shipped separately from order when applicable.

Valid in the United States while supplies last. All promotions valid for orders placed between January 1, 2013 and December 15, 2013. Thermo Scientific Smart-View Wireless Monitoring promotion valid for orders placed between January 1, 2013 and June 1, 2013. Valid only in connection with purchase of promotional packages identified herein using the part numbers listed. Some offers require redemption; please see Ordering Information herein for redemption instructions. All pricing information and values based on current manufacturer's suggested retail price. "Savings" or "Discount" indicated in any promotion herein represent the maximum difference between the aggregate manufacturer's suggested retail price of the items contained in the promotional package (if purchased separately) and the manufacturer's suggested retail price for the promotional package. Promotional warranties extend standard limited warranty applicable to eligible products and may require registration by customer. All offers subject to Thermo Fisher standard terms and conditions of sale. Except as specified in the standard limited warranty applicable to products, Thermo Fisher Scientific makes no additional warranties, express or implied. Unless otherwise stated in the Ordering Information, promotional products will be shipped with purchased products. Not valid in connection with any other offer or discount. Void where prohibited by law or company policy. See representative or [www.thermoscientific.com/fisheroffers](http://www.thermoscientific.com/fisheroffers) for additional information. Please note that the value of the specific offer(s) the customer may receive from the manufacturer under this program is a "discount or other reduction in price" to the customer under section 1128B(b)(3)(A) of the Social Security Act [42 U.S.C. 1320a-7b (b)(3)(a)]. Accordingly, the customer shall disclose this and any other discounts or other reduction in price received under this program under any state or federal program which provides cost or charge-based reimbursements to the customer for the products or services purchased under this program. By participating in this promotion, you warrant that you are not a "Health Care Practitioner" or "Health Care Professional" as defined in the Code of Massachusetts Regulations, 105 CMR 970, or a "healthcare professional" as defined under 18.V.S.A. §4631, or a healthcare professional as defined under any similar federal, state or local law regulation.

© 2013 Thermo Fisher Scientific Inc. All rights reserved. VELCRO® is a registered trademark of Velcro Industries B.V. All other trademarks are the property of Thermo Fisher Scientific Inc. and its subsidiaries. Specifications, terms and pricing are subject to change.



**For customer service, call 1-800-766-7000.  
To fax an order, use 1-800-926-1166.  
To order online: [www.fishersci.com](http://www.fishersci.com)**

**Thermo**  
S C I E N T I F I C

Part of Thermo Fisher Scientific