



Proceeding Villar Vieners Viese

# Chemical Industry: Recommended Products 2007

# **EXPLORE THE OPPORTUNITIES** with FISHER SAFETY!

Get all the items to meet your needs from one supplier. The products on this list are in stock and ready for delivery so you never have to worry about downtime created by backorders! This program will help you to:

- Streamline your purchasing process.
- · Leverage your spend.
- Reduce your costs.

# **PRODUCT CATEGORIES**:

- First Aid
- Spill Control
- Head Protection
- Eye Protection
- Hearing Protection
- Protective Clothing
- Respiratory Protection
- Hand Protection
- Foot Protection
- Fall Protection



# SPILL CONTROL



**FIRST AID** 

# North™ Bulk First Aid Kits

Designed for large facilities, kits are ideal for manufacturing settings where a wide variety of first aid items are required. Contain economical bulk supplies that can be readily accessed when needed. Latex free and weatherproof. Housed in plastic case. ANSI Z308.1-2003 compliant. CAT. NO. 191302487 (50 person)



# North™ Unitized First Aid Kits

Sturdy, durable and waterproof kits hold colorcoded cartons containing individual sealed unit dose applications. Plastic cases have carrying handles for portability and are supplied with brackets for wall mounting. ANSI Z308.1-2003 compliant. CAT. NO. 191302497 (*36 person*)



# Fisherbrand® Universal Sorbents

Tough, lint-free pads absorb up to 20 times their weight. Useful for leaks and drips. Material folds easily to create multi-layer barrier. Pillow and sock casings are made from a chemical-resistant polyester blend that enhances absorbency (absorbs up to 14 times its weight); use for spill containment and control.

CAT. NO. 19034155 (Pads, 17 x 19", Pk of 100) CAT. NO. 19034157 (Pillows, 11 x 17", Cs of 12)



For customer service, call 1-800-772-6733. To fax an order, use 1-800-772-7702. To order online: www.fishersafety.com

# HEAD PROTECTION



# North<sup>™</sup> A79 Hard Cap

Versatile, comfortable design for all-day head protection. ANSI Type I, Class E for dielectric protection against vertical impact and penetration. Pin-lock suspension with three height adjustments. Grooved HDPE outer shell has rain trough and slots for accessories. White.

CAT. NO. 19046212L



#### MSA V-Gard® Caps and Hats Replacement Suspensions

Replacement suspension for Fas-Trac suspension on V-Gard caps and hats. CAT. NO. 19058255 (Standard size)





## MSA V-Gard® Protective Cap

High-density polyethylene helmet is lightweight and well-balanced for all-day wearing comfort. Meets or exceeds all applicable requirements of ANSI Z89.1-1997 for Type I helmets, Class G and E. Standard ( $61/_2$  to 8) size.

CAT. NO. 19054727 (White, Staz-On suspension) CAT. NO. 19043675 (White, Fas-Trac suspension) CAT. NO. 19058280 (Yellow Fas-Trac suspension)

# MSA Custom Terri-Band Sweatband

Excellent fit and comfort with all MSA helmets. Provides excellent absorption. Easily washable; no metal parts.

CAT. NO. 189993513

# EYE PROTECTION



190421010 Shown

# Fisher® Racer® Series Eyewear

Fisher's new eyewear series offers exceptional protection and style at an affordable price. Spectacles feature an 8-base curve, wraparound design. Scratch-resistant polycarbonate lenses block >99.9% of harmful UV radiation. Wraparound design offers superior side coverage. Lightweight frames are durable and comfortable. Spectacles meet all ANSI 287-2003 requirements for optical quality and impact protection. Pack of 12.

CAT. NO. 190421000 (Qualifier, black frame with clear lens) CAT. NO. 190421005 (Top Fuel, black frame with clear lens) CAT. NO. 190421010 (Vortex, black frame with clear lens) CAT. NO. 190421015 (Crew Chief, black frame with clear lens)



#### Fisherbrand® Chemical Splash and Impact Goggles

Built for comfortable protection with a soft, flexible PVC body that conforms to facial contours and a headstrap that easily adjusts for a custom fit. Large frames fit over most prescription eyewear. Coated, clear polycarbonate lens resists impact, scratching, and fogging. Goggles meet ANSI Z87.1 and CSA standards.

CAT. NO. 19181503 (Impact goggles) CAT. NO. 19181504 (Chemical splash goggles)

# uvex® stealth™ Chemical Splash Goggles

Low-profile, wraparound lens design with indirect ventilation to minimize fogging. Combines polypropylene frame and elastomer inner flange for superior splash protection. With quick-adjust headband clips for easy, secure fitting. Clear polycarbonate lens with scratch-resistant uvextreme® coating protects against 99% of harmful UV rays up to 385nm. Meets ANSI Z87.1-2003 and CSA Z94.3-1999 standards.

CAT. NO. 189992312



# AOSafety® F6400 Malibu® Safety Spectacles

Lightweight metal frame features wraparound styling and integral sideshields for a wide field of vision. Extended bridge protects lens when spectacles are not in use. Single-piece, impactresistant polycarbonate lens has scratch-resistant coating and absorbs 99.9% UV radiation up to 380nm. Spectacles meet ANSI 287.1-1989 standards.

CAT. NO. 18999568A (Gold tone frame with clear lens)

# Fisherbrand® Contempo Spectacles

Feature a single polycarbonate lens with sideshields and browguard molded into a lightweight, wraparound frame. Absorb >99.9% of harmful UV light and include a permanent antifog coating. Adjustable temple lengths with high-visibility lens. Meet ANSI 287.1-2003 standards. Pack of 12.

CAT. NO. 191302092 (Black frame with clear lens)


# Fisherbrand® 200 Series Spectacles

With adjustable spatula temples and molded-in sideshields and browguards. One-piece lens provides an unobstructed field of vision while absorbing >99.9% of harmful UV light. Meet ANSI Z87.1-1989 standards; CSA approved. Pack of 12.

CAT. NO. 191302088 (Black frame with clear lens)

# uvex® genesis® Protective Spectacles Dual nine-base wraparound unilens allows






### Fisherbrand<sup>®</sup> Visitorspec<sup>™</sup> Spectacles

100% impact-resistant polycarbonate wraparound unilens design with blue temples. Clear lens absorbs >99.9% of harmful UV light. Meets ANSI Z87.1-2003 standards; CSA Z94.3-1999 approved. Pack of 12.

CAT. NO. 191302090



# EYE PROTECTION



# Fisherbrand® Polycarbonate Faceshield

Large, molded polycarbonate window offers outstanding splash protection. 81/2" high (21.6cm), ANSI-approved faceshield provides 99.9% UV protection up to 380nm. Meets ANSI Z87.1-1989 standards. A ledge on the headgear prevents fluid from splashing down inside the window. Pinlock headgear can be sterilized and disinfected; window can be steam autoclaved.

CAT. NO. 189994542

# HEARING PROTECTION



### E-A-R® UltraFit® Ear Plugs

Corded plugs feature triple-flange design and soft polymer construction for safe use and nonirritating protection. No sizing required. Clean by simply washing plugs with mild detergent and folding back flanges for quick drying. 100 pairs per pack. Noise Reduction Rating (NRR): 21dB.

CAT. NO. 173805



# Fisherbrand® DeciDamp2® Ear Plugs

Disposable plugs made from nontoxic, nonirritating PVC foam expand to fit ear contours, ensuring maximum comfort and positive fit while attenuating noise levels. One size fits all. Uncorded plugs come 1 pair per cellophane pouch, 200 pairs per dispenser pack. Attenuation tested in accordance with ANSI \$3.19-1974. Noise Reduction Rating (NRR): 29dB.

CAT. NO. 19003127

# Howard Leight® Max® Ear Plugs

Smooth, soil-resistant outer skin provides maximum comfort and hygiene; keeps foreign material from penetrating the surface while being rolled prior to insertion. Preshaped and tapered for easy insertion. Soft foam material expands to provide a self-adjusting, custom fit. Attenuation tested in accordance with ANSI S3.19-1974. Noise Reduction Rating (NRR): 33dB.

CAT. NO. 19021229 (Uncorded, 200 Pr/Pk) CAT. NO. 19021230 (Corded, 100 Pr/Pk)

# PROTECTIVE CLOTHING



# DuPont<sup>™</sup> NexGen<sup>®</sup> Protective Coveralls

Lightweight coveralls provide excellent barrier protection against nontoxic particle, liquid, and spray hazards. True aerosol- and liquid-proof microporous barrier demonstrates >99% holdout of particles down to 0.35µm. Breathable, cloth-like material is treated to provide antistatic properties for use in controlled environments. Low linting for use in critical applications. White. Case of 25. CAT. NOS. 190882138 through -42

(Open wrists and ankles, M-3XL) CAT. NOS. 190882158 through -63

(Attached hood, elastic wrists, S-3XL) CAT. NOS. 190882144 through -49

(Hood and boots, elastic wrists, S-3XL)

# DuPont<sup>™</sup> Tyvek<sup>®</sup> Coveralls

Provide excellent protection against microscopic airborne particles as well as limited splash protection. Lightweight, chemically and biologically inert, and tear resistant. Economical enough to discard after wearing, yet strong enough to withstand several wearings. Case of 25. Note: Keep all garments away from heat and flames: material is not flame retardant and will melt at 135°C (275°F).

CAT. NOS. 013611 A through G (Open wrists and ankles, S-4XL)

CAT. NOS. 013617 B through F (Attached hood, elastic wrists, M-3XL)

CAT. NOS. 013612 B through F (Hood and boots, elastic wrists, M-3XL)



#### Bouton<sup>®</sup> SafetyClean<sup>™</sup> Lens-Cleaning Towelettes

Each foil-wrapped packet contains one Lensclean™ tissue premoistened with antifog, antistatic cleaning solution. Towelettes are silicone-free and safe for use on both glass and plastic lenses. Sold in dispenser packs of 100 towelettes.

CAT. NO. 19041637







# Howard Leight<sup>®</sup> Bilsom<sup>®</sup> Cap-Mounted Dielectric Ear Muffs

Dielectic cap-mount earmuffs. For use with a wide range of hard hats. Earcups snap in place during use and swing back when not in use.

CAT. NO. 191304581

# Howard Leight® LM-77 Ear Muff

Over-the-head muff features lightweight, antishock dielectric construction and soft foam cushions for comfortable long-term use. Compact design for easy storage. Cushions can be easily cleaned with soap and water. Noise Reduction Rating (NRR): 28dB. CAT. NO. 19087412

# Howard Leight® Quiet™ 24 Plus Ear Muff

Slim, lightweight hearing protector features highly visible, dielectric cups. Adjustable crown strap provides secure fit in three positions: over-thehead, under-the-chin, and behind-the-neck, Soft vinyl cushions are removable for easy cleaning. Contoured one-piece headband follows shape of the head to minimize pressure. Noise Reduction Rating (NRR): 25dB. Weighs only 6 oz. (170g). CAT. NO. 19813222



# DuPont<sup>™</sup> Tychem<sup>®</sup> QC Apparel

Polyethylene film coating on Tychem fabric repels water and moisture. Protects wearer against many hazardous chemicals. Priced to be disposable, but can be worn several times or until soiled. Zipper front attached hood: elastic wrists and ankles. Serged seams. Yellow. Case of 12.

CAT. NOS. 0136134B through E (M-XXL) CAT. NO. 189992218 (XXXL)



# Fisherbrand® PVC Rainwear

Yellow 0.35mm PVC on three-piece, polyester rainsuit. Abrasion- and tear-resistant. One-piece jacket with front snap closure has inside storm fly, two flap pockets, ragian sleeves with double-sealed seams, detachable hood, and take-up snaps at each wrist. Bib-style overalls have front snap fly, two PVC buttons at front, adjustable suspenders, and take-up snaps at waist and ankle.

CAT. NOS. 19063158 through -62 (M-XXL)

VISIT: www.fishersafety.com







# **RESPIRATORY PROTECTION**



# 3M™ General Industrial Filtering Facepiece Respirators (N95)

For use in bagging, drilling, grinding, machining, sanding, sawing, processing of minerals, and grain handling. Recommended for use up to 10X the PEL or the appropriate OSHA standard. Feature Advanced Electret Media for easier, cooler breathing, and adjustable nose clip and straps for comfortable fit. Available with optional exhalation valve.

CAT. NO. 18999473 (Without valve, 20/Pk) CAT. NO. 19002713 (With valve, 10/Pk)

#### 3M<sup>™</sup> 8000 Series N95 Respirators

An economical solution for light duty or shortduration applications. Two-strap design with single point attachment helps provide a secure fit. Adjustable nose clip reduces eyewear fogging and helps ensure a better seal and fit. Patented filter media with advanced electrostatically charged microfibers helps make breathing easier and cooler. Meet NIOSH 42 CFR 84 requirements. Pack of 30.

CAT. NO. 19065671

### 3M<sup>™</sup> 9200 Series N95 Respirators

Offer comfortable fit that conforms to a wide range of face sizes. Made with advanced electrostatically charged microfibers to make breathing easier and cooler. Feature CoolRow™ one-way exhalation valve for easy exhalation and cool, dry comfort. Three-panel construction resists collapse and provides better visibility. Pack of 10.

CAT. NO. 19041429



# 3M<sup>™</sup> Full-Facepiece 6000 Series Reusable Respirator

Requires limited maintenance time, reducing need for expensive repair programs. Lightweight, wellbalanced respirator offers long-wearing comfort. No retainers or extra parts needed to attach filters or cartridges. Soft, lightweight facepiece material and easy-to-use headstraps provide maximum comfort. Large lens with scratch-resistant hardcoat provides a wide field of vision.

CAT. NOS. 189994555 through -57 (S to L)

# 3M<sup>™</sup> 7800S Full-Facepiece Respirator

Soft, pliable silicone facepiece features doubleflap seal to ensure fit/protection. Extra-large inhalation and exhalation valves and a standard nosecup promote easy breathing without fogging. Large faceshield with scratch-resistant polycarbonate lens provides extra visibility. With six adjustable straps to distribute weight, and a high-quality rustfree speaking diaphragm.

CAT. NO. 17663B through -D (S to L)

# MSA Advantage® Cartridges and Filters

Particulate, chemical and combination cartridges are lightweight for comfort but designed for maximum protection. Bayonet-style mounting allows easy installation: cartridges lock into place with a single twist. Meet NIOSH 42CFR84. Packaged two cartridges per pack.

CAT. NO. 189993810 (Organic Vapor/P100) CAT. NO. 189993807 (Organic Vapor/Acid Gas/P100)

For a brief list of contaminants included in each cartridge category, visit www.fishersafety.com [keyword: MSA Advantage cartridges].









### 3M<sup>™</sup> 6000 Series Half-Facepiece Reusable Respirator

Combines features of both reusable and disposable respirators. Lightweight facepiece, adjustable headstraps, and cradle suspension provide excellent user comfort. Low profile offers excellent visibility. Backswept cartridges (sold separately) balance better on the face while their large surface area ensures low breathing resistance. Supplied with storage bag. NIOSH approved.

CAT. NOS. 179869A through -C (S to L)

# 3M<sup>™</sup> 7500 Series Half-Mask Respirator

Reusable silicone mask features a unique adjustment design that helps reduce tension and pres-sure points on the face. CoolFlow™ exhalation valve lowers breathing resistance. Dual-mode head harness allows use in traditional or drop-down modes. Yoke won't get hot like metal yokesexcellent for welding applications. Accommodates 3M Series 2000, 5000, 6000, and 7093 cartridges and filters

CAT. NOS. 19096898 through -900 (S to L)

### North<sup>™</sup> 7700 Series Silicone Half-Mask Respirator

Lightweight, silicone rubber facepiece provides a comfortable, secure seal and won't harden with age. Offers same secure fit and durability as fullfacepiece models. "One-piece" cradle suspension system prevents loss or misassembly of individual straps. Direct cartridge-to-facepiece connections provide a sure seal without extra gaskets that increase spare parts inventory.

CAT. NOS. 176201 through -03 (S to L)

# Allegro® Respirator Cleaning Pads

Designed especially for use on rubber respirator facepieces and other personal safety equipment. Use alcohol-free pads made with benzalkonium chloride to clean even the most sensitive rubber facepieces. Size: 5 x 8" (13 x 20cm). Pack of 100. CAT. NO. 19049883 (70% isopropyl alcohol) CAT. NO. 19038507 (Alcohol-free)

# 3M<sup>™</sup> N95 Particulate Filter

N95 filter is NIOSH approved for environments containing certain non-oil-based particles. For use with 3M Cartridges 6000 Series and Filter Retainer 501. Pack of 10.

CAT. NO. 189994547

# 3M<sup>™</sup> P100 Particulate Filter

P100 filter is NIOSH approved for environments containing certain oil and non-oil-based particles. For use with 3M Cartridges 6000 Series with Adapter 502 or Facepieces 7000 Series with bayonet filter holders. Pack of two.

CAT. NO. 189992573


# 3M<sup>™</sup> Filter Retainer 501

Used to hold 3M particulate filters 5N11 (189994547) in place on top of 3M Cartridges 6000 Series. Pack of 20. CAT. NO. 17673B





# **RESPIRATORY PROTECTION** (cont'd)



#### North<sup>™</sup> Low-Profile Cartridges and Cartridge/P100 Filter Combinations

P100 filter/cartridge combinations fit easily under other facegear; lightweight design improves comfort. Unique seal check feature on the P100 pancake filter makes it easy to verify facepieceto-face seal. All North cartridges, filters, and cartridge/filter combinations are NIOSH certified to 42CFR84 standards when used with North respirator facepieces and are available in packs of two.

CAT. NO. 19003298B (Organic Vapor) CAT. NO. 19003263 (P100 Particulate Filter) CAT. NO. 19003300B (Organic Vapor/Acid Gas) CAT. NO. 1762214 (Organic Vapor/P100) CAT. NO. 19003263H (Organic Vapor/Acid Gas/P100)

CAT. NO. 19003313B (Multigas/P100)

For a brief list of contaminants included in each cartridge category, visit www.fishersafety.com [keyword: North P1001.

# HAND PROTECTION



# Fisherbrand® Cotton Canvas Gloves

Multipurpose fabric gloves used for light protection in many general applications. 100% natural cotton fabric with knitwrist, clute cut. Regular grade, men's size. Weight, 8 oz. (227g). Color: natural. Pack of 12 pairs.

CAT. NO. 19013522

# Fisherbrand® Dotted Canvas Gloves

Black PVC dotted palm improves grip. Used for light protection in oil drilling, warehousing, farming and automotive applications. Knitwrist. Weight, 8 oz. (227 g). Pack of 12 pairs. CAT. NO. 19049583

# Safety Choice™ Economy Leather Palm Gloves

Split-cowhide leather work gloves feature gunn-cut style with wing thumb, shirred elastic back, and leather pull patch. Leather covers index finger, thumb, knuckle, and fingertips. Denim fabricbacked gloves feature reinforced palm and safety cuff. Striped fabric-backed gloves feature starched safety cuff. Men's size. Pack of 12 pairs.

CAT. NO. 19046134 (Denim Fabric Back) CAT. NO. 19816875 (Striped Fabric Back)



# Fisherbrand® Standard Leather Palm Gloves

Ideal for use in dirty applications where the glove is almost disposable. Made with traditional striped fabric back and cuff with split cowhide palm. Gunn-cut. Wing thumb with shirred elastic back; with leather pull patch, leather covering over palm, thumb, index finger, and fingertips. Pack of 12 pairs.

CAT. NOS. 19013465 and -466 (Safety cuff, S-L) CAT. NO. 19816871 (Safety cuff, XL) CAT. NO. 19053924 (Gauntlet cuff, L)

# Fisherbrand® Select Leather Palm Gloves

Made from select-grade shoulder split cowhide for use in construction, metal-work, general maintenance, warehousing, and other medium- to light-duty applications. Leather covers palm, index finger, and thumb. Gunn-cut construction provides longer life. Large. Rubberized cuff. Pack of 12 pairs. CAT. NO. 19013469 (2" safety cuff) CAT. NO. 19013471 (4" gauntlet cuff)

WARNING: Some of these products contain natural rubber latex, a component of which may cause allergic reaction in some users. Use only as directed and in accordance with manufacturer instructions and warnings. Please consult your institution's policies reaarding use of these products.



#### 3M<sup>™</sup> Cartridges and Cartridge/Filter Combinations

Provide respiratory protection for contaminants up to 10X the permissible exposure limit (PEL) with half-facepiece repirators or 50X the PEL (when quantitatively fit tested) with full-facepiece respirators or according to specific OSHA standards or applicable government regulations, whichever is lower. P100 filters are 99.97% efficient against solid and liquid aerosols, including oils. Not for use in atmospheres that are unknown or immediately dangerous to life or health (IDLH).

CAT. NO. 1798611A (Organic Vapor) CAT. NO. 1798611C (Organic Vapor/Acid Gas) CAT. NO. 189994548 (Organic Vapor/P100, 2/Pk) CAT. NO. 189994550 (Organic Vapor/Acid Gas/ P 100, 2/Pk)

#### CAT. NO. 189994567 (Multigas/P100, 2/Pk)

For a brief list of contaminants included in each cartridge category, visit www.fishersafety.com [keyword: 3M cartridges]. Note: OSHA regulations require that gas-proof goggles be worn with half-facepiece respirators when used against formaldehyde.

# Fisherbrand® Synthetic Blend String Knit Gloves

Used in warehousing, parts handling, assembly, and food processing; also popular as glove liners. Reversible string knit gloves are made from a cotton/polyester blend for durability and comfort. Knit pattern allows breathability with less hand fatigue. Standard weight, men's size. Pack of 12 pairs. CAT. NO. 19050145

### MCR Safety Men's Cotton Jersey Gloves

Lightweight protection for general-purpose applications. Constructed from natural cotton jersey fabric. Breathable and absorbent. Reversible twopiece design with knitwrist cuff. Men's size. Color, natural. Pack of 12 pairs.

CAT. NO. 19058753

# Fisherbrand<sup>®</sup> PVC Dotted String Knit Gloves

White cotton string knit gloves with PVC plastic dots on both sides. Ideal for protecting hands from dirt and abrasion. Seamless style provides comfort and reversibility. Standard weight Launderable. Pack of 12 pairs.

CAT. NO. 1138753 (Men's size) CAT. NO. 1138752 (Women's size)

# TOWA® PowerGrab™ Latex-Coated Palm Textured Finish Gloves

Breathable seamless, gray cotton-polyester blend string knit liner features blue latex rubber coating on palm and fingertips, and a fully coated thumb. Crinkle-textured finish for superior grip in wet and dry applications. Ergonomic shape for reduced hand fatigue. Machine washable. Pack of 12 pairs.

CAT. NO. 19816906 (M) CAT. NO. 19816905 (L) CAT. NO. 19120161 (XL)

# Perfect Fit Atlas Fit<sup>™</sup> Rubber-Coated Gloves

Medium-weight, seamless knit cotton/polyester blend shell is palm coated with natural rubber. Textured, rubber-coated palm resists abrasion, inhibits liquid penetration and provides a safe, sure grip; also coated at wear areas of the fingertips and thumb crotch. Ergonomic design reduces hand fatigue. Pack of 12 pairs.

CAT. NO. 189994410B and C (L to XL)

VISIT: www.fishersafety.com















# HAND PROTECTION (cont'd)





Gunn-cut gloves feature leather at palm, thumb, and forefinger. Constructed from B-grade shoulder split cowhide leather. With plasticized gauntlet cuff and green- and pink-striped fabric back. Pack of 12 pairs.

CAT. NO. 191201558



# Safety Choice™ Split Cowhide Driver's Gloves

Provide abrasion resistance and excellent dexterity. Straight thumb and elastic back. Ideal for construction, machine operation, utility work, farming, roping, and other general applications. Color, tan. Regular grade. Pack of 12 pairs. CAT. NO. 19042121 (L)

CAT. NO. 19058737 (XL)



# Fisherbrand® Leather Driver's Gloves

Provide abrasion resistance and excellent dexterity. Intermediate grade, top-grain leather. Straight thumb and elastic back. Ideal for construction, machine operation, utility work, farming, roping, and other general applications. Launderable. Pack of 12 pairs.

Fisherbrand® Pigskin Driver's Gloves

Return to original pliability even after being soaked

in water. Gunn-cut style with straight thumb and

elastic wrist. Suited for construction, machine operation, utility work, and many general applica-

tions. Unlined. Pack of 12 pairs.

CAT. NO. 19013357 (L) CAT. NO. 19013359 (XL)

CAT. NO. 19043020 (L)

CAT. NO. 19043042 (XL)



# Fisherbrand® Powder-Free Nitrile Exam Gloves

Odor-free gloves have a beaded cuff for easier donning. Softer formulation offers exceptional fit and feel. Meets ASTM F1671. Latex-free. Nonsterile. Ambidextrous. Textured surface. Length: 9½" (24cm). Thickness at fingertip: 6mil. Pack of 100.

CAT. NOS. 191301597A through E (XS-XL)



# Safety Choice™ Natural Rubber Latex Gloves

Chlorinated gloves feature rolled, beaded cuffs to prevent tears. Provide resistance to acids, alkalis, alcohols, salts, ketones, and animal fats. Flocklined style provides increased comfort and ease of donning. Recessed diamond texturing provides better gripping in slippery applications. Large size. Yellow. Pack of 12 pairs.

CAT. NO. 19816829













# Kimberly-Clark® KleenGuard® Lightly Powdered Natural Rubber Latex Gloves

Flexible, natural feeling glove offers excellent tactile sensitivity. Ambidextrous, powdered, beaded cuff. Smooth natural rubber latex, 6.7mil at fingertip, 5.5mil at palm. Length, 9<sup>3</sup>/s" (24cm). 100 gloves per dispenser box.

CAT. NOS. 191203051A through E (XS-XL)

# Kimberly-Clark® KleenGuard® Powder-Free Natural Rubber Latex Gloves

Combine high-tactile sensitivity with high tack for a sure grip. Ambidextrous, powder-free, beaded cuff. Textured natural rubber latex, 6.7mil at fingertip, 5.5mil at palm. Length, 9<sup>3</sup>/s" (24cm). 100 gloves per dispenser box.

CAT. NOS. 191203052A through D (XS-L)

# Fisherbrand<sup>®</sup> Powdered and Powder-Free Latex Exam Gloves

Provide a watertight barrier for protection from infectious materials. Made of surgical quality natural rubber latex. Puncture- and tear-resistant. Textured fingers. Powdered gloves are lightly dusted with USP absorbable dusting powder. Powder-free gloves are suitable for ISO Class 6 (formerly Class 1000) or above cleanrooms. Length, 9½" (24cm). Thickness, 6mil. Ambidextrous. White. Nonsterile. Pack of 100.

CAT. NOS. 113944A through D (Powdered, XS-L) CAT. NOS. 113945A through D (Powder-free, XS-L)

# Kimberly-Clark® KleenGuard® Powder-Free Blue Nitrile Gloves

Blue nitrile material provides an added degree of durability compared to latex, while textured fingertips provide enhanced grip and dexterity. Ambidextrous, powder-free, beaded cuff. Blue synthetic nitrile rubber, 5.9mil at fingertip, 4.7mil at palm. Length, 9½" (24cm). 100 gloves per dispenser box.

CAT. NOS. 191203050A through D (XS-L)

# Fisherbrand® Diamond Grip Nitrile Gloves

Acceptable for use in both food and pharmaceutical applications. Unsupported nitrile. Embossed raised-diamond pattern on the palm and fingers for a superior dry or wet grip. Medium weight. Flock lined. 13" long (33cm); 16mil thick. Color, green. Pack of 12 pairs.

CAT. NO. 19161866 through -70 (S to XXL)

# Ansell<sup>®</sup> Sol-Vex<sup>®</sup> Nitrile Gloves

Protect against abrasions, cuts, snags, and punctures. Will not weaken or swell in many solvents, caustics, and animal fats. Full cut for easy donning and doffing. Curved finger design and contoured palm help reduce fatigue. Flock lined. 13" long (33cm); 15mil thick. Pack of 12 pairs.

CAT. NO. 11391139A through F (Sizes 6 to 11)

WARNING: Some of these products contain natural rubber latex, a component of which may cause allergic reaction in some users. Use only as directed and in accordance with manufacturer instructions and warnings. Please consult your institution's policies regarding use of these products.

# FOOT PROTECTION



# Onguard PVC Boot and Shoe Covers

Made of 0.2mm thick PVC plastic uppers heat welded to 0.5mm thick embossed PVC soles. Boots are 15" high (38cm) with elastic top. Waterproof. Yellow.

CAT. NOS. 17986300 through -02 (sizes Medium to X-Large)

# Onguard Economy Kneeboots

PVC plastic over-the-sock boots for wet or muddy conditions only-not for chemical or electrical resistance. Cleated outsoles, replaceable insoles, reinforced shanks, and kick-off lugs. Steel toe meets ANSI STD Z41 PT91 I/75 C/75 and CSA STD Z195 M92 Grade 1 for impact and compression. Height: 16" (41cm). Black.

CAT. NOS. 17987401A through -G (Sizes 6 to 12)

# Onguard Polyblend™ Work Boots

Injection-molded, one-piece boots offer high chemical resistance. Steel toe meets or exceeds ANSI Z41 PT91 1-75, C-75, and CSA Z195 M92 Grade 1. Features include steel shanks; removable, washable cushion insoles; pull-up and kick-off lugs; and molded pant stays to keep pants tucked inside the boot shaft. Height: 16" (41cm). Black with gray cleated nonslip outsoles.

CAT. NOS. 17986326 through -33 (Sizes 6 to 13)

# Onguard Latex Overboot

Recommended for spill cleanup and municipalities work. Dipped boot and shoe cover features ribbed and textured sole. 100% waterproof. Height, 12" (30cm), Yellow,

CAT. NO. 19054801 (L) CAT. NO. 19051497 (XL) CAT. NO. 19051495 (XXL)

WARNING: Some of these products contain natural rubber latex, a component of which may cause allergic reaction in some users. Use only as directed and in accordance with ma facturer instructions and warnings. Please consult your institution's policies regarding use of these products.



#### Miller<sup>™</sup> Titan<sup>™</sup> Full-Body Harness

Fully adjustable harness constructed of tough polyester webbing features mating buckles on the chest and shoulder straps, a sliding back D-ring with a flexible D-ring pad, and tongue buckle leg straps. Sub-pelvic strap reduces pressure on shoulders. Includes trilingual labeling and instructions. Meets applicable OSHA, ANSI, and



#### MSA FP Pullover® Harness

Uniquely designed to contain torso, keep wearer in an upright position, and distribute fall arrest forces to the sub-pelvic area in the event of a fall. Single-point shoulder-strap adjuster allows user to fit comfortably for daylong wear. Features back D-ring for attaching fall-arrest equipment; tongue buckles on leg straps; two hip D-rings; chest Dring. Meets or exceeds applicable OSHA, ANSI, and CSA standards.

CAT. NO. 189994718

# Miller<sup>®</sup> Revolution<sup>™</sup> Fall Harness

Advances harness functionality with features developed to meet key, user-identified needs. Rotary PivotLink™ connection point provides greater comfort in bending. Semi-rigid back shield minimizes minor impacts and positions D-ring. CAT. NO. 191304080



# Miller<sup>™</sup> Titan<sup>™</sup> Shock-Absorbing Lanyard

Constructed of lightweight, durable, tubular polyester webbing. Features a woven inner shockabsorbing core which smoothly expands to 3½' (1m) to reduce fall arrest forces; outer jacket acts as a backup web lanyard. Single-leg configuration. Meets all applicable OSHA, ANSI, and CSA standards.

CAT. NO. 19041509

# Miller<sup>™</sup> Manyard<sup>®</sup> II Shock-Absorbing Lanvard

Designed with integral shock-absorbing inner core surrounded by an extra strong, heavy-duty jacket that serves as a backup web lanyard. Has two zinc-plated locking snap hooks, both with ¾" (1.9cm) throat openings. Warning flag shows when lanyard is unfit for service due to previous fall. Meets OSHA, ANSI, and CSA requirements. CAT. NO. 19002989

# **Need more information?**


We carry a far greater product selection than we have included in this list. Additional sizes, models, and brands can be found in the Fisher Safety catalog or online at www.fishersafety.com.

Your Fisher Sales Rep can assist you in selecting the best combination of products to meet your needs.



For customer service, call 1-800-772-6733. To fax an order, use 1-800-772-7702. To order online: www.fishersafety.com

# FALL PROTECTION



CAT. NO. 19041473

